

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 1200 Pennsylvania Ave., NW

Washington, D.C. 20460

EPA Reg. Number: 10163-

253

Date of Issuance:

DEC 14 2000

NOTICE OF PESTICIDE:

x Registration

___ Reregistration

(under FIFRA, as amended)

Name of Pesticide Product:

Term of Issuance: Conditional

Savey 2E

Name and Address of Registrant (include ZIP Code):

Gowan Company P.O. Box 5569

Yuma, AZ 85366-5569

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1. Make the following labeling changes listed below before you release the product for shipment:
- Add EPA Reg. No. 10163-253 to the label.
- b. Add the following statement to your "First Aid" section: "Have the product container or label with you when calling a poison control center or doctor, or going for treatment."
- Under the "Precautionary Statements" section of your label, please revise this section to read: "Harmful if swallowed. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse." Delete the statement "May irritate eyes, nose, throat, and skin."

Signature of Approving Official:

DEC 14 2000

George T. LaRocca

- d. Under your "ENVIRONMENTAL HAZARDS" section, please change the statement "Do not contaminate water..." to read "Do not contaminate water when cleaning equipment or when disposing of equipment washwaters."
- e. Add the following statement to the "Restriction on All Crops" section: "Do not plant rotational crops other than those on this label within 120 days of this application."
- f. The results of the one year storage stability study (830.6317) are still outstanding. You must submit the results of this study upon completion.
- 2. Please submit two (2) copies of your final printed label before you release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Sincerely,

George T. LaRocca Product Manager (13)

Insecticide Branch

Registration Division (7505C)

Enclosure

Savev[®] Ovicide/Miticide

EMULSIFIABLE CONCENTRATEFOR AGRICULTURAL USE ONLY

ACTIVE INGREDIENT: Hexythiazox	%	By Wt.
trans-5-(4-Chlorophenyl)-N-cyclohexyl-4-methyl-2-oxothiazolidine-3-carboxamide		24.2%
OTHER INGREDIENTS		<u>75.8%</u>
то	TAL	100%

Savey 2E contains 2 lbs. active ingredient per gallon

KEEP OUT OF REACH OF CHILDREN **CAUTION**

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for treatment advice.

FOR EMERGENCY RESPONSE AND HAZARD COMMUNICATIONS ONLY, CALL 1-800-228-5635 EXT. 283.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May irritate eyes, nose, throat, and skin. Harmful if inhaled. Avoid breathing spray mist. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

ACCEPTED with COMMENTS in EPA Letter Dated

NET CONTENTS 1 Gal.

DEC 1 4 2000

EPA Reg. No. 10163xxx EPA Est. No. 67545-AZ-01



Under the Federal Investigities Fungicide, and Redensible 401 Yuma, AZ 85366-5569 us amended for the probable registered under EPA 5 a 26.

Gowan Company P. O. Box 5569

0163 - 253

GENERAL INFORMATION

Savey Ovicide/Miticide is recommended for use as a foliar application in labeled crops. Save@vicide/Miticide provides effective control of major spider mite species. It is an emulsifiable concentrate to be mixed with water and applied as a spray.

Savey controls mites through activity on eggs and immature stages. Control is achieved from either direct contact with the spray or from contact with treated plant surfaces. Through itsovicidal activity, Savey controls newly depositedmite eggs and eggs which are laid after application. Savey is also highly effective in controlling immature motile stages of target mite species that are sprayed or move onto treated surfaces dult mites are not directly affected. However, eggs produced by females in contact with treated surfaces will be rendereitviable. Savey provides extended residual control of pest mite species without disrupting beneficial insects and mites. The degree and duration of control is dependent on the ratesed growth stage of the mite, species of mite, and climatic conditions under which the material is applied.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelingFollow all directions on the EPA approved label and any supplemental labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Managing Mite Resistance: Repeated use of miticides with similar modes of action may lead to buildup of resistant strains of mites. For resistance management, apply Savey only once per year. To reduce the potential for developing mite resistance, do not apply a miticide with a similar mode of action more than once per year (Savey and Apollo® should not be applied to the same crop in anyone year). If additional miticide applications are needed, use a product with a different mode of action, such as a contact adulticide. Read and follow product label before applying any miticide.

Mixing Directions: If this product is packaged in water-soluble bags, please read and observe the following directions for use:

- Packets containing Savey are water-soluble. Avoid exposing inner bags to moisture.
- . Do not allow bags to become wet prior to adding to the spray tank.
- . Do not handle inner bag with wet hands.
- · Reseal outer bag in a manner that protects remaining packets from moisture.
- . Turn on spray tank agitation prior to adding water-soluble packets.
- To prepare the spray mixture, drop the required number of unopened packets to meet desired ounces, as determined under PPLICATION DIRECTIONS, into the spray tank while filling with water to the desired level (whenever possible direct the fill water over the top of the packets to increase the rate of solubility). Where dosages of Savey are expressed as fractions of packets, prepare the tank mix load to the lower of the nearest whole packet.
- Depending on the water temperature and the degree of agitation, the packets should be completely dissolved within approximately three to five minutes
 from the time they were added to the spray tank.
- · Once the packets have completely dissolved, add other chemicals following conventional mixing order practices.
- Tank-mix solutions containing boron will affect the solubility of the water-soluble film. Thoroughly rinse the spray tank of any boron containing spray solution prior to adding any water-soluble packets. When preparing tank mixes containing boron, add the correct amount. Savey to the spray tank first. Make sure that the water-soluble packets are completely dissolved. Add boron preparations to theorem tank last. High concentrations of boron may cause dissolved water soluble bag material to precipitate and form insoluble residue in the spray tank system.

If this product is <u>NOT</u> packaged in water-soluble bags, please read and observe the following directions for use:

- . Turn on spray tank agitation. Pour recommended amount of this material on the surface of water in a nearly filled spray tank.
- · Add balance of water to fill the tank
- · Keep agitator running during filling and spraying operations. Do not allow mixture to stand.

Compatibility: Savey is compatible with most agricultural chemicals. However, all possible combinations have not been evaluated. Before full-scale mixing of Savey with other products, test mix small proportionate quantities of each to ensure compatibility.

PHYTOTOXICITY STATEMENT

As is common with most emulsifiable concentrate formulations, adverse effects such as spotting or discoloration of the treated surfaces can occur. Some conditions known to contribute tophytotoxicity include, but are not limited to, high temperatures, poor spray drying conditions, excessive spray deposit or run-off, certain spray mixtures, stage of crop development or tank mixes with other pesticides.

PREHARVEST INTERVAL

The required days between the last application and harvest are given in after each crop name.

APPLICATION DIRECTIONS

CROP	PEST	RATE OZS./ACRE	COMMENTS
COTTON (35) (For use in California Only)	Twospotted spider mite, Pacific spider mite, Strawberry spider mite, Carmine spider mite	6-10	Apply Savey before boll opening and prior to adult mite buildup. Complete coverage of foliage is essential to optimal performance. (For air applications, use recommended per acre rate and apply a minimum of 2 gallons of finished spray per acre.)
	 Do not apply more Do not make more 		0 oz. formulated product per acre per year. ation per year.

RESTRICTIONS ON ALL CROPS

- Do not graze or feed livestock on cover crops growing in treated areas
- Do not use water from treated fields for irrigating other crops.
- Do not apply this product through any type of irrigation system.
- · Savey is an emulsifiable concentrate to be diluted with water for application in commercial plantings only.
- Apply Savey prior to adult mite build up. Savey will not control adult spider mites. Use higher rates on moderate to high mite infestations or
 for larger plants with a dense canopy. If adult mites are present in medium to high populations, better results may be obtained using Savey
 in combination with a registered contact adulticide. The use of less than label rates is not recommended with Savey.
- Do not make more than one application of Savey per year.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original container only, away from other pesticides, fertilizers, food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration or if allowed by State and local authorities, byburning. If burned, stay out of smoke.

FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK OR FIRE), CALL CHEMTRE® (800) 424-9300. For other product information, contact Gowan Company or seeMaterial Safety Data Sheet.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Savey is a registered trademark of Nippon Soda Company, Ltd Apollo is a registered trademark of AgrEvo USA Company

PRINTING ON WATER SOLUBLE BAG
Savey Ovicide/Miticide 2E, EPA Reg. No. 10163-xxx

Savey Ovicide Miticide 2E EPA Reg. No. 10163-xxx Contains 24.2% hexythiazox CAUTION KEEP OUT OF REACH OF CHILDREN Refer to outer bag for instructions

EPA Text Pending Savey 2E (resubmitted to EPA 10-05-00)