

10163-277

1/21/2010

1/2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

JAN 21 2010

Ms Kyla S. Smith
Gowan Company
P.O. Box 5569
Yuma, AZ 85366-5569

Subject: Label Amendments – Allow Applications at a Later Growth Stage for Field Corn

EPA Registration No. 10163-277
Onager® Miticide
Your submission dated April 28, 2009


Dear Ms Smith:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records.

1. Add the section *Restrictions on all Crops* from the main label to the application directions.
2. At your next label printing, or within eighteen (18) months, whichever comes first, you must incorporate this supplemental labeling into the main product labeling.

A copy of the Health Effects Division Review Memo and a copy of the Data Evaluation Record for the data submitted to support this amendment are enclosed for your records.

If you have questions regarding this action, please contact Olga Odiott at (703) 308-9369.

Sincerely,

Kimberly Nesci
Product Manager 11
Insecticide Branch
Registration Division (7505P)

Enclosure

2/2

GROUP 10A ACARICIDE

Onager®

Miticide

EMULSIFIABLE CONCENTRATE FOR AGRICULTURAL USE ONLY

ACTIVE INGREDIENT: Hexythiazox	% By Wt.
trans-5-(4-Chlorophenyl)-N-cyclohexyl-4-methyl-2-oxothiazolidine-3-carboxamide.....	11.8%
OTHER INGREDIENTS	88.2%
TOTAL	100.00%

Onager contains 1.0 lb. active ingredient per gallon
Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN
CAUTION

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.
- This labeling must be in the possession of the user at the time of pesticide application.

PREHARVEST INTERVAL

The required days between the last application and harvest are given in () after each crop name.

APPLICATION DIRECTIONS

CROP	PEST	RATE OZS./ACRE	COMMENTS
CORN, FIELD (45) (Western US <u>Only</u>)	Banks grass mite, Two spotted spider mite, Pacific spider mite, Strawberry spider mite	6 - 24	Apply Onager at the first sign of mites before populations begin to build. Ground Application: Apply the recommended rate of Onager by ground equipment at 15 - 20 GPA. Use a spray boom equipped to position one 16-inch boom drop extension per row, with two nozzles directed to spray up and under the crop canopy - one to the right and one to the left. Air Application: Apply the recommended rate of Onager by air in a minimum of 5 GPA. Applications made by air to dense foliage may not provide adequate coverage of lower leaf surfaces for sufficient control. Use of higher labeled rates may be necessary. Chemigation: see details under Chemigation Systems on Section 3 label.
<div>ACCEPTED with COMMENTS In EPA Letter Dated JAN 21 2010 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10163-277</div> <ul style="list-style-type: none">• Do not apply more than a total of 24 oz. formulated product per acre per year.• Do not make more than one application per year.• Do not harvest field corn forage, stover, and grain for 45 days after application.• Application after the VT crop growth stage is prohibited. <p>*May only be applied in the Western US - west of the line defined as follows:</p> <p>TX: W of Rt. 283 and NW of Rt. 377 OK: W or Rt. 281/183 KS, NE, SD, ND: W of Rt. 281</p>			

NET CONTENTS _____



EPA Reg. No. 10163-277
EPA Est. No. 67545-AZ-01

Produced For:
Gowan Company
P.O. Box 5569
Yuma, AZ 85366