UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



FEB 2.8 2008.

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Julie M. Butcher Gowan Company P. O. Box 5569 Yuma, AZ 85366-5569

Dear Ms. Butcher:

Subject: GWN-3124 WDG Herbicide (Pre-Plant or At-Planting Burndown in Cotton, Field Corn, Grain Sorghum, Rice, and Soybeans)

EPA Registration No. 10163-294

Application Dated December 20, 2007

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable. A stamped copy of labeling is enclosed for your records.

Supplemental labeling must be incorporated into master labeling and copies of master labeling submitted to the Agency for our files at your next printing or within two years from the date of acceptance of supplemental labeling whichever comes first. The Agency will consider a convincing argument as to why a supplemental label should not appear on a master label on a case by case basis.

Sincerely,

Vicke Kwalto Nov James A. Tompkins Product Manager 25 Herbicide Branch Registration Division (7505P)

Supplemental Label

GWN-3124 WDG Herbicide

Dry Flowable

PRE-PLANT OR AT-PLANTING BURNDOWN IN COTTON, FIELD CORN, GRAIN SORGHUM, RICE AND SOYBEANS

ACTIVE INGREDIENTS:

BY WT.

Thifensulfuron-methyl

Methyl 3-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl) amino]carbonyl]amino]sulfonyl]-2-thiophenecarboxylate.....

OTHER INGREDIENTS:

...... 75.0%

.....25.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

Read the entire label before using this product.

This labeling must be in the possession of the user at the time of pesticide application.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions and precautions on the EPA registered label are to be followed. No. 16

ACCEPTED

FEB 28 AME

Under the Federal Insecticide, Fundicide, and Medanticide Act, as amended for the perticide registered under

Applications of GWN-3124 WDG Herbicide may be applied for burndown of emerged weeds before planting, or at planting, of cotton, field corn, grain sorghum, rice and soybeans.

DIRECTIONS FOR USE

GWN-3124 WDG Herbicide may be used as part of a pre-plant or at-planting burndown treatment, in combination with other suitable registered herbicides.

Read and follow all manufacturers label recommendations for the companion herbicide. If those recommendations conflict with this label, do not tank mix the herbicide with GWN-3124 WDG Herbicide. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In fields to be planted to cotton, apply GWN-3124 WDG Herbicide at 0.2 to 0.33 ounces per acre. Allow at least 7 days between application and planting of cotton. In fields to be planted to field corn, grain sorghum, rice, or soybeans, apply GWN-3124 WDG Herbicide at 0.3 to 0.6 ounces per acre for control or partial control of the weeds listed on the EPA registered label. Include a nonionic surfactant, petroleum based crop oil concentrate, or vegetable-seed oil-based product (methylated seed oils are considered a vegetable seed-based oil).

If another herbicide is tank mixed with GWN-3124 WDG Herbicide to increase the broadleaf weed spectrum, select adjuvants based on the adjuvant limitations of the other companion herbicide.

SPRAY ADJUVANTS

Nonionic Surfactants (NIS)

Apply at a rate (concentration) of 0.25 - 0.5% v/v (1 - 2 qt. per 100 gal. spray solution). Use the higher rate in hot and dry conditions to enhance control.

Crop Oil Concentrate

Under dry conditions or during cool weather, a petroleum based crop oil concentrate, or vegetable-seed oil-based product may be used in place of a nonionic surfactant at 1-2 gal./100 gal. of spray solution (1-2% v/v) to enhance weed control. Use a petroleum-based crop oil concentrate with at least 14% emulsifiers/surfactant and 80% oil.

Ammonium Nitrogen Fertilizer

An ammonium nitrogen fertilizer can be added to a surfactant or a crop oil concentrate to enhance control. Alternatively, a high-quality, sprayable grade of ammonium sulfate (21-0-0) may be used.

Gowan[®]
The Go To Company

Produced For: Gowan Company PO Box 5569 Yuma, Arizona 85366-5569

EPA Reg. No. 10163-294 EPA Est. No.

IMPORTANT PRECAUTIONS

Seedling disease, nematodes, cold weather, deep planting (more than 2"), excessive moisture, high salt concentration, and/or drought may weaken cotton seedlings and increase the possibility of crop injury. Cotton resumes normal growth once favorable growing conditions return.

. RESTRICTIONS

- DO NOT apply after planting sorghum or rice.
- DO NOT apply later than 7 days before planting cotton.
- DO NOT allow livestock to grace on, or feed forage, hay or straw from treated soybean fields.
- DO NOT make more than one pre-plant or at-planting application of GWN-3124 WDG Herbicide to field corn, rice, sorghum, or soybeans per growing season.
- DO NOT apply more than 0.6 oz. of GWN-3124 WDG Herbicide to rice or grain sorghum pre-plant or at-planting.
- DO NOT apply more than 0.6 oz. of GWN-3124 WDG Herbicide per acre per growing season to field corn or soybeans. Application(s) to these crops can be made pre-plant/at-planting, and/or postemergence. Refer to the EPA registered label for specific postemergence use directions.

Read the "LIMIT OF WARRANTY AND LIABILITY" statement in the label booklet for SANDEA herbicide before using. These terms apply to this SUPPLEMENTAL LABELING and if these terms are not acceptable, return the product unopened at once.

EPA Text Pending: GWN-3124 Pre-plant/At Planting Supplemental (to EPA 12/20/07)