

**ACCEPTED**  
 10-31-72  
 UNDER THE FERTILIZER ACT  
 FUNGICIDE AND HERBICIDE ACT  
 FOR ECONOMIC PEST CONTROL  
 REGISTERED UNDER NO. 10170-6

*Comment*

**USE DIRECTIONS**

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level.

This has been substantiated by the AOAC Use Dilution Confirmation Test.

At this level, the product is fungicidal against pathogenic fungi.

For best results, use **SEPTICIDAL CD 45** with a cloth or mop and apply to walls, floors and other hard surfaces.

If used on food equipment or food contact items limit the level of active quaternaries to 200 ppm. (2.8 ounces per 5 gallons)

**NO RINSE REQUIRED**

For heavy soil or organic matter, a precleaning step is recommended.

Rinse empty container thoroughly with water and discard.

**SEPTICIDAL CD 45** <sup>TM.</sup>

**CLEANER, DISINFECTANT, DEODORIZER, FUNGICIDE**

Designed for Hospital and Institutional Use

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium carbonate	3.0 %

**INERT INGREDIENT:**

92.5 %  
 -----  
 100.00%

EPA Reg. No. 10170-6

**CONTENTS: 1 Gallon**

*Manufactured by*

**MIDWEST BIOCHEMICAL CORP.**

Milwaukee, Wisconsin 53205

**WARNING: Keep Out of Reach of Children.**  
 See right panel for additional precautionary statements.

**SEPTICIDAL CD 45** is a cleaner, disinfectant, and sanitizer, designed for institutional use, such as Hospitals, Nursing Homes, and Schools, where house-keeping will be of prime importance, in controlling the hazard of cross-infection. Hard surface sanitization can help in this control, and **SEPTICIDAL CD 45** can provide the assurance you need in this area, when used as directed.

**WARNING:** Keep Out of Reach of Children. Causes severe eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

ACCEPTED WITH COMMENTS