

SC10-082-04.7
 Paint, Antifouling, Vinyl-Red
 MIL-P-15921E, Formula 121/65
 1 Gal. Net Wt.lbe.
 Gr. Wt.lbe.

Segeant Corporation
 Portsmouth, Virginia

Order No.
 Contract No.
 Lot No.
 Date

Active Ingredients

Cuprous Oxide

% by Wt.
 70.6
 70.6

Inert Ingredients

Gum Rosin
 Methyl Isobutyl Ketone
 Xylene
 Vinyl Resin
 Tricresyl Phosphate

% by Wt.
 11.5
 8.1
 5.6
 2.7
 3.5
 20.4

CAUTION

UNCLASS. NO.

KEEP OUT OF REACH OF CHILDREN
 Harmful If Swallowed

RECEIVED
 1977-3

10-17-57
Paint, Antifouling, ship use
T2-P-117

5 Gal. Int. wt.lbs.
Gr. wt.lbs.

Sengstack Corporation
Portsmouth, Virginia 30177-2

Order No. AUC-117-1
Contract No.
Lot No.
Mfg. Date

Active Ingredients	lb. wt.
Cuprous Oxide	28.9
Mercuric Oxide	1.6
	30.5

Inert Ingredients	lb. wt.
Gas kerosene	18.0
Refined Gas for naphtha	9.2
Paint thinner	9.2
Coal Tar	5.4
Magnesium Silicate	5.4
Iron Oxide	5.4
Tine Oil	2.8
Zinc Oxide	14.2
	69.7

Do not get in eyes, on skin
or on clothing. Wash thoroughly
after handling.

U.S. Pat. No. _____

BEST DOCUMENT AVAILABLE

6

DIRECTIONS FOR USE

For general cleaning and disinfecting in one operation, use 3 oz. of STAR-DINE DISINFECTANT to 5 gals. of water. For extremely dirty or porous surfaces, use 6 oz. to 5 gals. of water.

HOSPITALS: Use as recommended above. Allow at least 10 minutes contact time. Rinse all food-handling surfaces with potable water.

COMMERCIAL BUILDINGS, INSTITUTIONS AND GENERAL HOUSEKEEPING: Use 3 oz. of STAR-DINE DISINFECTANT to 5 gals. of water for cleaning and disinfecting floors, walls, lavatories, shower rooms, kitchens, and lunch rooms. Rinse all food-handling equipment with potable water before reuse.

FOOD PLANTS: To sanitize previously-cleaned food processing equipment and utensils use 1 oz. of STAR-DINE DISINFECTANT to 5 gals. water. Allow to drain but do not rinse. When used at this dilution (1:640), STAR-DINE DISINFECTANT does not require a potable water rinse.

DANGER:

Corrosive. Causes Eye Damage and Skin Irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

ANDERSON CHEMICAL COMPANY

Litchfield, Minnesota 55355 Box 1041

Des Moines, Iowa 50309 204 S.W. 2nd St.

Manufactured under the following U.S. Patents: 3,028,299
2,977,315 2,931,777

BEST DOCUMENT AVAILABLE

E.P.A. Establishment No. 150-MN-1

E.P.A. Registration No.

STAR-DINE

IODINE

DISINFECTANT

Recommended for cleaning, disinfecting, and sanitizing
in hospitals, institutions, food plants, and
commercial buildings.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

ACTIVE INGREDIENTS:

alpha-(p-Nonylphenyl)-omega-hydroxypoly
(oxyethylene)-iodine complex 18.05%
(Providing 1.75% titratable iodine)

Phosphoric Acid 16.00%

INERT INGREDIENT: 65.95%

100.00%

DANGER:

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS:
1 GALLON U. S.

JOHN IVE

(See side panel for First Aid and other precautions.)