

SEAGUARD

HEAVY DUTY ANTI-FOULING COPPER

INGREDIENT STATEMENT

ACTIVE INGREDIENT
 *CUPROUS OXIDE
 INERT INGREDIENTS
 TOTAL
 *COPPER EQUIVALENT

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Give first aid as directed on label.
 IF INHALED: Get fresh air and seek medical attention.
 IF ON SKIN: Wash with soap and water immediately after use.
 IF IN EYES: Flush with plenty of water immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MADE BY SEAGUARD CORPORATION
 PORTSMOUTH VIRGINIA 23709
 ESTABLISHMENT NO 10177 VA 1
 EPA REGISTRATION NO 10177-B

STORAGE AND DISPOSAL

RESTRICTIONS

HAZARD IDENTIFICATION

HAZARD STATEMENT

HAZARD CLASSIFICATION

HAZARD PRECAUTIONARY STATEMENT

HAZARD CONTROL MEASURES

HAZARD TREATMENT

HAZARD ALTERNATIVE PROCEDURES

ACCEPTED

APR 9 1979

State of Federal Inspections
 Department of Health and Welfare
 Virginia

BEST DOCUMENT AVAILABLE

ONE GALLON NET CONTENTS

B

A

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

WARNING

... irritation. Do not get in eyes or skin or on clothing. Avoid ... spray mist. Wear goggles or face shield and rubber gloves ... protective breathing mask and protective clothing when ... use with adequate ventilation. Harmful if swallowed.

... immediately wash skin with soap and water. Flush eyes with ... if irritation persists. If swallowed ...

ENVIRONMENTAL HAZARDS

... water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

... per flame.

DIRECTIONS FOR USE

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water bodies by storage or disposal.

RESTRICTIVE DISPOSAL

Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.

CONTAINER DISPOSAL

Triple rinse (or Equivalent) and dispose of in an approved landfill or bury in a safe place.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.

KEEP OUT OF REACH

WARNING

STATEMENT OF PRACTICE

If swallowed, get medical attention. If on skin, wash with soap and water. If in eyes, flush with plenty of water. SEE SIDE PANEL FOR ADDITIONAL INFORMATION.

MG BY SEAGUARD CORPORATION
PORTSMOUTH, VIRGINIA 23705
ESTABLISHMENT NO. 10177 VA-1
EPA REGISTRATION NO. 10177-8

ONE GALLON NET CONTENT

A

B

Manufactured by
SEAGUARD CORPORATION
PORTSMOUTH, VIRGINIA 23705

ZOCICON BEST DOCUMENT AVAILABLE

**INSECT AND MITE HOUSEPLANT MIST
CONCENTRATE**

AN INSECTICIDE FOR FORMULATING USE ONLY

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ZOCICON

ACTIVE INGREDIENTS:

methoprene [(1 <i>S</i>)-11-methoxy-3,7,11-trimethyl-2,4-dioxadecadiene]	5.805
hexadecyl cyclopropanecarboxylate	3.758
resmethrin [(5-benzyl-3-furyl) methyl 2,2-diethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	2.506
related compounds	0.251
INERT INGREDIENTS:	88.401
Total	100.000

WPA 201(5) trans. Max. 306(5) cis isomers
 Zoccon Corporation Patents 3,906,462 3,912,815 & 3,925,460
 EPA Est. No. 20954-CA-1 EPA Reg. No. 20954-B

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
 Avoid contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS
 Permits may be required for discharges containing this pesticide into lakes, ponds, streams, or public waters. For guidance contact your regional office of the EPA.

INSTRUCTIONS FOR FORMULATION

Mixing Instructions: Dilute 1 kg of concentrate with 49 kg of deionized water. Adjust pH to 6.5 ± 0.2 with triethanolamine (approximately 50 gm).

This pesticide may be used only for the formulation of an insecticide.

Each formulated insecticide product must be registered with the Environmental Protection Agency. Formulators using this product are responsible for supply data as required by EPA regulations in support of each registration. Zoccon Corporation has provided portions of this information. See Technical Data Bulletin for this product for references to this data and conditions of use.

STORAGE AND DISPOSAL

Avoid storage in conditions of extreme heat. Reseal container and offer for reconditioning; or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. Consult Federal, State or Local Disposal Authorities for approved alternative procedures.

WARRANTY AND CONDITIONS OF SALE

Zoccon Corporation warrants that this product conforms to the chemical description on the label. Zoccon makes no other warranty, express or implied. NOTE: Formulators are responsible for providing supporting data for registration of their formulations to the U.S. Environmental Protection Agency.

Manufactured By
Zoccon Corporation, Palo Alto, California 91304

NET CONTENTS 55 GALLONS (208 LITERS)

209-7-1

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS
WARNING

Avoid eye and skin irritation. Do not get in eyes, on skin, or on clothing. Avoid breathing of vapor or spray mist. Wear goggles or face shield and rubber gloves in handling. Use protective breathing mask and protective clothing when mixing or spraying. Use with adequate ventilation. Harmful if swallowed.

In case of contact, immediately wash skin with soap and water. Flush eyes with copious amounts of water and get medical attention if irritation persists. If swallowed, get medical attention immediately.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Observe Federal law to use this product in a manner consistent with its labeling.

DIRECTIONS FOR USE

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER may be used on wood, steel, or fiberglass surfaces when following recommended procedure.

SEAGUARD HEAVY DUTY ANTI-FOULING COPPER is an anti-fouling copper developed especially for commercial crafts operating in tropical waters.

It provides protection against barnacles, algae, marine growth, etc. It is compatible with most anti-fouling bottom paints.

APPLICATION

Surfaces should be thoroughly scrubbed with a stiff bristle brush.

Remove all old paint or fouling. Apply SEAGUARD HEAVY DUTY ANTI-FOULING COPPER to a surface until the thickness of copper film is 7 mils.

Apply in two coats, with a 24-hour interval between coats.

WOOD SURFACES: Apply SEAGUARD HEAVY DUTY ANTI-FOULING COPPER to a surface until the thickness of copper film is 7 mils. Apply in two coats, with a 24-hour interval between coats.

FIBERGLASS SURFACES: Apply SEAGUARD HEAVY DUTY ANTI-FOULING COPPER to a surface until the thickness of copper film is 7 mils. Apply in two coats, with a 24-hour interval between coats.

May be applied by brush, roller, or spray. If applied by spray, an agitator equipped spray pot should be used. Maximum time to launch: 7 days from application.

Manufactured by

SEAGUARD CORPORATION
PORTSMOUTH, VIRGINIA 23705

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal.

2. PESTICIDE DISPOSAL

Pesticide spray mixture in a site that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.

3. CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose of in an approved landfill or burn in a safe place.

4. GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.

S

ONE