

Net Weight 50 lbs.

GRADE A BRAND

PHENO-MIN CATTLE MINERAL

Medicated

Prevents the breeding of horn flies and face flies in the pasture of treated cattle, when used as directed. Aids in the prevention of stomach worms, hookworms and nodular worms in cattle and sheep.

ACTIVE DRUG INGREDIENTS

Phenothiazine.	0.44%
Inert Ingredients.	99.56%

GUARANTEED ANALYSIS

Crude Protein, not less than	5.00%
Crude Fat, not less than	1.00%
Crude Fiber, not more than	5.00%
Calcium (Ca). Max. 5.75%	4.75%
Salt (NaCl) Max. 32.50%	7.50%
Phosphorus (P), not less than	2.50%
Iodine (I), not less than	0.01%

INGREDIENTS

Soybean Meal, Dehydrated Alfalfa Meal, Dried Molasses, Corn, Vitamin A Palmitate, Vitamin B₁₂ Supplement, Calcium Phosphate, Calcium Carbonate, Ethylene Diamine, Manganese Dioxide, Iron Carbonate, Copper Sulfate, Zinc Oxide, Magnesium Oxide, Sulfur

SEE FEEDING DIRECTIONS ON BAG

MANUFACTURED BY

VALLEY FEEDS

VICKSBURG, MISSISSIPPI

USDA Reg. No.

DIRECTIONS FOR USE

~~Feed from the~~ 2 oz. of Grade A Brand Mineral Supplement should be fed per day for each 100 lbs. of body weight. If a mineral supplement is available, locate the supplement near the water, or near their loafing area. Keep a supply of Grade A Brand Pheno-Min Cattle Mineral available. If bunk or trough is empty, do not expect to maintain control of fly infestation.

Do not feed any other salt or mineral. Grade A Brand Cattle Mineral contains all the additional salt and minerals required by the cattle, when combined with the ration.

The active ingredient of Grade A Brand Pheno-Min Cattle Mineral has been biologically tested against the horn fly and is effective against feeding of horn flies up to 100% of treated cattle when used as directed.

For maximum protection against horn flies, cattle should be sprayed at the start of the fly season and re-treated with Pheno-Min Cattle Mineral continuously, beginning several weeks before the fly season until all adult horn flies have disappeared in the fall. Grade A Brand Pheno-Min Cattle Mineral prevents the breeding of horn flies and house flies on the premises. It does not affect any other insects on the premises.

CAUTION: Do not feed to lactating dairy cows. Occasional sensitivity to Pheno-Min Cattle Mineral has been reported in cattle. Remove affected animals from the feed out of the feed.