

DANGER:

CORROSIVE. CAUSES EYE DAMAGE—PROTECT EYES WHEN HANDLING. MAY BE HARMFUL OR FATAL IF SWALLOWED. MAY CAUSE CHEMICAL BURNS. CONTACT WITH OTHER MATERIALS MAY CAUSE FIRE OR EXPLOSION OR RESULT IN DANGEROUS PRESSURE, ESPECIALLY IF HEATED.

CONTACT WITH WATER OR MOIST AIR LIBERATES IRRITATING AND HAZARDOUS GASES.

Do not get in eyes, on skin or on clothing. Avoid breathing dust or fumes. Wash thoroughly after handling.

FIRST AID: In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician.

Remove contaminated clothing promptly and wash before reuse.

If swallowed, give large quantities of water. Give at least 1 ounce of milk of magnesia or aluminum hydroxide gel in an equal amount of water. If these are not available, give milk, white of 2 or 3 eggs or gelatin solution. Never give anything by mouth to an unconscious person. Call a physician.

Spill: Sweep up and while providing adequate ventilation, flush away by flooding with water.

In case of fire: Use water spray to cool containers exposed to heat and flood with water to dilute material. Noxious fumes can be formed. Wear full protective clothing and self-contained breathing apparatus.


Container handling and storage: Store in cool, well-ventilated area. Keep out of sun and away from heat. Keep contents and container dry and off wet floors.

Reseal polyethylene bag after use and keep container tightly closed. Rinse empty container thoroughly with water and discard.

Est. Reg. No. 33980-JT-1

EPA Reg. No. 10182-11

TABLETS



T.I.C.A.

(TRICHLOROISOCYANURATE)

AVAILABLE CHLORINE 90%

Active Ingredient: Trichloro-s-triazinetriene 100%



DANGER: • KEEP OUT OF REACH OF CHILDREN •
CORROSIVE • SEE FIRST AID AND OTHER PRECAUTIONS
ON SIDE PANEL

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or

under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use. Seller disclaims all other warranties, expressed or implied, including any warranty of FITNESS or MERCHANTABILITY.

NET WEIGHT 200 LBS.

Sold by . . .



ICI United States Inc.

Wilmington, Delaware 19897

Conten
SHAPE O
Conten

Est. Reg. No. 33980-JT-1

EPA Reg. No. 10182-11

TABLETS

ACCEPTED

007-16-1074

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBOTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 10182-11

T.I.C.A.

(TRICHLOROISOCYANURATE)

AVAILABLE CHLORINE 90%

Active Ingredient: Trichloro-s-triazinetrione 100%



DANGER: • KEEP OUT OF REACH OF CHILDREN •
CORROSIVE • SEE FIRST AID AND OTHER PRECAUTIONS
ON SIDE PANEL

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or

under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use. Seller disclaims all other warranties, expressed or implied, including any warranty of FITNESS or MERCHANTABILITY.

DIRECTIONS FOR USE

1. Empty pool of water. Add 100 grams (3.5 ounces) of T.I.C.A. Tablets to a sure maximum of 400 gallons of water. Empty pool in 11 minutes. Wash pool with water. Add 100 grams (3.5 ounces) of T.I.C.A. Tablets.
2. Adjust pool water pH to 7.2. Use stabilizer products such as Stabil-Bright or Stabil-Shield and Stabil-Maintain. Follow instructions on the label of these products.
3. SUPERCHLORINATION is the only sure way to maintain a clear and age-free swimming pool. Broadcast 4 oz. of T.I.C.A. Granular at the deepest end of the pool for every 12,000 gallons of water. Repeat application if necessary, until residual chlorine is between 1.0 and 1.5 PPM using a reliable test kit.
4. MAINTENANCE DISE: for every 1000 gallons of water put into an AUTOMATIC CHLORINATOR, 1 T.I.C.A. Tablets every 7-10 days. Check pool water frequently with test kit and maintain 1.0-1.5 PPM chlorine residual and pH of 7.2-7.5.
5. During extremely hot weather and/or heavy bathing loads, additional dosage may be required. This can be achieved by adding 20 more tablets to the feeder for every 10,000 gallons of pool water. This provides 0.5 PPM chlorine residual for the next 7 days. However, if immediate chlorine dosage is desired, broadcast 1 oz. of T.I.C.A. Granular directly into the pool water for each 10,000 gallons of pool water. This will require adjustment of the residual chlorine to 1.1 PPM. After adjustment to 1.1 PPM residual chlorine by the addition of T.I.C.A. Granular, the T.I.C.A. Tablets when used as directed will maintain the residual chlorine level between 1.0 and 1.5 PPM under normal use conditions.

CAUTION

1. NEVER PUT T.I.C.A. TABLETS DIRECTLY INTO POOL WATER as they will irritate the eyes and irritate the skin.
2. To prevent irritation, avoid contact with the eyes and avoid contact with the skin. Wash hands thoroughly with soap and water. If contact with the eyes occurs, flush eyes with water for 15 minutes.
3. Avoid contact with clothing.

HOW TO CALCULATE POOL CAPACITY

SHAPE OF POOL	GALLONS OF WATER (2.25 gal./cu. ft.)
Rectangular	Length x Width x Depth x 2.25
Round	3.14 x Radius ² x Depth x 2.25
Irregular	Divide pool into rectangular sections, calculate each section, and add together.

GENERAL NOTES

1. Always use a reliable test kit to determine the residual chlorine level in your pool. T.I.C.A. Tablets will maintain the residual chlorine level between 1.0 and 1.5 PPM under normal use conditions.

Contents manufactured in Japan

BS.

Sold by . . .



ICI United States Inc.

Wilmington, Delaware 19897