

**DANGER:**

**CORROSIVE. CAUSES EYE DAMAGE — PROTECT EYES WHEN HANDLING. MAY BE HARMFUL OR FATAL IF SWALLOWED. MAY CAUSE CHEMICAL BURNS.**

**CONTACT WITH OTHER MATERIALS MAY CAUSE FIRE OR EXPLOSION OR RESULT IN DANGEROUS PRESSURE, ESPECIALLY IF HEATED.**

**CONTACT WITH WATER OR MOIST AIR LIBERATES IRRITATING AND HAZARDOUS GASES.**

Do not get in eyes, on skin or on clothing. Avoid breathing dust or fumes. Wash thoroughly after handling.

**FIRST AID:** In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician.

Remove contaminated clothing promptly and wash before reuse.

If swallowed, give large quantities of water. Give at least 1 ounce of milk of magnesia or aluminum hydroxide gel in an equal amount of water if these are not available. Give milk, white of 2 or 3 eggs or gelatin solution. Never give anything by mouth to an unconscious person. Call a physician.

**Spill:** Sweep up and while providing adequate ventilation, flush away by flooding with water.

**In case of fire:** Use water spray to cool containers exposed to heat and flood with water to dilute material. Noxious fumes can be formed. Wear full protective clothing and self-contained breathing apparatus.

**Container handling and storage:** Store in cool, well-ventilated area. Keep out of sun and away from heat. Keep contents and container dry and off wet floors.

Reseal polyethylene bag after use and keep container tightly closed. Do not reuse empty container. Wash thoroughly to dissolve all residual material before discarding.

Est. Reg. No. 33980-JP-1

EPA Reg. No. 1

granular

**P.D.I.C.**

(POTASSIUM DICHLOROISOCYANURATE)

**AVAILABLE CHLORINE . . . .**

Active Ingredient: Potassium dichloro-s-triazinetrione . . . . .

**DANGER:**

KEEP OUT OF REACH OF CHILDREN • CORROSIVE  
SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

**NOTICE TO BUYER**

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions or

under abnormal use conditions not reasonably foreseeable. Buyer assumes the risk of a claim. Seller disclaims all other warranties, including any warranty of FITNESS FOR USE. ABILITY.

**NET WEIGHT 250 LBS.**

Sold by . . .



ICI United States

UP-1 EPA Reg. No. 10182-13

granular

D.I.C.

SODIUM DICHLOROISOCYANURATE)

FREE CHLORINE . . . . .59%

Sodium dichloro-s-triazinetriene . . . . .100%

**DANGER:**

KEEP OUT OF REACH OF CHILDREN • CORROSIVE  
AND OTHER PRECAUTIONS ON SIDE PANEL

**NOTICE TO BUYER**

This product conforms to the label when used under normal conditions. Buyer assumes the risk of any such use. Seller disclaims all other warranties, expressed or implied, including any warranty of FITNESS or MERCHANTABILITY under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use. Seller disclaims all other warranties, expressed or implied, including any warranty of FITNESS or MERCHANTABILITY.

ACCEPTED  
10182-13  
EPA REG. NO. 10182-13

**DIRECTIONS FOR USE**

1. STABILIZE pool with stabilizer. Add 1 lb. stabilizer for every 10,000 gallons of pool water. (Do not use stabilizer if you are using a stabilizer.)
2. CHECK RESIDUAL CHLORINE with a reliable test kit. If residual chlorine (PPM) is 0, add 10 ounces P.D.I.C. per 10,000 gallons. Repeat this dosage until a chlorine residual of 1.0-1.5 PPM has been established. Add product to water by broadcasting over pool surface, preferably at teen end.
3. MAINTAIN RESIDUAL CHLORINE. Add P.D.I.C. daily, if as needed, to maintain 1.0-1.5 PPM residual chlorine. (Two ounces P.D.I.C. supply 1.0 PPM chlorine to 10,000 gallons of water.) Additional dosages may be required during exceptional hot weather or when many people are using the pool.
4. MEASURE pH immediately and at least once each week with a reliable pool test kit. Adjust pH to 7.2-7.8 if necessary. pH can be decreased by adding a suitable agent such as Sodium Bisulfate or increased by adding a suitable agent such as Soda Ash. Follow directions for use on labels of these products.

**HOW TO CALCULATE POOL CAPACITY**

SHAPE OF POOL	GALLONS OF WATER (Dimension in feet)
Rectangular	Average depth x average length x average width x 7.5
Circular	Diameter x diameter x average depth x 5.9
Oval with straight sides	Full width x full length x average depth x 6.7
Irregular	Consult pool builder

**IMPORTANT NOTES**

1. This product should be reapplied at least every 2-4 weeks. To superchlorinate, add 10 ounces P.D.I.C. Resume regular program when residual chlorine is 1.0-1.5 PPM.
2. P.D.I.C. contains a built-in stabilizer (cyanuric acid) to stabilize chlorine. In the absence of stabilizer, additional stabilizer will be required.

**CAUTION**

This product is not to be treated effluent sludge or discharged where it will pollute lakes, streams, ponds, or public water. Do not contaminate water by cleaning the equipment or disposal of wastes. Apply this product only as directed on the label.

**GENERAL NOTES**

P.D.I.C. is a concentrated form of chlorine. It is 100% active and 100% soluble. Since it is granular, the P.D.I.C. can be added to the pool without the splashing associated with liquid P.D.I.C. Fast dissolving, it maintains its high strength for at least one year if kept in a cool, dry place. P.D.I.C. contains a built-in stabilizer to reduce chlorine loss in sunny pools. It contains no scale-forming minerals, which can collect on the walls of the water tubes and on the sides of the pool.

Contents manufactured in Japan

Am 5942 Rev. 1-76



ICI United States Inc.

Water Treatment Division