

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. MAY CAUSE EYE IRRITATION.

Avoid contact with eyes, skin or clothing. Avoid breathing vapor of spray mist. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: IF SWALLOWED: Do not induce vomiting. Call a physician. Vomiting should be supervised by a physician or the professional staff because of the possible pulmonary damages via aspiration of the solvent. **IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water.

For 24 hour emergency assistance call 302/575-3000

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply AMBUSH or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from your Cooperative Extension Service. Apply this product only as specified on this label. In case of a significant spill, call CHEMTREC 800/424-9300.


PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area and dispose of in accordance with State and local regulations. Do not reuse container. Triple rinse residual from empty container and add rinse to mixture in spray tank. Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures. Then offer empty container for recycling or reconditioning, or purchase and dispose of in a sanitary landfill or by other approved State and local procedures.

RESTRICTED USE PESTICIDE.

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses registered by EPA. Official Application # 10182-18



**Keep Out
of Reach
of Children**

WARNING

See Side Panel For Additional
Precautionary Statements and
Statement of Practical
Treatment

EPA Est. No. 5905-AR-1
EPA Reg. No. 10182-18

Net Contents
ONE U.S. GALLON
(3.79 LITERS)

Batch No.

ICI Americas Inc.
P.O. Box 1000
Trenton, NJ 08646

U.S. Patent No. 4,824,163

ACTIVE INGREDIENT:

Permethrin
(3-phenoxyphenyl methyl (2S,3S)-2,3-dihydro-2,2-dimethylhydrophosphate)

INERT INGREDIENTS

*Cis/trans ratio: Min. 35% (±) cis and max. 65% (±) trans
AMBUSH contains 2 pounds active ingredient per gallon

TOTAL

25.0%
74.4%
100.0%

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply AMBUSH® as indicated in the Supplemental Pamphlet. For all use directions refer to the Supplemental Pamphlet.

RATE CONVERSION CHART

Pounds Applied/ Acre	Fluid Ounces/ Acre	Pints/ Acre	Acres Treated/ Gallon
0.05	32	0.2	40.0
0.10	64	0.4	20.0
0.125	80	0.5	16.0
0.15	96	0.6	13.3
0.175	112	0.7	11.4
0.20	128	0.8	10.0

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions or under abnormal use conditions or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLI LITABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE RETURN OF THE PURCHASE PRICE.

ACCEPTED

JUL 10 1988

10182-18

10182-18
PM 17

RESTRICTED USE PESTICIDE.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for the uses covered by the Certified Applicator's certification.

**SUPPLEMENTAL LABEL FOR USE ON
SOYBEANS****AMBUSH[®] Insecticide****EPA Reg. No: 10182-18****DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling**

Apply AMBUSH[®] as shown below. Use sufficient water to obtain full coverage of foliage. Timing and frequency of applications should be based upon insect populations reaching economic thresholds. The higher rates may be required under conditions of heavy infestation.

Crop	Target Pests	Dosage (Pounds A1/A)	Remarks
Soybeans	Green Cloverworm Mexican Bean Beetle Bean Leaf Beetle Soybean Looper Cabbage Looper Potato Leafhopper Velvetbean Caterpillar	0.05-0.10	Apply by air or ground. Do not make more than 2 applications per season. Can be applied up to 60 days before harvest. Do not graze treated areas or harvest for forage or hay.
	Corn Earworm Beet Armyworm	0.1-0.2	

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

**This labeling must be in the possession of the user
at the time of pesticide application**

JUL 00 1983

ACD 804-007 G/C

EPA Establishment No. 5906 AR-1

RESTRICTED USE PESTICIDE.

For retail sale to and use only by Certified Applicators or persons under the direct supervision and only for those uses covered by the Certified Applicator's certification.

**SUPPLEMENTAL LABEL FOR USE ON
APPLES**



AMBUSH[®] Insecticide

EPA Reg. No: 10182-18

DIRECTIONS FOR USE

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling**

Apply AMBUSH[®] as shown below. Use sufficient water to obtain full coverage of foliage. Timing and frequency of applications should be based upon insect populations reaching economic thresholds. The higher rates may be required under conditions of heavy infestation.

DIRECTIONS FOR APPLICATION

Crop	Apples
Target Pests	Apple aphid Redbanded leafroller Obliquebanded leafroller Plum curculio White apple leafhopper Spotted tentiform leafminer Tarnished plant bug
Dosage	0.05 - 0.1 lb. a.i./100 gal. water
Further Use Instructions	For dilute sprays only. Spray to wet all foliage. Usually 200-400 gallons of spray per acre. Do not apply after petal fall. Apply by ground only.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

**This labeling must be in the possession of the user
at the time of pesticide application**

ACD 806-004 G/C

JUL 20 1988

EPA Establishment No 5905 AR-1

RESTRICTED USE PESTICIDE.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

**SUPPLEMENTAL LABEL FOR USE ON
ALMONDS**



AMBUSH[®] Insecticide

EPA Reg. No: 10182-18

DIRECTIONS FOR USE

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling**

DIRECTIONS FOR APPLICATION

Crop	Almonds
Target Pests	Navel Orangeworm Peach Twig Borer
Dosage	0.2 - 0.4 lbs. a.i./A (0.8 - 1.6 pint)
Further Use Instructions	Apply by ground equipment using sufficient water to obtain uniform coverage. Can be applied up to 7 days before harvest. Do not exceed 5 applications per acre per season. Do not graze livestock in treated orchards.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed

**This labeling must be in the possession of the user
at the time of pesticide application**

JUL 20 1988

EX-100-1082-18

ACD 806-005 G/C

EPA Establishment No. 5905-AR 1

BEST COPY AVAILABLE

RESTRICTED USE PESTICIDE. For retail sale to and use only by Certified Applicators or persons under the direct supervision and only for those uses covered by the Certified Applicator's certification.

**SUPPLEMENTAL LABEL FOR USE ON
SWEET CORN**



AMBUSH[®] Insecticide

EPA Reg. No: 10182-18

DIRECTIONS FOR USE

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling**

Apply AMBUSH[®] Insecticide as shown in the chart below. Use sufficient water to obtain full coverage of foliage. Timing and frequency of applications should be based upon insect populations reaching economic thresholds. The higher rates may be required under conditions of heavy infestation.

Crop	Target Pests	Rate (lbs ai/A)	Remarks
Sweet Corn	Corn Earworm European Corn Borer Fall Armyworm	(0.1-0.2)	Apply every 5 days or as needed by air or ground. Do not apply more than 6 applications. Do not apply within 1 day of harvest of ears or forage or livestock grazing.
Sweet Corn (Florida only- corn grown for the fresh market)	Corn Earworm European Corn Borer Fall Armyworm Southern Armyworm	(0.1-0.25)	Apply every 5 days or as needed by air or ground. Do not apply more than 3.25 lbs a.i. per acre per crop season. Do not graze livestock in treated areas or harvest for forage.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

**This labeling must be in the possession of the user
at the time of pesticide application**

JUL 20 1983

10182-18

ACD 808-010 G/C

EPA Establishment No. 5905 AR 1

RESTRICTED USE PESTICIDE. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

**SUPPLEMENTAL LABEL FOR USE ON
PEACHES**



AMBUSH[®] Insecticide

EPA Reg. No: 10182-18

DIRECTIONS FOR USE

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling**

DIRECTIONS FOR APPLICATION

Crop	Peaches
Target Pests	Peach Twig Borer Oriental Fruit Moth Green Fruitworm Lesser Peachtree Borer Plum curculio Tarnished Plantbug Rose Chafer
Dosage	0.05 - 0.1 lbs a.i./A (0.2 - 0.4 pint) Per 100 gal. of water
Further Use Instructions	Apply by ground equipment using sufficient water to obtain uniform coverage. Can be applied up to 7 days before harvest. Do not exceed 8 applications per acre per season. Do not exceed 400 gallons per acre per application. Do not graze livestock in treated orchards.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

**This labeling must be in the possession of the user
at the time of pesticide application**

ACD806-007 G/C

10122-18
EPA Establishment No. 5905 AR 1

BEST DOCUMENT AVAILABLE

RESTRICTED USE PESTICIDE. For retail sale and use only by Certified Applicators or persons under the direct supervision and only for those uses covered by the Certified Applicator's certification.

**SUPPLEMENTAL LABEL FOR USE ON
HORSERADISH**



AMBUSH[®] Insecticide^{a/}

EPA Reg. No: 10182-18

DIRECTIONS FOR USE

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling**

DIRECTIONS FOR APPLICATION

Crop	Horseradish
Target Pests	Imported crucifer weevil (<i>Baryscapus</i>) control
Dosage	0.1% a.i. solution ^{b/} in a spring preplant dip and 0.2 lb a.i./acre (0.8 pint formulation per acre) as a foliar spray.
Further Use Instructions	Soak sets for 30 min. and air-dry before planting, make up to 3 foliar applications as needed to control weevil adults during oviposition. Apply by ground equipment in a minimum spray volume of 20 gallons per acre.
Limitations	Do not apply within 22 days of harvest.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

**This labeling must be in the possession of the user
at the time of pesticide application**

- ^{a/} AMBUSH[®] contains 2 pounds active ingredient per gallon.
^{b/} 0.1% a.i. solution = 3¹/₂ PT formulation per 100 gallons of water

ACD 808-009 G/C

ACCEPTED

JUL 29 1983

10182-18

EPA Establishment No. 59,5 AR-1

RESTRICTED USE PESTICIDE. For retail sale and use only by Certified Applicators or persons acting under their direct supervision, and only for those uses listed on the Certified Applicator's certification.

**SUPPLEMENTAL LABEL FOR USE ON
PEARS**



AMBUSH[®] Insecticide
EPA Reg. No: 10182-18

DIRECTIONS FOR USE

**It is a violation of Federal law to use this product
in a manner inconsistent with its labeling**

DIRECTIONS FOR APPLICATION

Crop	Pears
Target Pests	Pear Psylla Codling Moth Green Fruitworm
Dosage	0.05 - 0.1 lb. a.i./100 gallons of finished spray
Further Use Instructions	Apply two pre-bloom sprays followed by three seasonal sprays. Pre-bloom sprays can be applied from dormant through bud burst stages. Seasonal sprays can be applied from petal fall up to 14 days of harvest. Do not make more than five applications per season.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

**This labeling must be in the possession of the user
at the time of pesticide application**

BEST COPY

10182-18

ACD 806-006 G/C

EPA Establishment No. 5305 AR 1