
[BAQUACIL® MASTER LABEL]

(center panel)



OF REACH OF

See side panel for dditional precautions and First Aid treatment.

Active Ingredient: Poly (imincimidocarbonyliminoimidocarbonyliminohexamethylene hydrochloride}.....20% Inert Ingredients...80%

Net Contents: One Half Gallon (1.89 Liters)

ACCEPTED MAY-- 1 1997 Under the Federal Rodenticide Act, as amended, for 1.2 pesticide registered under 12A Reg. No. 10153-19 10/27/95, 4:23 PM

80:08



Pints 1 1/2

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF SWALLOWED.

Do not get concentrate in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or mist. Wash thoroughly with soap and water after handling. Wear goggles or face shield when handling concentrate. Keep container closed. May cause allergic skin reactions.

STATEMENT OF PRACTICAL TREATMENT

FOR EMERGENCY INFORMATION, CALL THE POISON CONTROL CENTER NEAREST YOU OR 1 800 FAST-MED. IF IN EYES: Immediately flush with plenty of water for at least 15 minutes and get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF SWALLOWED: Drink a large quantity of water. Do not induce vomiting. Avoid alcohol. Call a physician. Wash clothing and decontaminate footwear before reuse.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENVIRONMENTAL HAZARDS

NOTICE TO BUYER AND USER – LIMITED WARRANTY FROM ZENECA INC. – Zeneca Inc. ("Zeneca")

warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with Zeneca's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to tabel instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Zeneca, and you as buyer or user assume the risk of any such use. Zeneca will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES UNDER APPLICABLE STATE LAWS SHALL LIKEWISE BE LIMITED TO A PERIOD OF ONE YEAR.


Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. IN NO EVENT SHALL ZENECA BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and no person is authorized to alter the terms of Zeneca's warranty. Some states do not-allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. For warranty assistance, write Business Manager, BAQUACIL, Zeneca Inc., Wilmington, DE 19850 or contact your authorized dealer. This warranty gives you specific legal rights, and you may have other rights which vary from state to state. YOUR AUTHORIZED DEALER GIVES NO WARRANTY IN ADDITION TO ZENECA'S WARRANTY AND DISCLAIMS ALL OTHER WARRANTIES INCLUDING THOSE OF HTNESS OR MERCHANTABILITY.

EPA Reg. No. 10182-19

If lot # ends with "A", EPA Est. No. is 58996-M0-001. If lot # ends with "M", EPA Est. No. is 36209-NJ-01.

Baq-Label Rev

3



(right panel)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner other than for which it was intended.

TREATING THE POOL

POOLS PREVIOUSLY TREATED WITH CHLORINATING CHEMICALS Important - BAQUACIL is incompatible with chlorinating chemical products. Consult your Authorized Dealer of BAQUACIL for information on balancing your pool water. Note: If the pool is an unpainted plaster pool, add 1 1/4 lbs. of BAQ OUT® Chelating Agent per 10,000 gallons after the chlorine has been neutralized, and allow pump/filter to operate for 8-12 hours.

Check with chlorine test kit for free and combined chlorine prior to the beginning of neutralization. To destroy chlorine, add BAQUA START® Chlorine Neutralizer per label directions or add 1 gallon of BAQUA SHOCK® Swimming Pool Clarifier (27% hydrogen peroxide) per 10,000 gallons of pool water. Fitter overnight. Check with chlorine test kit. If free chlorine is detected, repeat neutralizer treatment.

FRESHLY FILLED AND DECHLORINATED POOLS START UP WITH BAQUACIL

Note: If the pool water contains algae or is hazy, consult the roblem-solving section of "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

- . Backwash or clean pool filter. Check pool pH; adjust to 7.2-7.8
- Add BAQUACIL to give a content of 50 ppm (1/2 gallon product/10,000 gallons of pool water).
- . After 24 hours, check pH and BAQUACIL concentration with the test kit for BAQUACIL and adjust if necessary. NORMAL POOL ROUTINE
- . Every week, check BAQUACIL concentration and pH.
- . Maintain BAQUACIL concentration at about 50 ppm. If concentration falls 10 ppm or more, add a top-up dose. The level should not be allowed to drop below 30 ppm. For example, to raise the BAQUACIL level 10 ppm, add 1 pint per 10,000 gallons of water. Consult the booklet, "The Pool Care Guide for BAQUACIL," for calculation instructions.

NOTE: BAQUACIL AND CHLORINE ARE INCOMPATIBLE, Refer to "The Pool Care Guide for BAQUACIL" for information on how to deal with accidental chlorination.

BAQUACIL, BAQUA SHOCK. BAQUA START, and BAQ OUT are registered trademarks of Zeneca Limited.

Manufactured by Zeneca Inc. Wilmington, DE 19850

@1995, Zeneca Inc. Made in U.S.A.



PROBLEM SOLVING AND SUPPLEMENTAL POOL INFORMATION

Do not use in freestanding spas/hot tubs. Do not use in unpainted plaster pools previously exposed to metals which may cause staining. (See current "Pool Care Guide" for specific information.) BAQUACIL is not compatible with many detergents and some supplemental algicides (such as those based on copper).

If algae development, cloudiness, or pool problems occur or additional information on water quality is desired, consult "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

Treating the spa or hot tub:

Important - Baquacil: Sanitizer is incompatible with chlorinating and brominating chemical products.

Start Up with Baquacil Sanitizer:

- 1. Remove chlorine or bromine source and disconnect feeder. Discontinue use of ionizers and electrochlorinators if present.
- Orain existing water in spa.
- Clean spa surface and filter.
- Fill spa with water.
- Have your Authorized Dealer of Baquacil Sanitizer check your water for proper water balance.
- After water has been balanced, add Baquacil Sanitizer to give a concentration of 50 ppm (1 oz. of product per 150 gallons of spa water).
- 7. Circulate water 30 minutes, then check BaquaSpa Sanitizer concentration with the test kit for BaquaSpa Sanitizer and adjust if necessary.

Normai Spa Maintenance:

- 1. Every week, check Baquacil Sanitizer concentration and oH. Adjust it necessary.

 The level of Baquacili Sanitizer should be
- maintained between 30 and 50 ppm. When the level of Baquacil Sanitizer is 30 ppm or less, add enough Baquacil Sanitizer to bring the level up to 50 ppm. The spa's level of BaquaSpa Sanitizer should never be allowed to drop below 30 ppm. To raise the Baquacil Sanitizer level 10 ppm, add 0.2 oz. per 150 gallons of spa water.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL

Keep container closed when not in use. Store in original container in an area inaccessible to children.

PROTECT FROM FREEZING.

In case of a leak or spill, soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

To dispose of excess product, securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL

Do not reuse container. To dispose of empty ACCEPTE Integral the second of the second of



