

30 AUG 1988

228808
2
391
17

Ms. Diane L. Ierley
ICI Americas, Inc.
Agricultural Products
Concord Pike & New Murphy Road
Wilmington, DE 19897

Dear Ms. Ierley:

Subject: Talon Rodenticide Mini-Pellets
EPA Registration No. 10182-20
Your Application Dated July 15, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comment listed below.

- Delete "water and harborage" from the first sentence under "Selection of Treatment Areas."

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Submit efficacy data showing that each distinct new formulation is acceptable to target rodents. Protocols 1.203 and 1.204 may be used for these tests. Tests must be run for each different bait form (meal, block, large pellet, small pellet) for which you intend to change dyes. For each test, indicate the specific bait (composition and product form) used and identify, by Registration Number, all ICI products which contain the specific bait tested. The test results are due 9 months from the date of this letter.

Placepack penetration studies will not be required if the acceptance of each new formulation used in placepacks is similar to the acceptance of the corresponding old formulation.


53265:1:Palma:ter:CBI-11:RENCO:08/23/88:10/20/88:de:ek:de:ek:rw

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

The Confidential Statement of Formula dated July 15, 1988 is acceptable.

Sincerely yours,



William E. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

BEST AVAILABLE COPY

Talol

RODENTICIDE MINI-PE

For Effective Indoor Control of Commensal Mice

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT. IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE. For 24-hour emergency assistance call ICI Americas. Medical Emergency Information: (800) 327-2633. In case of emergency, call CHEM-TREAT: (800) 24-9300.

NOTE TO PHYSICIAN
This product may reduce the clotting ability of the blood and cause hemorrhaging. If this occurs, intravenous and oral administration of vitamin K₁ combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bromhydracoumarin. Vitamin K₁ is indicated at doses of 10 to 30 mg.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
DISPOSAL: Bait that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of container in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternate procedures such as limited open burning.

90% water-soluble Granular Bait.
Residuals may maintain a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredients:

Brodifacoum	
2-[2-(4-bromo-1,1-dimethyl-4-pyridyl)-3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	0.000%
Inert Ingredients	99.999%
Total	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

May Be Harmful or Fatal if Swallowed
Read Additional Precautionary Statements on Side Panel



ICI Americas Inc.

Wilmington, Delaware 19897

EPA Reg No 10187-20
EPA Est No 523-11-1
Net Contents 4/5 kg (11.025 lb) boxes

DIRECTIONS FOR USE

It is a violation of FIFRA labeling restrictions to use this bait in homes, industrial buildings, inside transport vehicles, buildings, for indoor boxes or in locations where rodents are not present. Do not place bait in areas where children, pets, or livestock can consume the bait. Do not place bait in burrows, in locations where rodents are not present. **APPLICATION DIRECTIONS:** Apply 1 to 15 cm. Maintain an unbroken bait line. **House Mice:** Apply 1/4 to 1/2 oz. placements (up to 2) in areas where rodents are present. **Walls & Pipes:** Replace containers in areas where rodents are present. Where conditions are favorable, rodents will return to bait stations and improve control.