ENVIRONMENTAL NAZABBE

This product is taxic to fish and wildlife Keep out of lakes. streams or ponds

STREASE AND DISPOSAL

Refer to label on container for full storage and disposal directions

AIRECTIONS FOR USE

Refer to label on container for full use directions



EPA Reg No 10182-21 EPA Est No 523-IL-1 Net Contents 25 gms (0 88 oz)

ACD 790-65 4/80



Kills warferin-recistant Norway Rats.

Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active ingredient:

3-[3-(4'-bromo[1,1'-biphenyl]-4-yf)-1,2,3,4tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one

Total

Inert Ingredients

99.995% 100.000%

0.005%

KEEP OUT OF REACH OF CHILDREN CAUTION

May be Harmful or Fatal if Swallowed. Read Additional Precautionary Statements on Back Panel

PRECAUTIONARY STATEMENTS BAZAROS TO HUMANS AND DOMESTIC ANIMALS CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED KEEPAWAY FROM HUMANS, DOMESTIC ANIMALS AND PETS WASHHANDS AFTER HANDLING BAIT
IF BAIT IS EATEN BY NUMANS.

CALL A PHYSICIAN AT ONCE.

For 24-hour emergency assistance, call 302/575-3000

BOTE TO PHYSICIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging If this occurs, intravenous and oral administration of vitamin K, combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin Vitamin K, is antidotal at doses of 10 to 20 mg

ACCEDAED

JUN 1 3 1980

Under 12 Feder Funyi file, and I es aniended, for register d under /0/8.