

PA116 10182-24

101

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL

Refer to label on container for full storage and disposal directions.

DIRECTIONS FOR USE

Refer to label on container for full use directions.



ICI Americas Inc.
Wilmington, Delaware 19897

EPA Reg. No. 10182-24
EPA Est. No. 523-IL-1
Net Contents 50 gms (1.76 oz)

ACD 790-66 4/80

Talon™

RODENTICIDE BAIT PACK (PELLETS)

For Effective Indoor Control of Commensal Rats

Kills warfarin-resistant Norway Rats.

Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient:

3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one

0.005%

Inert Ingredients

99.995%

Total

100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

May be Harmful or Fatal if Swallowed. Read Additional Precautionary Statements on Back Panel.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT. IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE.

For 24-hour emergency assistance, call 302/575-3000.

NOTE TO PHYSICIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging if this occurs, intravenous and oral administration of vitamin K, combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. Vitamin K, is antidotal at doses of 10 to 20 mg.



27