

Taloon™

RODENTICIDE PELLETS
For Effective Indoor Control of Commensal Mice and Rats

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT. IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN IMMEDIATELY. For 24-hour emergency assistance call 302-575-3911. In case of significant spill call CHEMTREC 800-424-9303.

NOTE TO PHYSICIAN
This product may reduce the clotting ability of the blood and cause hemorrhaging. This occurs. Intravenous and oral administration of vitamin K₁ combined with blood transfusions are indicated in the case of hemorrhage caused by overdose of bishydroxycoumatin. Vitamin K₁ is antidotal if given in 100 mg doses.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and wildlife. Keep bait boxes away from water.

STORAGE AND DISPOSAL
STORAGE Do not contaminate water, food or feed by storage and disposal. Open dumping is prohibited. Do not reuse empty container.

DISPOSAL Bait that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of container in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternate procedures such as limited open burning.

Kills warfarin-resistant Norway Rats
Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient	
3-(3,4-dibromo)1-phenyl-4,5,6,7-tetrahydro-1-naphthalenyl-4-hydroxy-2H-1-benzopyran-2-one	0.005%
Inert Ingredients	99.995%
Total	100.000%

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

May Be Harmful or Fatal if Swallowed
Read Additional Precautionary Statement
on Side Panel



ICI Americas Inc.

Wilmington, Delaware 19897

EPA Reg. No. 10187-20
EPA Est. No. 523-L-1
Net Contents: 45 lb (20.4 kg)
Batch Number

DIRECTIONS FOR USE

GENERAL USE
Apply bait to areas where rodents are nesting or feeding.
USE RESTRICTIONS
Do not use in homes and industrial buildings, ships, trains, aircraft, and other places where the bait must be inaccessible to children, pets, and livestock where there is a possibility of contact with food.

SELECTION OF TREATMENT
Harborage is just one factor in selecting a site for bait placement. General rodent activity burrows, droppings, and other signs are also important considerations when rodents are present.

APPLICATION DIRECTIONS

Norway and Roof Rats
Apply 1 lb (450 g) bait per 100 sq ft. Maintain in bait boxes until rodent activity ceases.

House Mice
Apply 1 lb (450 g) bait per 100 sq ft. Place bait in bait boxes in areas of rodent activity. Maintain in bait boxes until rodent activity ceases.

Rats & Mice
Replace bait in bait boxes when dead animals and uneaten bait are present. Repeat treatments as necessary. Where rodents are present in large numbers, and regular baiting is necessary.