

1988

345
11
206,352

Ms. Diane L. Ierley
ICI Americas, Inc.
Concord Pike & New Murphy Road
Wilmington, DE 19897

Dear Ms. Ierley:

Subject: Talon Rodenticide Pellets
EPA Registration No. 10182-26
Re: Labels Submitted in Response to the Agency's
Inert Policy
Your Letter Dated October 19, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comment listed below.

- The "inerts of concern" statement must be in a type size larger than, or equal to, the heading used in the ingredients statement.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

10744:I:Palmtaer:CBI-19:KENCO:2/11/88:4/23/88:CB:LF:VO:EK:CB

CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								

10/2

BEST AVAILABLE COPY

Talol

RODENTICIDE

For Effective Indoor Control of Commensal

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT. IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE. For 24-hour emergency assistance call 302/575-3000. In case of significant spill, call CHEMTREC 800/424-9300.

NOTE TO PHYSICIAN
This product may reduce the clotting ability of the blood and cause hemorrhaging. If this occurs, intravenous and oral administration of vitamin K₁ combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bihydroxycoumarin. Vitamin K₁ is antidotal at doses of 10 to 20 mg.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.
STORAGE AND DISPOSAL
See label for storage or disposal. Open

100% warfarin-resistant Norway Rats.
Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient:
Brodifacoum
3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one 0.005%
Inert Ingredients 99.995%
Total Ingredient Rhodamine B 100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION

May Be Harmful or Fatal if Swallowed.
Read Additional Precautionary Statements on Side Panel.

 **ICI Americas Inc.**
Wilmington, Delaware 19897

DIRECTIONS

It is a violation of labeling laws to use RESTRICTED USE RODENTICIDES inside transport buildings, boxes or in locations where surfaces that do not place surfaces that harbor rodents as possible. Do not place bait stations in or near burrows, holes, or other locations where rodents are likely to be present. Do not place bait stations in areas where rodents are not present. Do not place bait stations in areas where rodents are not present. Do not place bait stations in areas where rodents are not present.