



# BUSAN 95

FOR INDUSTRIAL  
MICROORGANISM CONTROL

ACTIVE INGREDIENT:  
2,2-Dibromo-3-allylpropanamide  
NET WEIGHT 50% 50%

50%

EPA Reg. No. 1448-71  
EPA Est. No. 1448-71-1

### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Busan 95 is used to control or inhibit the growth of bacteria and deteriorate aqueous metalworking fluids. It is effective in fluid control when diluted in water at ratios of 1:100 to 1:4.

Busan 95 should be added to the metalworking fluid system with the use of a metering pump.

**Initial Plug Dose:** When the system is just noticeably fouled, Busan 95/1000 gal of metalworking fluid in the system. Repeat as needed.

**Subsequent Doses:** When microbial control is evident, add Busan 95/1000 gal of metalworking fluid per day, or as needed to maintain control. Additions can be made continuously or intermittently. Shut the system down when necessary.

### DANGER KEEP OUT OF REACH OF CHILDREN

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes severe burns of eyes. May burn the skin. May be harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

**FIRST AID:** In case of eye contact, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before reuse. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 ml) of ipecac syrup or 1 teaspoonful (5 ml) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate gastric lavage.  
**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

#### STORAGE & DISPOSAL


**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide spray mixture, or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

**GENERAL:** Consult Federal, State, or local disposal authorities for approved alternative procedures such as limited open burning.

BEST DOCUMENT AVAILABLE



BUCKMAN LABORATORIES, INC.  
MARIETTA, GEORGIA 30067, U.S.A.

**CHLORINE  
LIQUIFIED GAS  
UNDER PRESSURE**  
nonflammable

FOR USE AS A DISINFECTANT, by experienced personnel only. In municipal water supplies, sewage and waste management plants and industrial and commercial swimming pools.

ACTIVE INGREDIENT:

Chlorine 99.5%

INERT INGREDIENTS 0.5%

**KEEP OUT OF  
REACH OF CHILDREN**

**DANGER**  **POISON**

IN CASE OF INHALATION EXPOSURE REMOVE PATIENT TO FRESH AIR. KEEP HIM WARM & QUIET. CALL A PHYSICIAN, IF BREATHING HAS CEASED. ARTIFICIAL RESPIRATION SHOULD BE STARTED IMMEDIATELY.

PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS

**DANGER**

Hazardous liquid and gas under pressure. Keep away from heat or open flame. May be fatal if inhaled. Do not breathe vapors containing this gas. Do not get in eyes, on skin, or on clothing.

**ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish, keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance contact your regional office of the Environmental Protection Agency.

23

BEST DOCUMENT AVAILABLE

52

**DIRECTION FOR USE  
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with the labeling. Have available gas masks approved by the U.S. Bureau of Mines or the National Institute for Occupational Safety and Health. Handle and use only in accordance with practice recommended in the Chlorine Manual published by the Chlorine Institute, Inc., New York. Use only in well ventilated areas.

**STORAGE & DISPOSAL** Keep containers away from heat. Do not store in direct sunlight. Do not drop containers. Empty cylinders should be properly identified with return tags and returned to the supplier according to prescribed instructions and practices by the supplier.

ICI AMERICAS, Inc.  
Wilmington, Del.  
19897

EPA Reg. No.: 10182-27  
EPA Est. No.: 10182-13-1

ACCEPTED

FEB 13 1980

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 10182-27

JM 1015 NEW 8-79

BEST DOCUMENT AVAILABLE