


RESTRICTED USE PESTICIDE.

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification

**SUPPLEMENTAL LABEL FOR USE ON
MUSHROOMS****AMBUSH® 25W Insecticide****EPA Reg. No: 10182-35****DIRECTIONS FOR USE**

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling

DIRECTIONS FOR APPLICATION

Crop

Mushroom Houses & Adjacent Premise Areas

Target Pests

Mushroom Flies (Sciarid and Fungus Adults)

Dosage

Apply AMBUSH 25W as a fogging or aerosol treatment at the rate of 3.2 to 4.0 ounces (0.05-0.0625 lb. a.i.) AMBUSH 25W per 30 ounces of water or suitable diluent. Use 1 quart of solution per standard double house (35,000 cu. ft. 8,000 sq. ft.)

Further Use Instructions

Preparation of the Building prior to Fogging

- (1) Close all doors, windows and ventilators
- (2) Lock or barricade all entrances, turn off pilot lights, post warning signs, and take precautions to prevent persons and animals from entering the area.

Use AMBUSH 25W prior to filling house, during cool-down, during spawning, up to pinning and between breaks. Do not use when mushrooms are present. Treat once daily or as needed when flies appear. Do not make more than 20 applications prior to pinning of first break; apply no more than two applications between each break. Do not apply more than 30 applications total per crop of 5 breaks.

Do not apply within 3 days of harvest.

Length of exposure time should be limited to 1 hour; then ventilate the house. Use fans to ventilate in houses that do not have forced air circulation. Wear full-faced gas mask with canister type recommended for general insecticide protection.

Applicable directions, restrictions, and precautions on the EPA registered label are to be followed.

This labeling must be in the possession of the user
at the time of pesticide application.

