

Pm 16 REG# 10182-39 K

ACCEPTED

JAN 22 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10182-39

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.

STORAGE AND DISPOSAL

Refer to label on container for full storage and disposal directions.

DIRECTIONS FOR USE

Refer to label on container for full use directions.



EPA Reg. No. 10182-39
EPA Est. No. 523 IL 1
Net Contents: 50 gms (1.76 oz)

Talon-G

RODENTICIDE BAIT PACK (PELLETS)
For Effective Control of (equipment) Rats

Kills warfarin-resistant Norway Rats.

Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient:

Brodifacoum:
3-[3-(4-bromo-1,1-biphenyl)-4-yl]-
1,2,3,4-tetrahydro-1-naphthalenyl]-4-
hydroxy-2H-1-benzopyran-2-one

Inert Ingredients

	0.005%
	99.995%
Total	100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

May be Harmful or Fatal if Swallowed. Read Additional Precautionary Statements on Back Panel.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS AND PETS. WASH HANDS AFTER HANDLING BAIT.

IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE. For 24-hour emergency assistance call 302/575-3000.

IF BAIT IS EATEN BY ANIMALS OR PETS, CALL 217/333-3611 or 302/575-3000 for 24-hour emergency assistance.

**NOTE TO PHYSICIAN OR
VETERINARIAN**

This product may reduce the clotting ability of the blood and cause hemorrhaging. If this occurs, intramuscular and oral administration of vitamin K₁ combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of dithydroxy coumarin. Vitamin K₁ is antidotal at doses of 10 to 20 mg (not mg/kg) and should be given and repeated as necessary (based on monitoring of prothrombin times).

ACCEPTED

JAN 22 1982

Vertical text on the right edge of the page, partially obscured.

Talon-G

RODENTICIDE BAIT PAC (PELLETS)

For Effective Control of Commensal Rats

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT.

IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE. For 24-hour emergency assistance call 302/575-3000.

IF BAIT IS EATEN BY ANIMALS OR PETS, CALL 217/333-3611 or 302/575-3000 for 24-hour emergency assistance.

In case of significant spill, call CHEMTREC 800/424-9300.

NOTE TO PHYSICIAN OR VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If this occurs, intramuscular and oral administration of vitamin K₁ combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. Vitamin K₁ is antidotal at doses of 10 to 20 mg (not mg/kg) and should be given and repeated as necessary (based on monitoring of prothrombin times).

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Kills warfarin-resistant Norway Rats. Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient:

Brodifacoum- 3-[3-(4-bromo-[1,1'-biphenyl]-4-yl)- 1,2,3,4-tetrahydro-1-naphthalenyl]-4- hydroxy-2H-1-benzopyran-2-one	0.005%
Inert Ingredients	99.995%

Total 100.000%

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

May Be Harmful or Fatal if Swallowed.
Read Additional Precautionary Statements
on Side Panel.



ICI Americas Inc.

Wilmington, Delaware 19897

EPA Reg. No. 10182-39
EPA Est. No. 523-IL-1
Net Contents 100/50 gm (1.76 oz) bait packs

Batch Number