


RODENTICIDE BAIT PACK (MINI-PELLETS)
For Efficient Indoor Control of Commercial Wire and Rats.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL
Refer to label on container for full storage and disposal directions.

DIRECTIONS FOR USE
Refer to label on container for full use directions.

 **ICI Americas Inc.**
Wilmington, Delaware 19897

EPA Reg No 10182-40
EPA Est. No 523-IL-1
Net Contents 25 gms (0.88 oz)

ACD 790-77 5/80

Kills warfarin-resistant Norway Rats and house mice.
Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient:
3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one 0.005%

Inert Ingredients 99.995%

Total **100.000%**

KEEP OUT OF REACH OF CHILDREN
CAUTION

May be Harmful or Fatal if Swallowed. Read Additional
Precautionary Statements on Back Panel.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT. IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE.
For 24-hour emergency assistance, call 302/575-3000.

NOTE TO PHYSICIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If this occurs, intravenous and oral administration of vitamin K₁ combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. Vitamin K₁ is antidotal at doses of 10 to 20 mg (not mg/kg) and should be given and repeated as necessary (based on monitoring of prothrombin times).

ACCEPTED

OCT 21 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10182-40

100% REPRO

12/1