

RESTRICTED USE PESTICIDE

RESTRICTED USE PESTICIDE

Talon™-G
RODENTICIDE BAIT PACK (PELLETS)
For Effective Urban Rat Control

ACCEPTED

JUL 24 1980

Under the terms of the
 Purchase, and it is the
 intention of the
 Government to
 make the same

PRECANTIONARY STATEMENTS

PRECONCEPTION STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CANTON

MAY BE HARMFUL OR FATAL IF SWALLOWED KEEP AWAY FROM HUMANS
DOMESTIC ANIMALS AND PETS WASH HANDS AFTER HANDLING BAIT
IF BAIT IS EATEN BY HUMANS CALL A PHYSICIAN AT ONCE

For 24-hour emergency assistance call 302 575 3000

In case of significant spill call CHEMTREC 800 424-9300

NOTE TO PHYSICIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If this occurs, intravenous and oral administration of vitamin K, combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. Vitamin K₁ is antidotal at doses of 10 to 20 mg (noting μ g) and should be given and repeated as necessary (based on monitoring of prothrombin times).

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Use with caution in areas frequented by wildlife. Raptors, predators and domestic animals that eat rodents may be killed by feeding on poisoned rodents. Keep out of lakes, ponds, or streams. Do not use this product in public parks.

STORAGE AND DISPOSAL

STORAGE AND DISPOSAL
STORAGE Do not contaminate water, food or feed by storage or disposal. Spill cleanup and dumping is prohibited. Do not reuse empty container.

DISPOSAL: Dead animals and bait that cannot be used should be disposed of in a landfill approved for pesticides or burned in a safe place away from water supplies. Dispose of containers in an incinerator or landfill approved for pesticide containers or bury in a safe place. Consult Federal, State, or local disposal authorities for approved alternate procedures.

Kills warfarin-resistant Norway Rats

Regents may consume a lethal dose in one feeding with first dead

students appearing
Active Legend

Active English Literacy

3-[3-(4-bromo-1,1,1-phenyl-4-yl)-
1,2,3,4-tetrahydro-1-naphthalenyl]-4-
hydroxy-2H-1-benzopyran-2-one

Inert Ingredients

THESE INQUIRIES

Total

005°0

99 995'

00 000°.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

43. Be Harmful to Fish & Swallow
Read Additional Precautions, Statement
- See Page



ICI Americas Inc.

Wilmington, Delaware 19897

EPA REG. NO. 1, 1974

EPA EST NO 523

View contents 54 x 2 mm 1:1 21 x 3 mm

2017

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of Norway rats and Roof rats in and around the perimeter of homes, industrial, commercial, and public buildings located in urban areas. May also be used in alleys located in urban areas. Do not use in lawns or public parks. Treated baits must be placed in tamper-proof bait boxes or locations not accessible to children, pets, domestic animals, and wild birds. Do not place bait in areas where there is a possibility of contact with foodstuffs that come in direct contact with the bait. Do not bait within 100 feet of a building site being used by raptors. Consult State Wildlife Agency for all bird permits and U.S. Fish and Wildlife Service personnel before use near waterfowlings, migratory birds, and other protected species.

SELECTION OF TREATMENT AREAS: Determine nesting sites of Wild Norway rats and Roof rats. Assume the Rat General has been identified as a likely pest. Placed openings in or beside burrows, under eaves, and in attics, and in basements and crawl spaces. In addition, wherever there are signs of rat activity, such as droppings, gnawing marks, etc., place bait.

APPLICATION DIRECTIONS

Hervey and Beel Rats

Mr. J. Edgar Hoover, Director, Federal Bureau of Investigation, Washington, D. C.

[illegible]

31

BEST DOCUMENT AVAILABLE