

24 MAR 1987

*306*  
*18*  
*124685*  
*1*

ICI Americas, Inc.  
Agricultural Chemicals Division  
Wilmington, DE 19897

Gentlemen:

Subject: Weather Blok Bait  
EPA Registration No. 10182-48  
Your Amended Application Dated October 21, 1986

We have reviewed the data (Accession No. 265850) submitted in support of this product. These data support the weather resistance claim for this product for applications to control rats.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comment listed below.

- Delete "General Classification."

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

William H. Miller  
Product Manager (16)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

85368:Peacock:M-8:KENCO:3/17/87:3/26/87:dej:dsg:SONJA:lf:liz

CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

# WeatherBlok<sup>®</sup>

BAIT

Made with **TALON<sup>®</sup>** Rodenticide

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT. IF BAIT IS EATEN BY ANIMALS OR PETS, call the National Animal Poison Control Center 217/333-3611 or ICI America Inc. 302/575-3000 for 24-hour emergency assistance.

IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AS SOON. For 24-hour emergency assistance, call ICI America Inc. 302/575-3000. In case of significant spill, call CHEMTREC 800/424-9300.

**NOTE TO PHYSICIAN OR VETERINARIAN**

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and/or intravenous administration of vitamin K<sub>1</sub> are indicated, as in poisoning from overdose of bromhydrin coumatals. For human cases, vitamin K<sub>1</sub> is indicated at doses of 10 to 20 mg (mg/kg). For animal cases, vitamin K<sub>1</sub> is indicated at 2-5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.

**NOTICE TO BUYER AND USER:** Seller warrants that this product conforms to the chemical description on the label and is responsible for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Kills warfarin-resistant Norway Rats and House mice.

Subjects may contract a lethal dose in one feeding with first dead rodents appearing later or the days after treatment begins.

**Active ingredient:**

<b>Brodifacoum-</b>	
3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-	
1,2,3,4-tetrahydro-1-naphthalenyl]-4-	
hydroxy-2H-1-benzopyran-2-one	8.885%
Inert ingredients	91.115%
<b>Total</b>	<b>100.000%</b>

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

May Be Harmful or Fatal if Swallowed. Read Additional Precautionary Statements on Side Panel.



**ICI Americas Inc.**  
Agricultural Chemicals Division  
Wilmington, Delaware 19807

EPA Reg. No. 10182-48  
EPA Est. No. 30564-EN-1  
Net Contents 500/20 gm bait blocks

Made in U.K.

**STORAGE**

Do not contaminate water, food or feed by adding additional WEATHER BLOK bait. **STORAGE:** Store in original container and **PESTICIDE DISPOSAL:** Washes resulting from approved waste disposal facility. **CONTAINER DISPOSAL:** Dispose of bait on site and local authorities.

**DIRECTIONS FOR USE**


**GENERAL CLASSIFICATION**

It is a violation of Federal law to use this USE RESTRICTIONS. For control of Norway commercial, commercial, agricultural and public transport vehicles (ships, trains, aircraft) and placed in traps, great hall houses or in factories such as in houses, which are then closed. Do not land or surfaces that come in direct contact.

**APPLICATION DIRECTIONS**

Norway and Rat Bait: Apply 0-23 WEATHER BLOK per unweighed supply of fresh bait for 14 baited in overhead areas in or around buildings on floors, poles, beams or other overhead.

For use in sewers, securely attach one end of structure such as the bottom step of a manhole block to rest on structure anchoring. If branch or side line or place WEATHER BLOK on a WEATHER BLOK in the manner will prevent per structure. Maintain an unweighed supply of fresh bait. Apply 1 WEATHER BLOK at intervals of periods of very high mouse activity until signs of mouse activity ceases. For use



ACCEPTED  
with COMMENTS  
in EPA Letter D-10-107

MAR 31 1987

Under the Fungicide, Insecticide, and Plant Growth Regulator Act as amended, for the pesticide registered under EPA Reg. No. 10182-48

# WeatherBlok<sup>®</sup>

BAIT

Made with **TALON<sup>®</sup>** Rodenticide

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS, AND PETS. WASH HANDS AFTER HANDLING BAIT. IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE. For 24-hour emergency assistance, call ICI America Inc. 302/575-3000.

IF BAIT IS EATEN BY ANIMALS OR PETS, call the National Animal Poison Control Center 212/333-3611 or ICI America Inc. 302/575-3000 for 24-hour emergency assistance. In case of significant spill, call CHEMTREC 800/424-9300.

#### HAZARDS TO PHYSICIAN OR VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and/or intravenous vitamin K<sub>1</sub> is indicated, as in poisoning from overdose of bromhydrin coumatrim. For human cases, vitamin K<sub>1</sub> is available at doses of 10 to 20 mg/kg (mg/kg). For animal cases, vitamin K<sub>1</sub> is available at 2-3 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.

**NOTICE TO BUYER AND USER:** Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not expressly contemplated by Seller and Buyer and Buyer assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Kills warfarin-resistant Norway Rats and House mice.

Reduces any exposure to baited areas in one feeding with first dose rodents appearing dead or five days after treatment begins.

Active ingredient:

Brodifacoum

3-[3-(4-bromo-1,1'-biphenyl)-4-yl]-

1,2,3,4-tetrahydro-1-naphthalenyl]-4-

hydroxy-2H-1-benzopyran-2-one

Inert ingredients

0.000%

99.999%

Total 100.000%

**KEEP OUT OF REACH  
OF CHILDREN  
CAUTION**

May Be Harmful or Fatal if Swallowed. Read Additional  
Precautionary Statements on Side Panel.



**ICI Americas Inc.**  
Agricultural Chemicals Division  
Wilmington, Delaware 19887

This product is protected by U.S. patent numbers 3957824 and 4035505  
which are the property of Ward Swineford and Company Limited.

EPA Reg No 10182-48 EPA Est No 3056A-EN-1  
Net Contents 500/20 gm bait blocks

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container except for holding additional WEATHER BLOK bait.

**STORAGE:** Store in original container only in a dry place accessible to children and pets.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Dispose of bait container in a sanitary landfill or by incineration if allowed by state and local authorities.

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS:** For control of Norway rats, Roof rats and House mice in and around sewers, homes, industrial, commercial, agricultural and public buildings. WEATHER BLOK may also be used in and around transport vehicles (ships, trucks, aircraft) and related port or terminal buildings. WEATHER BLOK must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife such as in burrows which are then closed. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

## APPLICATION DIRECTIONS

**Norway and Roof Rats:** Apply 8-23 WEATHER BLOKS (usually at intervals of 15-30 ft) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease. When infestations are limited to overhead areas in or around buildings, tie or fasten WEATHER BLOK securely in protected locations on fences, poles, beams or other overhead areas where signs indicate rodents are active.

For use in sewers, securely attach one end of a wire to WEATHER BLOK and the other end to a stationary structure such as the bottom step of a manhole ladder or to a sewer grate, allowing just enough wire for the block to rest on manhole benching. If benching is not present, suspend block a few inches above the high water line or place WEATHER BLOK on a board supported by opposing steps of the ladder. Securing WEATHER BLOK in this manner will prevent removal by rats or water. Place at least 15 WEATHER BLOKS per manhole. Maintain an uninterrupted supply of fresh bait for at least 10 days or until feeding stops. **Roof Rats:** Apply 1 WEATHER BLOK at intervals of 8-12 feet per placement. Larger placements (2 blocks) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease. For use in sewers apply according to above directions for rats.

Made in U.S.

AGD 798-27981 1/8

NOT REVIEWED  
In Accordance with PR Notice 82-24-87  
Based on Draft Labeling Dated 3-24-87

W  
E  
A  
T  
H  
E  
R  
B  
L  
O  
K