


Reg # 10182-48

PM-14

171

TEXT FOR 300-GRAM SALSBURY™ ROPAXR BARS



NO
LAST
DATE
MAY 2 1991



List No. 6022

Salsbury™ Ropax® Bars

Kills warfarin-resistant Norway rats and House mice

Active ingredient: Brodifacoum-3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	0.005%
Inert ingredients	99.995%
Total	100.000%

Keep out of reach of children

CAUTION:

May be harmful or fatal if swallowed

Read additional precautionary statements on side panel

EPA Reg. No. 10182-48-116

EPA EST. No. 116-IA-1

SOLVAY Animal Health, Inc.

Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use restrictions: For control of Norway rats, Roof rats and House mice in and around homes, industrial, commercial, agricultural and public buildings. Salsbury Ropax Bars may also be used in and around transport vehicles (ships, trains, aircraft), and related port or terminal buildings. Salsbury Ropax Bars must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife such as in burrows which are then closed. Do not place bars in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Application directions

Norway and Roof rats: Apply 8-23 Salsbury Ropax Bars (usually at intervals of 15-30 ft.) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease. When infestations are limited to overhead areas in or around buildings, tie or fasten Salsbury Ropax Bars securely in protected locations on fences, poles, beams or other overhead areas where signs indicate rodents are active.

Precautionary statements

Hazards to humans and domestic animals

Caution

May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

If bait is eaten by humans, call a physician at once. For 24-hour emergency assistance, call your local Poison Control Center.

If bait is eaten by animals or pets, call a veterinarian at once. For 24-hour emergency assistance, call your local Poison Control Center.

Note to physician or veterinarian

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of vitamin K1 are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, vitamin K1 is antidotal at doses of 10 to 20 mg (not mg/kg). For animal cases, vitamin K1 is antidotal at 2.5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

Environmental hazards

This product is toxic to fish, birds and wildlife. This product can

pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.

Notice to buyer and user. Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assumes the risk of any such use. Seller disclaims all other warranties, expressed or implied, including any warranty of fitness or merchantability. Seller shall not be liable for consequential, special or indirect damages resulting from the use or handling of this product and Seller's sole liability and Buyer's and User's exclusive remedy shall be limited to the refund of the purchase price.

Distributed by
SOLVAY Animal Health, Inc.
Mendota Heights, MN 55120-1139 USA
4-6022-9001
A-1R

Net Contents: 300 grams

House mice: Apply 1 Salsbury Ropax Bar at intervals of 8-12 feet per placement. Larger placements (2 bars) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

Storage and disposal

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container except for holding additional Salsbury Ropax Bars.

Storage: Store in original container only in a dry place inaccessible to children and pets.

Pesticide disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container disposal: Dispose of bait container in a sanitary landfill or by incineration if allowed by state and local authorities.