

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**CAUTION**

**AVOID CONTACT WITH SKIN AND EYES  
AVOID BREATHING DUST.**

**STATEMENT OF PRACTICAL TREATMENT:** In case of skin or eye contact, immediately flush eyes with plenty of water. If INHALED, Move to fresh air. IF SWALLOWED, Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. For 24-hour emergency assistance call (302) 575-3000.

**ENVIRONMENTAL HAZARDS:** This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS:** Do not use or store near heat or open flame.

**STORAGE AND DISPOSAL**

Keep container sealed when not in use. Do not store near food or feed. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste area and dispose of in accordance with State and local regulations. Do not reuse container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

**NOTICE TO BUYER AND USER:** Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

# Ectiban® D

**INSECTICIDE**

**LIVESTOCK DUST**

**Keep Out  
of Reach  
of Children**

**CAUTION**

See Side Panel  
For Additional  
Precautionary  
Statements and  
Statement of  
Practical  
Treatment.

**ACTIVE INGREDIENT:**

Permethrin-  
(3-Phenoxyphenyl) methyl (±) cis  
trans-3-(2,2-dichloroethyl)-2,2-  
dimethylcyclopropanecarboxylate\* 0.25%

**INERT INGREDIENTS 99.75%**

**TOTAL 100.00%**

\*Cis:Trans ratio Min. 35% (+) cis and  
max. 65% (+) trans.



**ICI Americas Inc.**

Agricultural Chemicals Division Wilmington, Delaware 19887

EPA Reg. No. 10182-56  
EPA Est. No. 10182-NC-01  
US Patent No. 4,024,163  
Net Contents  
**TEN POUNDS**  
Batch No.

**DIRECTIONS FOR USE**

READY TO USE in DUST BAGS or HAND DUSTING EQUIPMENT. Follow specific use instructions on dust dispensing equipment to be used.

Apply To	Target Insects	Application Instructions
Lactating and Non-Lactating Dairy Cattle and Beef Cattle	Horn Flies, Face Flies, Lice	<b>DUST BAGS:</b> Suitable for all reusable bags. Place contents of package in dust bag and refill as needed. Results improved by daily forced use. <b>DIRECT APPLICATION:</b> Apply up to 2 oz. per animal. For best, a second treatment at 14 days is recommended and dust should be rubbed well into coat.
Swine	Lice	Apply up to 1 oz. per animal paying particular attention to the ears. A second treatment at 14 days recommended.
Poultry	Mites	Apply at a rate of 1 lb/100 birds. Ensure thorough treatment of vent area.

\*1 oz. of this dust equals approximately 2 1/2 level tablespoons.