

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

**AVOID CONTACT WITH SKIN AND EYES
AVOID BREATHING DUST.**

STATEMENT OF PRACTICAL TREATMENT: In case of skin or eye contact, immediately flush eyes with plenty of water or **SHALLOU**. Move to fresh air. If **SHALLOU** is used, 1 or 2 glasses of water will induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. For 24-hour emergency assistance call (302) 575-3000.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Keep container sealed when not in use. Do not store near food or feed. In case of spill on floor or paved surfaces, sweep up and remove to removal waste area and dispose of in accordance with State and local regulations. Do not reuse container. Completely empty bag by turning and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. **SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.**

Ectiban® D

INSECTICIDE

LIVESTOCK DUST

**Keep Out
of Reach
of Children**

CAUTION

See Side Panel
For Additional
Precautionary
Statements and
Statement of
Practical
Treatment.

ACTIVE INGREDIENT:

Permethrin-
(D-Phenylphenyl methyl (2) isomer)
(1,2-dichloroethyl)-2,2-dimethyl-3-cyanoethylacrylate

INERT INGREDIENTS

TOTAL

0.20%
99.79%
100.00%

Contains 100% (2) isomer and 100% (2) isomer.



ICI Americas Inc.

Agricultural Chemical Division Wilmington, Delaware 19807

EPA Reg No. 10182-56
EPA Est. No. 10182-NC-01

US Patent No. 4,824,183

Net Contents

**TEN
POUNDS**

Batch No.

PROPOSED Label Amendment

DIRECTIONS FOR USE

READY TO USE in DUST BAGS or HAND DUSTING EQUIPMENT. Follow specific use instructions on dust dispensing equipment to be used.

Apply To	Target Insects	Application Instructions
Lambing and Non-Lambing Dairy Cattle and Beef Cattle	Head Flies, Face Flies, Lice	DUST BAGS: Suitable for all suitable bags. Place contents of package in dust bag and roll in open. Results improved by daily facial use. READY-TO-USE DUST BAGS: Installation of cattle dust bag beyond the dust line by inserting top, middle, or side through the opening at the top of the bag and attaching to an overhead structure, or by attaching the ground line to a structure. The bag should be suspended 2 to 4 ft above the animal's head and held by or from the animal's head. The bag may also be used or attached to the posts or other fixed points with the dust bag hanging in the center. After the bags are in place, pull the top cord to allow the insecticide to release from the upper portion.
		DIRECT APPLICATION: Apply up to 2 oz per animal. For lambs, a second treatment at 14 days is recommended and that should be added with this cost.
Swine	Lice	Apply up to 1 oz per animal paying particular attention to the ears. A second treatment at 14 days recommended.
Poultry	Lice	Apply at a rate of 1 lb/100 birds. Efficacy through treatment of wall area.

Expanded to include pre-filled dust bags

Do not ship animals for slaughter within 5 days of last treatment.
*1 oz of this dust equals approximately 2 1/2 level tablespoons.

ACCEPTED
MAY 10 1983
Un
F
G
R
EPA R. 10182 56

Handwritten mark