PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

MAY CAUSE EYE IRRITATION.

HARMFUL IF SWALLOWED.

Do not get in eyes or skin, or on cithting. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: IF IN EYES: Flush
with water for 15 munutes. Get medical attention if irritation persists. IF

SWALLOWED: Drink 1 or 2 glasses of water and induce vomitting by touching
back of throat with finger. Do not induce vomitting or give anything by mouth to an
inconscious person.

For 24-hour emergency assistance call (302) 575-3000.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water by cleaning of souisment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Nix as needed, do not Sore diduted material. Keep container closed when not in use. Do not store near food or feed, in case of spill on floor or paved surfaces, sweep up and remove to chemical waste area. Dispose of in accordance with State and local regulations. Do not reuse container. Triple rinse residue from empty container and add rinse to mixture in spray tank. Dispose of container in sanitary landfill in accordance with State and local regulations or by incineration if allowed by State and local authorities.

if allowed by State and local authorities.

NOTICE TO BUYER AND USER: Soller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. Settler DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYERS AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE



LONG LASTING FLY KILLER PREMISE SPRAY

Keep Out of Reach of Children

WARNING

See Side Panel For Additional Precautionary Statements and Statement of Practical Treatment

ACTIVE INGREDIENT:

Permethrin-(3-Phenoxyphenyl) methyl (±) cis.


trans-3-(2,2-dichloroethenyl)-2,2-

dimethylcyclopropanecarboxytate*..... INERT INGREDIENTS

75%

Total 100%

*Cis/trans ratio: Min. 35% (±) cis and max. 65% (±) trans



Agricultural Chemicals Division

Wilmington, Delaware 19897

25%

EPA Reg. No 10182-57 EPA Est No 5905-AR-1

US Patent No 4,024,163 Net Weight SIX

OUNCES

Batch No.

ACD 786-215 C/C

BEST DOCUMENT AVAILABLE

ACCEPTEL

JAN6 1984

as amended, for the lessregistered under 10/92-57

10182-5772

DIRECTIONS FOR USE

For agricultural use only.

Spray directly to walls and ceiling as residual surface treatment only. Do not treat manure or litter. Avoid contamination of feed and water. Do not apply directly to livestock or poultry.

Shake well before measuring.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply To	Target Insects	Method of Application	Dilute	Application Rate
Livestock	Breeding Flies. Also aids in control of Cock- roaches, Mosquitoes, Spiders.	Sprayer	6 oz* to 11 gal water OR 8 level table- spoons to 3 gal water.	Spray to point of runoff. As a guide, use 1 gal spray per 750 sq ft (400-1400 sq ft). Double the concentration for premise application under severe fly pressure.

^{*1} oz of this powder equals 5 level tablespoonsful. Shake canister before measuring. Make up only as required.

Apply to surfaces where flies rest. Do not apply as a larvicide. Use proper manure management and sanitation to reduce fly breeding.

ECT/ECT-WP-LAB