

SUPPLEMENTAL LABEL  
ECTIBAN EC INSECTICIDE  
EPA REG. NO. 10182-63  
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply ECTIBAN according to the following table:

<u>Target Species</u>	<u>Method of Application</u>	<u>Dilute</u>	<u>Application Rate</u>
<u>LACTATING AND NONLACTATING DAIRY CATTLE AND GOATS, BEEF CATTLE, HORSES AND SHEEP</u>			
Horn Flies, Face Flies, Stable Flies, House Flies, Horse Flies, Black Flies, Mosquitos, Eye Gnats, Mange, Scabies, Ticks, Lice, and Sheep Keds	Sprayer	1 pt to 12½ gals water	1-2 qts of spray per animal over whole body surface. For mange, lice and scabies, be sure to thoroughly soak animal and apply a second treatment at 14 days.
Horn Flies, Lice	Sprayer	1 pt to 25 gals water	Spray until entire animal is thoroughly covered. For lice a second treatment at 14 days is recommended.
Horn Flies, Face Flies, Stable Flies, Ear Ticks	Low Pressure Sprayer	1 pt to 1½ gals water	1-2 oz spray per animal. Spot treat back, face, legs, and ears.
Horn Flies, Face Flies, Stable Flies, Ear Ticks	Backrubber/Self-Oiler	1 pt/5 gals diesel oil	Keep rubbing device charged. Results improved by daily forced use.
<u>POULTRY AND SWINE*</u>			
Lice, Northern Fowl Mites, Mange	Sprayer	1 pt to 12½ gals water	<u>Poultry:</u> 1 gal spray per 100 birds, paying particular attention to vent. <u>Swine:</u> Thoroughly soak, including ears. Repeat at 14 days. Spray walls and change bedding. For maintenance prevention of non-clinical hog mange, ECTIBAN spray concentration may be halved (1 pt to 25 gals water).

\*For swine allow 5 days between last treatment and slaughter.

(OVER)

Houses, Swine and Livestock

Housing

House Flies, Stable Flies and Other Manure Breeding Flies. Also aids in control of Cockroaches, Ants, Spiders, Mosquitos, Crickets, and Face Flies.

Sprayer

1 pt to 6½ gals water\*

Spray to point of run-off. As a guide use 1 gal spray per 750 sq ft (400-1,400 sq ft).

Mist Sprayer

Ready-to-Use

Direct 4 oz onto 1,000 sq ft of surface.

Overhead Space Spray System

1 pt to 6½ gals diesel or mineral oil

4 oz spray per 1,000 cu ft of air space.

EXTERIOR BUILDING STRUCTURES

Cluster Flies

Mist Sprayer

Ready-to-Use

Direct 5 oz onto 1,000 sq ft of surface concentrating on eaves, roof gables, and attics.

Re-treat as needed, but not more often than once every two weeks.

Spray directly to walls and ceiling as residual surface treatment only. Do not treat manure or litter. The use of any residual fly spray should be supplemented with proper manure management and general sanitation to reduce or eliminate fly breeding sites.

\*It is permissible to double this concentration for premise application under severe fly pressure.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**CAUTION**

**AVOID CONTACT WITH SKIN AND EYES  
AVOID BREATHING SPRAY MIST**

**STATEMENT OF PRACTICAL TREATMENT**  
In case of contact with this product, wash immediately with plenty of water. If on skin, wash thoroughly with soap and water. If in eyes, flush with water for at least 15 minutes. If swallowed, drink plenty of water. Do not induce vomiting unless directed to do so by a health care professional. If you experience any adverse effects, consult your physician.

**ENVIRONMENTAL HAZARDS**  
This product is highly toxic to aquatic organisms. Do not apply directly to water, to areas that flood, or to areas adjacent to water. Do not apply within 50 feet of water.

**PHYSICAL OR CHEMICAL HAZARDS**  
This product is highly flammable. Do not use near open flames or other sources of ignition.

**STORAGE AND DISPOSAL**

Store in a cool, dry place. Do not store in areas where children or pets can access. Do not use if the container is damaged. Do not use if the product has become solid or lumpy. Do not use if the product has a strong, unpleasant odor. Do not use if the product has a color change. Do not use if the product has a change in consistency. Do not use if the product has a change in color or odor. Do not use if the product has a change in consistency. Do not use if the product has a change in color or odor. Do not use if the product has a change in consistency.

**NOTICE TO BUYER AND USER**

Read the entire label carefully before using this product. Do not use if the container is damaged. Do not use if the product has become solid or lumpy. Do not use if the product has a strong, unpleasant odor. Do not use if the product has a color change. Do not use if the product has a change in consistency. Do not use if the product has a change in color or odor. Do not use if the product has a change in consistency.

**Ectiban EC**

**INSECTICIDE**

**EMULSIFIABLE CONCENTRATE**

**Keep Out  
of Reach  
of Children**

**CAUTION**

**ACTIVE INGREDIENT:**

Permethrin-  
(1-Phenoxyphehyl methyl (+) cis  
trans-4-(2,2-dichloroethenyl)-  
2,2-dimethylcyclopropane carboxylate) 5.7%

**INERT INGREDIENTS**

Total 94.3%

100.0%



**ICI Americas Inc.**

BEST DOCUMENT AVAILABLE