

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger
IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

FOR 24-HOUR EMERGENCY ASSISTANCE, CALL 1-800-F-A-S-T-M-E-D (327-8633).
FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTIONS
Do not get in eyes, on skin or on clothing. Avoid contact with eyes, skin or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to body of water. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container
STORAGE: Mix as needed. Do not store diluted material. Do not store near food or feed. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste area. Keep water-soluble packets in original foil package and store in a cool, dry place. Do not store below 32°F. Handle carefully when stored at temperatures less than 50°F to avoid breakage of packets.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty jar into application equipment. Then puncture and dispose of empty jar in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

CONDITIONS OF SALE AND LIMITED WARRANTY:

The Directions for Use of this product are believed to be correct and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, malformation or other abnormal conditions may result because of such factors as timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended or other substances, factors at the site of the product, all of which are beyond the control of the Seller. All such risks shall be assumed by Buyer and Seller and they agree to hold Seller harmless for any claims resulting from such factors.
Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label, subject to the inherent risks referred to above when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label directions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller and Buyer and Seller assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES (WHETHER WRITTEN OR IMPLIED) INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY.
When Buyer or other claims losses or damages resulting from the use or handling of this product (including deaths based on contract, negligence, strict liability or other legal theories) Buyer or their direct or indirect agents or entities shall be liable to release Seller of all claims to the extent of the proceeds set forth below. This EXCLUSIVE REMEDY OF BUYER OR USER and the LIMIT OF LIABILITY of Seller shall be, at the election of Buyer, either the purchase price paid for product bought, or replacement of amount of product used. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, INCIDENTAL DAMAGES OR DAMAGES FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE EXTENT OF THE PURCHASE PRICE.
ICI America, Inc. is a registered service mark of ICI Group Company.
© 1993 ICI America, Inc.



Professional Products

ICI America, Inc.
Wilmington, Delaware 19897

109205



Professional Products

Demon WP

INSECTICIDE

ACTIVE INGREDIENT:

Cypermethrin
(±)α-cyano-(3-phenoxyphenyl)methyl (±)-cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate* 48.0%
INERT INGREDIENTS 52.0%

Keep Out
of Reach
of Children

*Cis/trans ratio: 45/55 ± 10 TOTAL 100.0%

WARNING

EPA Reg. No. 10182-71
EPA Est. No. 5905-AR-1

See side panels for additional Precautionary Statements and Statement of Practical Treatment.

Crack and crevice and spot spray for cockroach control. Only for sale to, use and storage by professional pest control operators.

Net Contents: 1 lb (0.45 kg)

BEST AVAILABLE COPY

ACCEPTED
MAR 30 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10182-71

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For residual pest control in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include industrial buildings, houses, apartment buildings, laboratories, buses, greenhouses, and the nonfood/food areas of stores, warehouses, vessels, railcars, trucks, trailers, aircraft, schools, nursing homes, hospitals (non-patient areas), restaurants, hotels and food manufacturing, processing and serving establishments.

Authorized by the USDA for use in inedible product areas in Federally inspected meat, poultry, and egg processing plants.

DEMON WP insecticide is intended for dilution with water for spray application. Do not use strainers finer than 50 mesh size. Fill sprayer with the desired volume of water and add DEMON WP insecticide. Close and shake before use in order to insure proper suspension of the wettable powder. Shake or reagituate sprayer before use if spraying is interrupted. Make up only as required, repeat treatments when needed.

Pests	Concentration of Active Ingredient	Dilution Rate
Ants, Boxelder Bugs ¹ , Centipedes, Chiggers ² , Cockroaches (Maintenance), Crickets, Earwigs ² , Elm Leaf Beetle ² , Firebrats, Fleas ¹ , Flies ¹ , Millipedes, Mosquitoes ² , Pillbugs, Silverfish, Sawbugs	.1%	1 scoop ² per 1 gal water
Ants ² , Bees, Carpenter Ants ² , Cockroaches (Clean-out), Fireants (Mounds) ² , Scorpions ² , Sod Webworms ² , Spiders, Ticks ² , Wasps	.2%	2 scoops ² per 1 gal water

¹Not for indoor use in California for fly control
²1 scoop = 0.33 ounces of DEMON WP

¹Not registered for use in California
²Outdoor use only.

Cockroaches, Spiders, Crickets, Scorpions, Silverfish, Ticks and Firebrats: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE. **Ants:** Apply to any trails, around doors and windows and similar areas where ants may be found. Apply barrier treatments to prevent infestation as described below; also see OUTDOOR USE. **Wasps and Bees:** Application to nests should be made in evening when insects are at rest. Thoroughly spray nest and entrance and surrounding areas where insects alight; also see OUTDOOR USE. **Boxelder Bugs, Sowbugs, Pillbugs, Millipedes, Elm Leaf Beetle and Centipedes:** Apply around doors and windows and similar areas where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Apply barrier treatments to prevent infestation as described below; also see OUTDOOR USE. **Flies:** Apply directly to walls, ceilings, window screens, and other fly resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carpools, garages, and storage sheds; also see OUTDOOR USE. **Fire Ants (Mounds):** For individual fire ant mounds, apply DEMON WP as a drench. Gently sprinkle (watering can) a total of one gallon over the surface of mounds up to 12 inches in diameter and two gallons for larger mounds. Thoroughly wet mound and surrounding area. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration. If possible, applications

should be made on warm days after recent rainfall. All colonies in the vicinity should be treated, including those that have not yet constructed a mound. **Scorpions:** Treat and remove accumulations of lumber, firewood, and other materials which serve as harborage sites. Apply as a coarse spray to the point of drip; also see OUTDOOR USE. **Carpenter Ants:** Apply as a coarse wet spray, but avoid runoff around doors, door frames, windows and other areas where these ants enter; premises or hide; also see OUTDOOR USE. **Sod Webworms:** Spray when pests first appear; retreat when needed. Delay watering or mowing the treated area for 12 to 24 hours after treatment. Use a minimum of five gallons spray mix per 1000 square feet when spraying.

Food Handling Establishments: Places other than private residences in which food is held, processed, prepared or served.

Nonfood Areas: DEMON WP insecticide may be used as a general spot or crack and crevice treatment in nonfood areas. Similar areas where insects hide or through which insects may enter should be treated. Examples of nonfood areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food Areas: DEMON WP is not labeled for use in food areas. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Examples of food areas are areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Outdoor Use: For control of ants, bees, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, millipedes, mosquitoes, scorpions, silverfish, sowbugs, pillbugs, spiders, ticks, flies and wasps. Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, porches, lawns, refuse dumps, garages by either hand or power sprayer and in similar areas where these pests are found.

Barrier Treatments (except cockroaches): To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

Note: Do not use with electrical equipment because of possible shock hazard. Let surfaces dry before allowing children and pets to contact surfaces. Protect aquariums from spray mist. Thoroughly wash out sprayer and screen with water and detergent before using DEMON WP insecticide. Do not use this product with oil.

Do not apply this product to edible crops. During any application to overhead interior areas of structure, cover surface below with plastic shielding or similar material. Do not use as a space spray. Use only in well ventilated areas. Do not apply this product in patient rooms while occupied or in any rooms while occupied by the elderly or infirm. Do not apply to classrooms when in use. Do not apply to institutions (including libraries, sports facilities, etc.) in the immediate area when occupants are present. Do not use in warehouses where raw or cured tobacco is stored. Do not use in warehouses while raw agricultural commodities for food or feed are being stored. Do not use in greenhouses where crops for food or feed are grown.

BEST AVAILABLE COPY