

CYMBUSH[®] OIL INSECTICIDE

**FOR USE IN OIL ONLY
DO NOT MIX WITH WATER**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

May be fatal if swallowed or inhaled. Irritates eyes, nose, throat, and skin. Avoid contact with skin, eyes, nose, and mouth. Wash thoroughly after handling. May cause dizziness or headache.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.
IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
IF ON SKIN: Immediately remove contaminated clothing and wash with plenty of soap and water. Seek medical attention if irritation persists.

NOTE TO PHYSICIAN: Ingestion of this substance may result in respiratory depression. Primary symptom is aspiration of the liquid. Vomiting should be induced if a patient is fully conscious. For further information, contact the manufacturer at 1-800-475-3700.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Do not use in or near streams, rivers, lakes, ponds, or waterways. Do not apply directly to water. Do not use where weather conditions favor drift in treated areas. Do not contaminate waterways with this product. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited.

For more information, call 1-800-475-3700.

PHYSICAL OR CHEMICAL HAZARDS: None known.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not use in or near streams, rivers, lakes, ponds, or waterways. Do not use where weather conditions favor drift in treated areas. Do not contaminate waterways with this product. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited.

STORAGE: Store in a cool, dry place. Do not store in areas where children or pets can access. Do not store in areas where the product is prohibited. Do not store in areas where the product is prohibited. Do not store in areas where the product is prohibited.

PESTICIDE DISPOSAL: Do not use in or near streams, rivers, lakes, ponds, or waterways. Do not use where weather conditions favor drift in treated areas. Do not contaminate waterways with this product. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited.

CONTAINER DISPOSAL: Do not use in or near streams, rivers, lakes, ponds, or waterways. Do not use where weather conditions favor drift in treated areas. Do not contaminate waterways with this product. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited. Do not use in areas where the product is prohibited.

RESTRICTED USE PESTICIDE. For retail sale, use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

CYMBUSH[®] OL

INSECTICIDE


Keep Out of Reach of Children
DANGER

See Side Panel For Additional Precautionary Statements and Statement of Practical Treatment

Net Contents
ONE U.S. GALLON
(3.79 LITERS)

Batch No.

EPA Establishment No. 5903-AR-1
EPA Reg. No. 10182-8C
U.S. Patent No. 4,024,163

 **ICI Americas Inc.**

FOR USE IN OIL ONLY
DO NOT MIX WITH WATER

ACTIVE INGREDIENT:

Cypermethrin
1-cyano-3-phenoxycarbonyl-methyl-piperazine-2,2-diol
2-(2-methylcyclopropyl)acrylate

INERT INGREDIENTS

TOTAL

trans isomer 45.55 + 1.0

CYMBUSH OL contains 1.16 pounds active ingredient per gallon

36.6%
63.4%
100.0%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Apply CYMBUSH OL as shown in the following chart. Using sufficient spray to obtain full coverage of foliage. Apply every 5 to 7 days or as needed. Timing and frequency of applications should be based upon insect populations reaching locally determined economic thresholds.

COTTON SPRAY RECOMMENDATIONS

Target Pests	Rate (lbs./A)	Minimum Spray Volume
Cotton Boll Weevil Cotton Bollworm Tobacco Budworm Pink Bollworm Lygus Bug Whitefly Cotton Aphid Cabbage Looper Loopers Cotton Leafminer Belted Cuckoo Red Beetle Cotton Fleahopper Cotton Flea Cotton Flea	0.06-0.12	Mix CYMBUSH OL with a non-phytotoxic crop oil such as cottonseed or soybean oil for a finished volume of 1 to 2 quarts/A

Remarks:
This spray will kill cotton bolls if applied within 14 days of harvest. Do not apply to cotton bolls if they are open.

RATE CONVERSION CHART

Field Acres	1/4 Acre	1/2 Acre	1 Acre
0.06	0.015	0.03	0.06
0.12	0.03	0.06	0.12

NOTE: This is a Restricted Use Pesticide. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Apply CYMBUSH OL as shown in the following chart. Using sufficient spray to obtain full coverage of foliage. Apply every 5 to 7 days or as needed. Timing and frequency of applications should be based upon insect populations reaching locally determined economic thresholds.

411-195-4811 E.C.