• •	10182-8	D AM 15 10
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	10182-80	DATEN ISSUANCE
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20480	TERM OF ISSUANCE Thit 11 Tuly 1. 1992	
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUC	τ
(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)	Compusi of Insecti	niđe
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	<b>I</b>	
r		246634
TCT Americas Inc.	350	
Autoultaral Chemical Division	18'	17
Coherry Dike & Yew Yumby Family 1 junion DF 10007		
L	L	
GTE: Changes in labeling formula differing in substance fro ubmitted to and accepted by the Registration Division prior roduct always refer to the above U.S. EPA registration numb	to use of the label in commerc	
in the basis of information furnished by the registrant, the a he Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereb	y Registered/Reregistered under
copy of the labeling accepted in connection with this Reg	istration/Reregistration is retu	rned herewith.
This product is conditionally regist action 3(c)(7)(P) since vo, apped to 1. Conduct the aquatic mesocosm stu submit a final report of this study attached PPA approved protocol dated	dy through completion in accordance with t	n an <sup>a</sup>
P. Have the mesonosms filled with w August 15, 1999.	· · · · ·	
3. Submit progress reports bimonthl through November 3, 1991. The renor on how many samples of each type hav have been analyzed and how many rena these reports do not need to include request be prepared to submit raw da corrected, to document the accuracy subsequent report must include the i previous report plus the new informa	ts must include info in been collected, ha in to be analyzed. I raw data, vou must ta, even if it has no of the himonthly rep nformation required	mation v manv mile unon nt vet been ort, Each
t Submit the final study by Decemb	er 3], 10-1,	
ATTACHMENT IS APPLICABLE	1 01	

ĺ

(

and the second second

5. Submit the following supplemental information regarding the conduct of the mesocosm study by July 1, 1989:

a) Residue data for the slurry and drift application methods.

b) Any additional statistical information as a result of continued discussion with Agency staff.

c) Any proposed changes to the protocol or study design resulting from (a) & (b) above.

When EPA receives and reviews the above information and suggested changes due July 1 we will notify you if we agree with these changes, otherwise the protocol will remain as written.

These conditional registrations will be subject to an expiration date of July 1, 1992. Such expiration will occur automatically notwithstanding the fulfillment of any conditions set forth in this letter and expiration will not give rise to hearing rights pursuant to FIFRA Section 6(e). By a separate action the tolerances authorizing residues of the subject product on cotton, pecans and lettuce will be extended to July 1, 1993. After that date sale or distribution of food in interstate commerce containing any residues of the subject product will be a violation of the Federal Food, Drug, and Cosmetic Act.

6. Submit product information (pounds or gallons produced) for this product for the fiscal year in which the use on cotton, pecaus, lettuce is conditionally registered, in accordance with FIFRA section 29. The fiscal year begins October 1, and ends September 30.

This information is to be submitted to:

Registration Support Branch Registration Division (H7504C) Environmental Protection Agency 401 M Street SW Washington, DC 20460

You should note that if you fail to satisfy any of the conditions imposed on this registration, e.g., you fail to submit the required data by the specified deadlines or the data submitted were not generated in accordance with the Good Laboratory Practice Standards (40 CFR Part 160) and/or the EPA approved protocol, EPA may issue a Notice to Cancel this registration under FIFRA section 6(e).

30016

## Simultaneous Reporting to the Office of Compliance Monitoring (OCM)

OCM will be monitoring the data being generated in response to this Registration Notice. Therefore, if you respond by:

- Submitting modifications to the protocol or
- Requesting extensions in the due date for submitting final reports,

you must send a copy of the supporting information (not copies of the actual data) to:

Laboratory Data Integrity Assurance Division Office of Compliance Monitoring (EN-342) Environmental Protection Agency 401 M Street S.W., Washington, DE 20460

Finally, once the required data have been submitted, evaluated and accepted EPA will entertain an application for unconditional registration of the subject product to allow use on cotton, pecans, lettuce.

We have no objections to the amended labeling lowering the maximum applied season total from 1.0 lbs a.i. per acre to 0.6 lbs a.i. per acre. However, EPA is reviewing this label amendment to determine if lowering the season total to 0.6 lbs a.i. per acre would have any impact on the established tolerances. Depending on the outcome of the review, it may be necessary to lower the tolerances established on the raw agricultual commodities for cypermethrin.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division

Enclosure

Page 1 of 3 CYMBUSH Container RS-010389A

Front Panel

#### **RESTRICTED USE PESTICIDE**

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

CYMBUSH OL Insecticide

For Use In Oil Only Do Not Mix With Water

KEEP OUT OF REACH OF CHILDREN

#### DANGER

Under the Federal kisesticide. Fungicide, and Rodenticide Act amended, for the pesticide registered under I & Reg. No. 10/82-

ACCEPTED

with COMMENTS in EPA Letter Dated:

· . . .

PELIGRO - PRECAUCION AL USUARIO: Si usted no le ingles, no use este producto hasta que le etiqueta le haya sido explicado ampliamente.

ACTIVE INGREDIENT: Cypermethrin (t)a-cyano-(3-phenoxyphenyl)methyl(t)-cis, trans-3-(2,2-dichloroethenyl)-2, 2-dimethylcyclopropanecarboxylate\*.......... 36.6% 63.4% . TOTAL . . . . . . . . 100.07

\*Cis/trans ratio: 45/55 ± 10 CYMBUSH OL contains 3 pounds active ingredient per gallon

#### STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Do not induce vomiting. Call a physician immediately. IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. IF ON SKIN: Immediately remove contaminated clothing and wash with plenty of soap and water. Get medical attention of irritation persists. IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

NOTE TO PHYSICIAN: Inducing vomiting as first aid for this substance way result in increased risk of chemical pneumonia or pulmonary edsmc caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

FOR 24-HOUR EMERGENCY ASSISTANCE, CALL ICI AMERICAS MEDICAL EMERGENCY INFORMATION CENTER 1-800-327-8633.

ICI Agricultural Products ICI Americas Inc. Wilmington, Delaware 19897

EPA Reg. No. 10182-80. EPA Est. No. U.S. Patent No. 4,024,163 Net Contents: 25 Gallons (9.46 Liters) 40016

Page 2 of 3 CYMBUSH Container RS-010389A 50x16

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER

CORROSIVE. CAUSES EYE BURNS AND SKIN IKRITATION. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. MAY CAUSE ALLERGIC SKIN REACTIONS. Do not get in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. Wash thoroughly after handling.

Wear protective clothing when spraying. Wear protective clothing, impermeable gloves, full face shield, rubber apron and boots when handling or mixing concentrate. When mixing/loading and spraying, wear mid-forearm to elbow length chemical-resistant gloves, boots or overshoes, one piece overalls which have long sleeves or long pants, and face shield or goggles. Mixers/loaders should in addition wear a chemical-resistant apron.


Any article of clothing worn while applying this product must be cleaned before reusing. Clothing which has been drenched or heavily contaminated should be disposed of in accordance with state or local regulations.

Instead of clothing and equipment specified above, the applicator can use an enclosed tractor cab with filtered air supply.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of waters. This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply CYMBUSH or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from your Cooperative Extension Service. Apply this product only as specified on this label.

In case of a significant spill, call CHEMTREC, 800/424-9300.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.



Page 3 of 3 CYMBUSH Container RS-010389A 636 10

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply CYMBUSH OL as indicated in the Supplemental Pamphlet. For all use directions refer to the Supplemental Pamphlet. CHEMIGATION: Refer to supplemental labeling entitled CYMBUSH OL insecticide for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on chemigation is followed.

#### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. STORAGE: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers: Triple rise (cr equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

#### RATE CONVERSION CHART

Pounds	Fluid Acres		Acres	S	
Active/Acre	Ounces/Acre	Pints/Acre	Treated/Gallon		
0.06	2.56	0.16	50.0		
0.08	3.41	0.21	37.5		
0.10	4.27	0.27	30.0		

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTLES. EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE. PRICE.

● JC' AF itas Inc. 1988

102488ME #04

Page 1 of 10 CYMBUSH Booklet RS-010389A 70816

Front Cover

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

## CYMBUSH OL Insecticide

KEEP OUT OF REACH OF CHILDREN

## DANGER


PELIGRO - PRECAUCION AL USUARIO: Si usted no le ingles, no use este producto hasta que le etiqueta le haya sido explicado ampliamente.

#### RATE CONVERSION CHART

Pounds	Fluid	Acres		
Active/Acre	Ounces/Acre	Pints/Acre	Treated/Gallon	
0.06	2.56	0.16	50.0	
0.08	3.41	9.21	37.5	
0.10	4.27	0.27	30.0	

ICI Agricultural Products ICI Americas Inc. Wilmington, Delaware 19897

• ICI Americas Inc. 1988



Page 2 of 10 CYMBUSH Booklet RS-010389A

\*Cis/trans ratio: 45/55 ± 10 CYMBUSH OL contains 3 pounds active ingredient per gallon

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS


#### DANGER

CORROSIVE. CAUSES EYE BURNS AND SKIN IRRITATION. MAY BE FATAL IF SWALLOWED. HARNFUL IF INHALED OR ABSORBED THROUGH SKIN. MAY CAUSE ALLERGIC SKIN REACTIONS. Do not get in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. Wash thoroughly after handling.

Wear protective clothing when spraying. Wear protective clothing, impermeable gloves, full face shield, rubber apron and boots when handling or mixing concentrate. When mixing/loading and spraying, wear mid-forearm to elbow length chemical-resistant gloves, boots or overshoes, one piece overalls which have long sleeves or long pants, and face shield or goggles. Mixers/loaders should in addition wear a chemical-resistant apron.

Any article of clothing worn while applying this product must be cleaned before reusing. Clothing which has been drenched or heavily contaminated should be disposed of in accordance with state or local regulations.

Instead of clothing and equipment specified above, the applicator can use an enclosed tractor cab with filtered air supply.



8 . 16

Page 3 of 10 CYMBUSH Booklet RS-010389A 900 14

#### STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN: Immediately remove contaminated clothing and wash with plenty of soap and water. Get medical attention of irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.


NOTE TO PHYSICIAN: Inducing vomiting as first aid for this substance may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

FOR 24-HOUR EMERGENCY ASSISTANCE, CALL ICI AMERICAS MEDICAL EMERGENCY INFORMATION CENTER 1-800-327-8633.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of waters. This product is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not app. YMBUSH or allow it to drift to crops or weeds on which bees are actively foraging. Additional information may be obtained from your Cooperative Extension Service. Apply this product only as specified on this label.

In case of a significant spill, call CHEMTREC, 800/424-9300.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.



1000 16

Page 4 of 10 CYMBUSH Booklet RS-010389A

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply CYMBUSH OL as shown in the following chart, using sufficient spray to obtain full coverage of foliage. Apply every 5 to 7 days or as needed. Timing and frequency of applications should be based upon insect populations reaching locally determined economic thresholds. The use of less than recommended rates should only occur under conditions of light to moderate insect infestations.

**RE-ENTRY STATEMENTS:** 

Do not treat areas while unprotected humans or domestic animals are present in the treatment areas.

Do not allow entry into treated areas without protective clothing until sprays have dried.

State re-entry regulations will apply if they are more restrictive than those stated on this label. Consult with State regulatory officials.


CHEMIGATION:

## SPRINKLER IRRICATION APPLICATION

Apply CYMBUSH OL at rates and timing described elsewhere in this label. Apply with center pivot or continuous-move equipment distributing ½ acre-inch or less during treatment. If stationary (solid sets, handlines or wheel lines other than continuous move) are used, CYMBUSH OL should be injected into no more than the last 20-30 minutes of the set. Do not apply when winds are greater than 10-15 mph to avoid drift or wind skips. Thorough coverage of foliage is required for good control. Cood agitation should be maintained during the entire application period.

USE PRECAUTIONS - SPRINKLER IRRIGATION APPLICATION

- A. Apply this product only through (sprinkler including center pivot, lateral move, end tow, side [wheel] roll, traveler, big gun, solid set, or hand move) irrigation system(s). Do not apply this product through any other type of irrigation system.
- B. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from nonuniform distribution of treated water.



Page 5 of 10 CYMBUSH Booklet RS-010389A

- C. If you have any questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.
- D. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.
- E. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.
- F. The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
- G. The pesticide injection pipeline must contain a functional, automatic, quick-closing check value to prevent the flow of fluid back toward the injection pump.
- H. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- I. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
- J. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
- K. Systems must use a metering pump such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materia's that are compatible with pesticides and capable of being fitted with a system interlock.
- L. Do not apply when wind speed favors drift beyond the area intended for treatment.
- M. Do not apply through chemigation systems connected to public water systems.

Page 6 of 10 CYMBUSH Booklet RS-010389A 1-5616

#### POSTING REQUIREMENTS

Posting of areas to be chemigated is required when 1) any part of a treated area is within 300 feet of sensitive areas such as residential areas, labor camps, businesses, day care centers, hospitals, in-patient clinics, nursing homes or any public areas such as schools, parks, playgrounds, or other public facilities not including public roads, or 2) when the chemigated area is open to the public such as golf courses or retail greenhouses.

Posting must conform to the following requirements. Treated areas shall be posted with signs at all usual points of entry and along likely routes of approach from the listed sensitive areas. When there are no usual points of entry, signs must be posted in the corners of the treated areas and in any other location affording maximum visibility to sensitive areas. The printed side of the sign should face away from the treated area towards the sensitive area. The sign shall be printed in English. Signs must be posted prior to application and must remain posted until foliage has dried and soil surface water has disappeared. Signs may remain in place indefinitely as long as they are composed of materials to prevent deterioration and maintain legibility for the duration of the posting period.

All words shall consist of letters of at least 2½ inches tall, and all letters and the symbol shall be a color which sharply contrasts with the immediate background. At the top of the sign shall be the words KEEP OUT, followed by an octagonal stop sign symbol at least 8 inches in diametr. containing the word STOP. Below the symbol shall be the words PESTICIDES IN IRRIGATION WATER.

.

# SPRAY RECOMMENDATIONS

.


.

(

(

Сгор	Target Pests	Rate (1bs, ai/A)	Remarks
Cotton	Cotton Bollworm Tobacco Budworm Boll Weevil Pink Bollworm Lygus Bug	0,06-0.10 (2.56-4.27 f? oz/A)	Apply as required by scouting reports, usually at intervals of 5 to 7 days. For boll weevil control, spray on a 3 to 4 day schedule.
	Cabbage Looper Cotton Leafperforator Cutworm spp. Thrips Beet Armyworm		Apply by air or ground. Use sufficient water to obtain full coverage of foliage. Do not apply more than 0.6 1b ai per acre per season.
	Flea Beetle Corron Fleahopper Saltmarsh Caterpillar Whitefly* Corron Aphid*		In areas of the country where insects have a history of being highly susceptible to insecticides, available data indicate rates as low as 0.04 lb ai/acre will control light lb ai/acre will control light infestations of bollworm, budworm, pink bollworm, cabbage looper, and lygus.
	NOTE:	NOTE:	
		•	<ol> <li>The use of rates lower than 0.06 lb ai/A ahould be used only in conjunction with intense field monitoring.</li> </ol>
			<ol> <li>Do not use less than 0.06 lb ai/A on initial (first) application because of the variation in size and age of insects present.</li> </ol>
			CYMBUSH may also be applied by air diluted with at least a once refined vegetable oil su- as cottonseed oil or soybean oil. Apply usin 1-2 quarts of finished spray per acre.
			CYMBUSH may be applied in tank mixture wit the following insecticides in accordance with label limitations and precautions. Label dosage rate should not exceed.
			Chlorodimeform Malathion CURACRON®** LANNATE® Methyl Parathion LARVIN®** CUTHION® LORSBAN®
			Do not apply within 14 days of harvest. Do n graze livestock in treated areas.

\* Aids in Suppression \*\* Tank mix currently not registered for use in California.



Page 8 01 10 CYMBUSH Booklet

# 14 . 0

•

Стор	Target Pests	Rate (1bs. ai/A)	Remarks
Pecans	Hickory Shuckworm Yellow Pecan Aphid Black Pecan Aphid Pecan Nut Casebearer Pecan Weevil	0,06-0,10 (2.56-4,27 fl oz/A)	Apply by ground equipment to the point of drip. The CYMBUSH rates are based on a standard of 100 gallons of dilute spray per acre for smaller trees. For larger trees which could require 200-300 gallons of spray per acre, apply at the rate of 0.06-0.10 1b ai/200-300 gallons of water. In order to calculate the correct gallons of water needed to spray one acre of your trees to the point of drip, you may need to conduct a test. If you do not know how to conduct such a test with your equipment, you should request assistance from your equipment dealer.
		PHI of at least	Can be applied only prior to shuck/split and PHI of at least 21 days must be observed. Do not apply more than 0.6 lb ai per acre per crop per season.
			Do not graze livestock on treated ground or out treated cover crops for feed.
		• •	CYMBUSH may be applied in task mixture with the following pesticides in accordance with label limitations and precautions. Label dosage rates should not be exceeded.
			BENLATED* LORSBANE* CYPREND* Super Tin DI-SYSTOND* SYSTOXD* Duter* TOPSIND* EPN* ZOLONES* Ethion*

.

\* Registration pending in California for tank mix use with CYMBUSH ...

SPRAY RECOMMENDATIONS



.

1500, 16

.

Page 9 of 10 CYMBUSH Booklet

	Toroat Pasts	Rate (1bs ai/A)	Remarks
<u>Crop</u> Lettuce (Head)	Target Pests Cabbage Looper Alfalfa Looper Black Cutworm Granulate Cutworm	0.025-0.10 (1.07-4.27 fl. oz/A)	Apply in water as necessary for insect control using a minimum of 15 gallons of finished spray per acre with ground equipment or 5 gallons per acre by air.
	Tobacco Budworm Corn Earworm Beet Armyworm	0.04-0.10 (1.71-7.27 fl. oz/A)	Lower rates of CYMBUSH should be used under light to moderate insect pressure. Higher rates should be used to control heavy insect populatio De not apply mor than 0.6 lb ai/A per season. Do not apply within 5 days of harves Do not plant rotational crops within 30 days of the last application.

.

•

E

.

Page 10 of 10 CYMBUSH Booklet RS-102188A 1: 510

#### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative of the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Metal Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers: Triple rinse (or equivalent). Then of for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

BENLATE® andLANNATE' - Reg. TMs of E.I. duPont de Nemours & Co. Inc. CYMBUSH® - Reg. TM of ICI Americas Inc. CYPREX® - Reg TM of American Cyanimid Co. CURACRON® - Reg TM of Ciba-Geigy Corporation. DI-SYSTON® and SYSTOX® - Reg. TMs of Mobay Corporation. GUTHION® - Reg. TM of Parent Company of Farbenfabriken Bayer Gmb. H. Leverkusen. LARVIN® - Reg. TM of Union Carbide Agricultural Products Co. Inc. LORSBAN® - Reg. TM of Pennwalt Corporation. ZOLONE® - Reg. TM of Rhone-Poulenc, Inc.

010389sfp106

Marian Warnersen