

HOSPITAL LAUNDRY BACTERIOSTAT

ACTIVE INGREDIENT:

n-Alky) (50% ₁₄ , 40% ₁₂ , 10% ₁₆)	
dimethyl benzyl ammonium chlorides	10.0%
INERT INGREDIENTS:	90.0%
	TOTAL 100.0%

EPA Reg. No. 10182-94
EPA Est. No. 10182-NC-2

ACCEPTED

JUL 09 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10182-94

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention.

If swallowed: Drink promptly a large quantity of milk, egg white, gelatin solution or, if these are not available, large quantities of water. Avoid alcohol. Call a physician. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN


Mucosal injury following ingestion of this potentially corrosive material may contraindicate the induction of vomiting in the treatment of possible intoxication. Similarly, if gastric lavage is performed, intubation should be done with great care. In cases of severe esophageal chemical corrosion, the use of therapeutic doses of steroids should be considered. General supportive measures with scrupulous monitoring of gas exchange, acid-base balance, electrolytes and fluid intake are also of high importance.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

SOLD BY

ICI AMERICAS INC.
WILMINGTON, DE 19897
(302) 575-3000

AGM/lus/2534N
Revised 01/06/86



2/2

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Keep out of reach of children. Corrosive. Causes irreversible eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or faceshield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of food.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Dilution Rate: Use 3 to 5 ounces HOSPITAL LAUNDRY BACTERIOSTAT per 100 pounds linen in a wash wheel load.

Storage and Disposal

SPILL OR LEAK: Ventilate spill area. Wear chemical workers goggles and rubber gloves during cleanup. Soak up material with absorbent and shovel into waste container.

DISPOSAL METHOD: Discarded product is not a hazardous waste under RCRA 40 CFR 261. Do not contaminate water, food or feed by storage or disposal. Wastes may be disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL: Empty container retains product residue. Observe all label precautions. Do not distribute, make available, furnish or reuse empty container except for storage and shipment of original product. Triple rinse (or equivalent) and puncture or otherwise destroy empty container. Dispose of in a facility permitted for nonhazardous waste.

NGW/lss/2534N
Revised 01/06/86

ACCEPTED
JUL 09 1986
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 10182-94

