

BAITER CARTON

FRONT PANEL

TALON WEATHER BLOK
RODENTICIDE/STC BAITER

CONTAINS ONE REFILLABLE BAITER AND 2 BAIT BLOCKS

TAMPER-RESISTANT. MAY BE USED IN AREAS ACCESSIBLE TO
CHILDREN, PETS OR WILDLIFE

KILLS WARFARIN-RESISTANT HOUSE MICE. UP TO 50 TIMES MORE
ACTIVE (WT. FOR WT.) THAN WARFARIN AGAINST MICE.

CAUTION
KEEP OUT OF REACH OF CHILDREN

Read additional precautionary statements on side panel

Active Ingredient: Brodifacoum-
3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4,-tetrahydro-1-naphthalenyl]-4-hydroxy-2H
-1-benzopyran-2-one 0.005%
Inert Ingredients 99.995%

Contains two TALON/STC Bait Blocks

TOP PANEL

TALON/STC BAITER

May be used in areas accessible to children and pets and where food may be
prepared or stored. Refill only with TALON/STC Bait Blocks. Read "Directions
for Use" and "Hints for Proper Usage".

For optimal results, use one TALON/STC Baiter every 8-12 feet where mouse
activity is observed.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 18 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10182-99

BAITER CARTON

SIDE PANEL

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

TALON/STC BAITERS ARE USED FOR THE CONTROL OF HOUSE MICE IN AND AROUND HOMES, SCHOOLS, HOTELS, HOSPITALS, RESTAURANTS, INDUSTRIAL AND PUBLIC BUILDINGS AND SIMILAR STRUCTURES.

This product is specifically designed for use in areas where mice have been seen and that are in proximity to places that children, pets, and wildlife may frequent or where food is stored or prepared.

TALON/STC Baiters are a ready-to-use, refillable product that is contained in a "tamper-resistant" bait station, and may be placed in areas accessible to children, pets, or wildlife or where food is prepared or stored. The baiter must be properly secured when used in these areas.

The TALON/STC Baiter may only be refilled with TALON/STC Bait Blocks. Save the Baiter with outer carton for possible future use.

See "Hints for Proper Usage" for instruction on how to secure baiter. Place one TALON/STC Baiter every 8-12 feet where mouse activity is noticed. Observe bait level frequently and maintain uninterrupted supply of TALON/STC Baiters for at least 20 days or longer if necessary. Unconsumed bait may be left in baiter, but replace spoiled or contaminated bait immediately. Dispose of dead mice and unconsumed bait properly (See "Disposal" statement). To prevent reinfestation, eliminate food, water, and harborage as much as possible.

PRECAUTIONARY STATEMENTS

HAZARDS TO DOMESTIC ANIMALS AND HUMANS

CAUTION

May be harmful or fatal if swallowed. Keep loose bait away from humans, domestic animals, wildlife and pets. Wash hands after handling loose bait. If swallowed, call a physician or your local Poison Control Center.

NOTE TO PHYSICIAN OR VETERINARIAN

This product may reduce the clotting ability of blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, Vitamin K₁ is antidotal at doses of 10 to 20 mg (not mg/kg). For animal cases, Vitamin K₁ is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to two weeks (based upon monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS

The bait contained in this product is toxic to fish, birds, and wildlife. This bait can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.

STORAGE AND DISPOSAL OF BAIT

Do not contaminate food, water or feed by storage and disposal.

STORAGE: Prior to use store bait only in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Open baiter, remove excess bait and securely wrap in several layers of newspaper and place in trash. TALON/STC Baiter may be reused for future mouse control by refilling with TALON/STC Bait Blocks. Do not allow children to play with empty baiter.

BAITER CARTON

BACK PANEL

TALON/STC BAITER

This ready-to-use, TALON/STC Baiter contains 2 rodenticide bait blocks. To refill baiter, see "REFILL" directions.

1. Select an area where mouse droppings or activities are observed. Generally, these areas are along walls, near gnawed openings, in corners and concealed places.
2. Remove base plate from the package. Apply the enclosed double-sided tape to the bottom of the plate in area indicated, removing paper backing from tape. Place plate on a clean, dry, grease-free surface directly next to wall by pressing the plate down firmly against floor, making sure plate arrows point towards the wall.
3. With the FRONT of the baiter facing away from the wall, slide baiter into and along the raised tabs of the base plate until the baiter is centered on the plate. Arrow on base plate and on baiter should now be aligned and the baiter tunnels alongside the wall. Insure that baiter is firmly attached to the floor. The TALON/STC Baiter is now ready to use.
4. Hints for Proper Usage: The TALON/STC Baiter is designed to adhere to smooth flat surfaces such as wood, asphalt tiles, flat concrete. Test the TALON/STC Baiter to insure that it holds securely. For rough or unsuitable surfaces, attach the baiter directly to the floor with screws using key hole slots in bottom of baiter. In areas accessible to children, pets and wildlife, the TALON/STC Baiter must be secured to the floor. TO REMOVE TAPED PLATE FROM FLOOR: Slide a putty knife or similar object between the base plate and the top of the adhesive tapes. Excess tape can then be rolled off with finger. Do not pry or use excessive force, as this can mar or damage the floor surface.

BAITER CARTON

BACK PANEL (Con't.)

TO REFILL BAITER:

1. When a bait compartment is empty, refill using only TALON/STC Bait Blocks. Slide the baiter in either direction to release it from base plate.
2. To open baiter and expose bait, use a key or similar object to push in the 2 locking tabs at rear of baiter while separating tunnels with fingers. Lift off top of baiter.
3. Remove any excess bait (see "Disposal" statement). Press a new TALON/STC Bait Block into the bait compartment, fitting block hole over post in center of compartment.
4. Reassemble baiter by fitting front tabs of baiter top into front slots of baiter bottom. Press baiter top down until rear locking tabs snap into place. INSURE THAT BAITER TOP AND BOTTOM ARE SECURELY LOCKED TOGETHER.
5. Slide TALON/STC Baiter back into floor-mounted plate. The refilled baiter is ready to use.

If you have any questions or comments about TALON/STC Baiter, please call us toll free 1-800-4 COMBAT (Monday through Friday, 9:00 a.m. to 4:00 p.m. Eastern Time).

Dist by:	EPA Est. No:	CONTAINS TWO TALON/STC BAIT BLOCKS
	EPA Reg. No:	U.S. Patents 4,349,982-4,451,198
		Additional Pat. Pending