

ACCEPTED

DEC 1 1 1987

Under Federal Insecticide, Fungicide, and Rodenticide Act and is registered under EPA Reg. No. 14132-103

 PM 25
 10182-103

1 of 1

RESTRICTED USE PESTICIDE. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



Gramoxone[®]

SUPER HERBICIDE

A WEED AND GRASS KILLER - HARVEST AID CHEMICAL
 KEEP OUT OF REACH OF CHILDREN

DANGER POISON



ONE SWALLOW CAN KILL!
 SYMPTOMS ARE PROLONGED AND PAINFUL ONSET OF
 SYMPTOMS MAY BE DELAYED FOR UP TO 3 DAYS AFTER
 ALLOWING.

PELIGRO

PRECAUCION AL USUARIO:

usted no lee ingles, no use este producto hasta que la
 queta le haya sido explicada ampliamente.

DO NOT USE OR STORE IN OR AROUND THE HOME.
 DO NOT REMOVE CONTENTS EXCEPT FOR IMMEDIATE USE.
 NEVER PUT INTO FOOD, DRINK OR OTHER CONTAINERS.
 READ DANGER STATEMENTS AND WORKER SAFETY RULES ON
 BACK PANEL.
 REFER TO BACK PANEL FOR STATEMENT OF PRACTICAL
 TREATMENT.

Active Ingredient:	By WL
Paraquat dichloride (1,1'-dimethyl-4,4'-bipyridinium dichloride)	23.2%
Inert Ingredients:	76.8%
Total	100.0%

Contains 1.5 lbs. Paraquat cation per gallon.
 Contains Stench (Odor) and Emetic

ICI Americas Inc.
 Agricultural Products
 Wilmington, Delaware 19887

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER POISON

Can Kill if Swallowed. May Be Harmful or Fatal if Absorbed Through Skin or Inhaled. Harmful to Skin and Eyes.

WORKER SAFETY RULES

DO NOT get on skin, eyes or clothing. DO NOT shake spray mist. WASH SPLASHES from skin and eyes immediately. REMOVE and wash contaminated clothing. WASH before eating, smoking and drinking. WEAR full face shield, rubber gloves and apron and waterproof footwear when pouring concentrate or when exposure to concentrate is possible. WEAR waterproof footwear and protective clothing when spraying outside of an enclosed cab or aircraft or when contacting vegetation wet with spray.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: IMMEDIATELY induce vomiting by using fingers. Do Not Administer fluids and induce further vomiting. Get to a Hospital or physician. Fast PROMPT TREATMENT IS ESSENTIAL and must be initiated before signs and symptoms of injury appear. Refer to Physicians' Column in ICI Americas Medical Emergency Information. Contact: 800/224-0033 (Dial P-A-S-T-M-E-D) at any hour to obtain toxicology and medical management consultation. A supply of bentonite clay, and paracat analysis. Symptoms following ingestion may be delayed up to 3 days. To be effective, treatment for paracat poisoning must begin IMMEDIATELY. Treatment consists of binding paracat in the gut with suspensions of bentonite clay or charcoal and removal of paracat from the blood by prolonged charcoal hemoperfusion or continuous hemodialysis.

SKIN CONTACT: IMMEDIATELY wash with soap and water. Remove and wash all contaminated clothing with soap and hot water before reuse. Prolonged contact will cause severe irritation. Contact with irritated skin, or a cut, or repeated contact with irritant skin may result in poisoning.

EYE CONTACT: IMMEDIATELY wash eyes with water for at least 15 minutes and get medical attention. Contact may cause eye injury.
 INHALATION: IMMEDIATELY get away from spray mist. Exposure may cause irritation, nose bleeds and may lead to poisoning. Stop and check spray procedure. The odor of this product is from the stenching agent which has been added, not from paracat. Follow Worker Safety Rules.

ENVIRONMENTAL SAFETY CAUTIONS

WILDLIFE: This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water or wetlands (swamps, bogs, marshes and ponds). Do not contaminate water or by cleaning of equipment or disposal of waste. Do not apply under conditions involving possible drift to food, forage, or other plants that might be damaged or the crops thereof rendered unfit for sale, use, or consumption. Do not apply when weather conditions favor drift from areas treated for aerial applicators use, do not apply during periods of thermal inversion to avoid drift.

CHEMICAL HAZARD: This product reacts with aluminum to produce hydrogen gas which may form a highly combustible gas mixture. Such gas could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette, or other ignition source. Do not mix or store in container, spray tanks, nurse tanks, or other systems made of aluminum or having aluminum fittings. After dilution with water to spray concentrations, spray systems made of, or containing aluminum parts, may be used but should not be used for extended (overnight) storage.

ENVIRONMENTAL PRECAUTIONS: Flush all spray equipment with water after use each day. GRAMOXONE SUPER is corrosive to aluminum. Aluminum spray equipment and aluminum aircraft structures that are so exposed to spray solution or spray drift should be flushed thoroughly with water immediately after use.

Net Contents:
2 1/2 GALLONS
 (9.46 LITERS)
 EPA Reg No 10182-103

DIRECTIONS FOR USE

It is a violation of Federal law and may endanger the applicator or third parties to use this product without complying with all label directions and warnings. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH DANGER STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

NOTE: Do Not Use Around Home Gardens, Schools, Churchyard Parks, or Playgrounds. Do Not Apply this product through any type of irrigation system. Refer to Supplemental Pamphlet for Use Directions. Refer to product labeling for use restrictions to protect ENDANGERED SPECIES.

REENTRY STATEMENTS

DO NOT enter treated areas without protective clothing until sprays have dried. AVOID working in spray mist. If there is risk of exposure wear goggles and approved face mask capable of filtering spray droplets. KEEP all unprotected persons out of operating areas or vicinity where there may be danger of drift.

Certain States may require more restrictive reentry intervals; consult your State Department of Agriculture for further information. Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated. IMPORTANT: The effect of swallowing GRAMOXONE SUPER is far more severe than that which usually results from skin contact or inhalation of spray mist. This product should not cause injury if used according to label instructions. Follow the label as it pertains to you.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE: Store at temperatures above 32°F. Do not contaminate feed, foodstuffs or drinking water. Do not store near to feed or food, or transport in or on vehicles containing foodstuffs or feeds. For help with any spill, leak, fire or exposure involving this material, call CHEMTREC 800/424-3300.

PESTICIDE DISPOSAL: This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Do not reuse container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or dispose of by other procedures allowed by State and local authorities.

CONDITIONS OF SALE: ICI Americas Inc. (ICI) warrants that the material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. ICI neither makes, nor authorizes any agent or representative to make, any of the warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.


2. Critical and unforeseeable factors beyond ICI control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by ICI under 1. above) resulting from handling, storage and use of this material.

BEST AVAILABLE COPY

ACD 501-00143 US

CASSAVAS, TANIERS AND YAMS (Puerto Rico Only): Post Emergence Shielded Directed Spray - For kill of emerged annual broadleaf weeds and grasses - Apply as a shielded directed spray using $2\frac{1}{2}$ pts. per sprayed acre in 50 gals. spray mix. Apply with conventional ground equipment directing spray between the rows and using shields to prevent spray contact with crop plants. Add $\frac{1}{2}$ pt. Spreader (non-ionic) per 100 gals. spray mix. Apply when weeds and grasses are succulent and weed growth is 1 to 6 inches high. Do not harvest within 3 months of application. On cassava and taniers, do not make more than 3 applications per crop season. On yams, do not make more than 2 applications per crop season.

CAUTION: Do not allow spray to contact cassava, tanier or yam plants as injury may result. Do not spray under windy conditions. Do not graze treated areas or feed treated forage to livestock.



PM25
10182-103

10/1

PROPOSED LABEL COPY

- A. Tyfon (New Hampshire only): Preplant or preemergence - Apply 5 to 10 pints per sprayed acre as a broadcast treatment prior to, during or after planting, but before emergence of the crop. Add Spreader (nonionic) at 8-32 fl. oz. per 100 gallons of diluted spray. Apply in 20-60 gallons water per acre. Seeding should be done with a minimum amount of soil disturbance. Weeds and grasses emerging after treatment will not be controlled. Crop plants emerged at time of application will be injured.

