MICROBIOCIDE

PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CAUSES SUBSTANTIAL BUT TEMPORARY EYE IMJURY. HARM-FUL IF SMALLOWED. DO NOT GET CONCENTRATE IN EYES OR CLOTHING, AUGID CONTACT WITH SKIN. AUGID BREATHING UNPOR OR HIST. MEAR GOGGLES OR FACE SHIELD WHEN HANDLING CONCENTRATE. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. WASH CLOTHING AND DECONTAMINATE FOOTHERR BEFORE REUSE.

EMUIRONNENTAL HAZARDS: THIS PESTICIDE IS TOXIC TO FISH. DO NOT DISCHARCE EFFLUENT CONTAINING THIS PRODUCT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS OR OTHER HATERS UNLESS IN ACCORDANCE HITH THE REQUIREMENTS OF A MATICHAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (MPDES) PERMIT AND THE PERMITTING AUTHORITY HAS BEEN MOTIFIED IN WRITING PRIOR TO DISCHARGE, DO NOT DISCHARGE EFFLUENT CONTAINING THIS PRODUCT TO SEVER SYSTEMS WITHOUT PREVIOUSLY. NOTIFYING THE LOCAL SENACE TREATMENT PLANT AUTHOR-ITY. FOR CUIDANCE, CONTACT YOUR STATE MATER BOARD OR RECIONAL OFFICE OF THE EPA.

#### STORAGE AND DISPOSAL:

PROHIBITIONS: DO NOT CONTAMINATE MATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PRO-HIBITED.

PESTICIDE DISPOSAL: WASTES RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.

CONTAINER DISPOSAL: METAL CONTAINERS: TRIPLE RINSE COR EQUIVALENT), THEN OFFER FOR RECYCLING OR RE-COMDITIONING, OR PUNCTURE AND DISPOSE OF IN A SAM-ITARY LANDFILL OR BY OTHER APPROVED STATE AND LOCAL PROCEDURES.


MANUFACTURED BY:

ACTIVE INCREDIENT:
POLY(ININOINIDOCARBONYLININOINIDOCARBONYLININOHEXAHETHYLENE 

## WARNING

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT



DIRECTIONS FOR USE

UANTOCIL IB MICROBIOCIDE IS A HIGH-ACTIVITY MICRO-BIOCIDE FOR USE IN APPLICATIONS SUCH AS OIL-IM-HATER AND HATER-IN-OIL EMULSIONS, INDUSTRIAL RE-AGENTS, SILICONE SYSTEMS AND CELLULOSE SOLUTIONS. VANTOCIL IB MICROBIOCIDE CAN ALSO BE USED FOR THE PRESERVATION OF ANIMAL HIDES AND SKINS. SEE TECH-NICAL INFORMATION BULLETIN 64-000-025 FOR DIRECTIONS FOR USE.

NOTICE TO BUYER AND USER: SELLER WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION IF IN EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES
AND CET MEDICAL ATTENTION.

IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. CET MEDICAL ATTENTION IF
IRRITATION PERSISTS.

IF SWALLOWED: DRIMK A LARCE QUANTITY OF WATER. DO NOT INDUCE WONTING.

AUOID ALCOHOL. CALL A PHYSICIAN.

EPA REC. NO. 10182-128

EPA REC. NO. 10182-128

APR 2 4 1997

THIS PRODUCT CONFORMS TO THE CHENICAL OESCRIPTION
THIS PRODUCT CONFORMS TO THE LABEL WHEN USED IN ACCORDANCE
WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE.
THIS WARRANTY DOES NOT EXTEND TO THE USE OF THIS
PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER
ABNORMAL USE CONDITIONS, OR UNDER CONDITIONS, OR UNDER
ABNORMAL USE CONDITIONS, OR UNDER CONDITIONS NOT
REASONABLY FORESEEABLE TO SELLER, AND BUYER AND
USEN ASSUME THE RISK OF ANY SUCH USE. SELLER DISCLAIMS ALL OTHER WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL,
SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE
USE OR HANDLING OF THIS PRODUCT, AND SELLER'S SOLE
LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY
SHALL BE LINITED TO THE REFUND OF THE PURCHASE
PRICE. STATEMENTS CONCERNING THE USE OF THE PROUCTS OR FORMULATIONS DESCRIBED HEREIM ARE NOT TO
BE CONSTRUED AS RECOMMENDING THE INFRINCEMENT OF BE CONSTRUED AS RECOMMENDING THE INFRINCEMENT OF ANY PATENT AND NO LIABILITY FOR INFRINCEMENT ARIS-ING OUT OF ANY SUCH USE IS ASSUMED.

LOT NUMBER:

PRODUCT CODE:

A business unit of ZENECA Inc. UANTOCIL is a trademark of ZENECA Inc.

ZENECA Specialties

Delaware 19897 USA (302) 886-3000

Wilmington .

5 GAL

84428

**NET CONTENTS:** 

# **ZENECA** Biocides

### VANTOCIL® IB Microbiocide

#### **GENERAL INFORMATION**

VANTOCIL® IB is a highly effective preservative for use in a wide variety of applications including oil-in-water and water-in-oil emulsions, industrial reagents, silicone systems, cellulose solutions and oil recovery systems. VANTOCIL IB can also be used for the preservation of animal hides and skins.

#### PHYSICAL PROPERTIES

Specific Gravity at 68°F 1.04\_(approx.) Density at 68°F, lb/gal 8.8 (approx.) Flash Point, °F(TCC) >200 Pour Point, °F 32 pH at 77°F 5.5 (approx.)

#### ADD 3

ADD 4

#### CHEMICAL DESCRIPTION

VANTOCIL IB is an aqueous solution of polyhexamethylene biguanide hydrochloride and is soluble in water and stable under all normal conditions of storage. The active ingredient, itself, is heat stable and nonvolatile.

#### COMPATIBILITY

VANTOCIL IB is a mild cationic compound and is compatible with nonionic and cationic compounds. VANTOCIL IB nonionics and cationics should be metered through separate pumps. VANTOCIL IB is not compatible with oxidizing chemicals, most anionic compounds and copper. VANTOCIL IB is precipitated by strong alkalies and complex phosphates. When doubt exists as to the compatibility of VANTOCIL IB with other compounds, bottle tests at the concentration to be used should be made with the material in question.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **Product** Silicones:

Use VANTOCIL IB at levels of 100-5,000 ppm for the preservation of silicone systems such as silicone emulsions and silicone dispersions.

#### Tunnel Pasteurization:

For the preservation of waters used in tunnel pasteurization and VANTOCIL IB per tunnel cooling of sealed packages of canned and bottled foodstuffs, use VANTOCIL IB at levels of 100-1,000 ppirt \*\*

#### Aqueous Industrial Chemicais:

For the preservation of aqueous industrial chemicals such as reagents, oil-in-water\_emulsions, water-in-oil emulsions, and cellulose solutions, use VANTOCIL IB at levels of 100-5,000 ppm.

#### Leather Processing:

Use VANTOCIL IB at levels of 100-3,000 ppm for the preservation of leather processing solutions.

#### Preservation of Fresh Animal Hides and Skins:

To preserve the integrity of fresh animal hides and skins prior to or during processing, use 15 fluid ounces to 3 gallons. Add the appropriate quantity of VANTOCIL IB to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend upon the degree of decomposition of the hides or skins prior to treatment.

#### Dosage

1 lb. to 50 lb. VANTOCIL IB per 10,000 lb. product

13 fl. oz. to 1 gai. 4,000 gal. tunnel. pasteurization water

1 lb. to 50 lb. VANTOCIL IB

per 10,000 lb. product

1 lb. to 30 lb. VANTOCIL IB per 10,000 lb. product

1.0-2.6, lbs. of VANOTCIL IB per 1000 pounds of hides or skins

#### **OIL RECOVERY**

Not for use in oil recovery systems which employ holding ponds for spent liquids. Do not apply in, over or near marine and/or estuarine oil fields.

Specific rates for use of VANTOCIL IB should be determined by bacteriological tests made prior to treatment. These tests should establish (a) the presence of microorganisms, (b) the severity of the problem, and (c) required treating ratio. The effectiveness of a treatment can be evaluated by similar bacteriological tests. The compatibility of VANTOCIL IB with the water should be determined prior to treatment.

Some suggested treatment methods and treating rates for water systems include:

#### Oil Field Injection Waters

 SLUG METHOD - When the system is noticeably fouled, apply 4 gallons of VANTOCIL IB per 1,000 barrels of water (95 ppm of product). VANTOCIL IB should be added to the system at a point where it will be uniformly mixed. Repeat on a weekly basis, or as needed to establish control.

When microbial control is evident, the treating rate may be lowered to 2 gallons of VANTOCIL IB per 1,000 barrels of water (47 ppm of product) weekly, or as needed to maintain control.

Badly fouled systems should be cleaned before treatment is begun.

CONTINUOUS METHOD - Before beginning a continuous treatment, apply a slug treatment of 4 gallons of VANTOCIL IB per 1,000 barrels of water (95 ppm of product). Continue treatment by applying 0.15 to 0.8 gallons (19 to 102 ounces) of VANTOCIL IB per 1,000 barrels of water (4 to 20 ppm of product).

#### Drilling Muds

 Calculate the total volume of the drilling mud system, and using this volume calculate the number of gallons of VANTOCIL IB needed to produce a concentration of approximately 3,000 ppm. For example 126 gallons of VANTOCIL IB per each 1,000 barrels of total volume will produce this concentration.

- 2. While the system is circulating, add the amount of VANTOCIL IB calculated above in a thin stream.
- As the well depth increases, increasing the total volume of the system, add additional VANTOCIL IB as required to maintain the proper concentration.

#### Workover Fluids

- Calculate the total volume of the workover fluid system, and using this volume calculate the number of gallons of VANTOCIL IB needed to produce a concentration of approximately 3,000 ppm. For example, 126 gallons of VANTOCIL IB per each 1,000 barrels of total volume will produce this concentration.
- 2. Add VANTOCIL IB into the system.
- 3. Circulate the workover fluid system until the fluid returns clear.
- 4. Shut the system down and idle for several hours.
- 5. Remove the workover fluid. The well should be ready for productive use.

#### **GENERAL**

VANTOCIL IB is an effective preservative in most aqueous compositions. The concentration required to give protection depends on factors such as: the susceptibility of the system to microbiological degradation the extent to which microorganisms can gain access, and the type of microorganisms present.

#### **PACKAGING**

VANTOCIL IB is packaged in 55-gallon drums and 5-gallon pails.

#### WARNING. KEEP OUT OF REACH OF CHILDREN.

Causes substantial but temporary eye injury. Harmful if swallowed. Do not get concentrate in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or mist. Wear goggles or face shield when handling concentrate. Wash thoroughly with soap and water after handling. Wash clothing and decontaminate footwear before reuse.

#### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush with plenty of water for at least 15 minutes and get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Drink a large quantity of water. Do not induce vomiting. Avoid alcohol. Call a physician.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### STORAGE AND DISPOSAL

#### **Prohibitions**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

#### Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

#### SAFE HANDLING INFORMATION

Refer to the MSDS available from Zeneca Biocides for information on the safe use, handling and disposal of this product.

For literature, samples and order information, please contact Customer Services: 800-523-7391.

For technical information, please contact Application Research and Technical Services: 302-886-8428.



VANTOCIL is a registered trademark of ZENECA Ltd.

TO COMPANY STATE OF THE STATE O

#### FOR YOUR PROTECTION

ZENECA Inc. ("ZENECA") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with ZENECA's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions or under conditions not reasonably foreseeable to ZENECA, and the buyer or user assumes the risk of any such use. ZENECA DISCLAIMS ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF

MERCHANTABILITY (Statements herein, therefore, should not be construed as representations or warranties.)

IN NO EVENT SHALL ZENECA BE LIABLE FOR ANY SPECIAL INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and ZENECA's sole liability and Buyer's and User's exclusive remedy shall be limited to the retund of the purchase price. Statements concerning the use of products or the formulations

described therein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is assumed.

#### **ZENECA Biocides**

1800 Concord Pike Wilmington, DE 19897

A business unit of ZENEČA Inc.

©1993, ZENECA Inc. All Rights Reserved. Printed in USA.