

# RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms.

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

## FORCE 1.5G INSECTICIDE

For Use To Control Insects On Field corn, Popcorn and Seedcorn.

KEEP OUT OF REACH OF CHILDREN

### WARNING

AVISO Precaucion Al Usuario:

Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

See back panel for additional precautionary statements and statement of practical treatment.

### ACTIVE INGREDIENT


Tefluthrin

(2,3,5,6-tetrafluoro-4-methylphenyl)-methyl-	
(1 <del>4</del> ,3 <del>4</del> )-(2)-(±)-3-(2-chloro-3,3,3-trifluoro-	
1-propenyl)-2,2-dimethylcyclopropanecarboxylate.....	1.5%
INERT INGREDIENTS .....	98.5%
TOTAL	100.0%

Contain 1.5 lbs. active ingredient per 100 lbs. of granular insecticide.

Agricultural Products  
ICI Americas Inc.  
Wilmington, DE 19897

EPA Reg. No.: 10182-130  
EPA Est. No.: 33560-TN-1...  
Net Contents: 50 lbs.



## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## WARNING

CAUSES EYE INJURY. Do not get in eyes or on clothing. HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. Avoid contact with skin. Avoid breathing dust. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

## STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything to an unconscious person.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

FOR 24-HOUR EMERGENCY ASSISTANCE, CALL ICI AMERICAS MEDICAL EMERGENCY INFORMATION CENTER AT 1-800 327-8633.

## ENVIRONMENTAL HAZARDS

This pesticide is very highly toxic to freshwater and estuarine fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwater.

In case of significant spill, call CHEMTREC (800)424-9300.

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ROTATE TO CROPS OTHER THAN SOYBEANS OR CORN.  
SOYBEANS MAY BE PLANTED 12 MONTHS AFTER FORCE APPLICATION.

## At Planting Band Treatment

Apply FORCE 1.5G at planting time. Place the granules in a 7-inch wide band over the row behind the planter shoe, and in front of/or behind the press wheel. Incorporate into the top one inch of soil using suitable equipment. For best wireworm control, apply the granules as an in-furrow treatment.

## At Planting In-Furrow Treatment

Apply FORCE 1.5G at planting time as an in-furrow treatment for control of corn rootworms, wireworms, and seedcorn maggots. In-furrow applications may be made by 1) directing the granules into the planter shoe with the seed, or 2) placing the applicator tube directly behind the planter shoe so that the granules drop into the seed furrow.

## FORCE 1.5G RATE RECOMMENDATIONS

<u>Time of Application</u>	<u>Controlled</u>	<u>(oz/1000 ft of row)</u>	<u>Application</u>
At Planting	Western Corn Rootworm	8-10	Banded - Place granules in a 7-inch band directly behind planter shoe in front of/or behind the press wheel. In-Furrow - Place granules directly in the seed furrow behind the planter shoe.
	Northern Corn Rootworm	Banded or	
	Southern Corn Rootworm	In-Furrow	
	Black Cutworm		
	Seedcorn Maggot		
	Seedcorn Beetle		
	Lesser Cornstalk Borer		
	White Grubs (Suppression)		
	Wireworms (Suppression)		

# ENDANGERED SPECIES RESTRICTIONS

This product may pose a hazard to endangered aquatic species. For ground application, do not apply this product within 20 yards of water (ponds, streams or lakes).

## Calibration Table

Amount of FORCE

1.5G/1000 ft

of row

Pounds of FORCE 1.5G Required Per

Acre for Various Row Spacings

13,068 13,756 14,520 15,374 16,335 17,424 Linear Ft/A


40" 38" 36" 34" 32" 30" Row Spacing

8 oz

6.5 6.9 7.3 7.7 8.2 8.7

10 oz

8.2 8.6 9.1 9.6 10.2 10.9



## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Do not store or use in or around the home. Store in original containers only. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste area.

**PESTICIDE DISPOSAL:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. When bag is empty dispose of in a sanitary landfill, by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**NOTICE TO BUYER AND USER:** Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

101888MEW02

