

Front Panel

RESTRICTED USE PESTICIDE

DUE TO ACUTE ORAL TOXICITY

For retail sale to and application only by Certified Applicators or personnel under their direct supervision and only for those uses covered by the Certified Applicator's certification.

DYFONATE® II 20-G Granular Insecticide
Soil Insecticide for Protection Against
Corn Rootworm, Black Cutworm and Other Major Pests

ACCEPTED
JUN 21 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10182-135

ACTIVE INGREDIENT:

O-Ethyl S-phenyl ethylphosphonodithioate* 20.0%

INERT INGREDIENTS: 80.0%

Total 100.0%

(Contains 20 pounds active ingredient per 100 pounds)

*DYFONATE

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

PELIGRO


PRECAUCION AL USUARIO: Si usted no le ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

Hazardous to livestock

EPA Reg. No. 10182-135
EPA Est. No.

50 Lbs. Net Wt. 22.7 Kg.

(Roundel) Agricultural Products
ICI Americas Inc.
Wilmington, DE 19897



2/5

Front Panel Cont.

STATEMENT OF PRACTICAL TREATMENT

CALL PHYSICIAN IMMEDIATELY: If a known exposure occurs, or if poisoning is suspected, do not wait for symptoms to develop. Immediately contact a poison Control Center, a physician, or the nearest hospital.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL (800)-F-A-S-T-M-E-D (327-8633).

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

Note: Be sure to advise the person contacted that the compound is a cholinesterase inhibitor. Describe the type of exposure, the victim's symptoms, and follow the advice given.

POISON SYMPTOMS: DYFONATE II 20-G is a highly toxic cholinesterase inhibitor. Symptoms of poisoning include headache, blurred vision, weakness, nausea, discomfort in the chest, abdominal cramps, vomiting, diarrhea, salivation, sweating and pinpoint pupils.

ALWAYS CALL A PHYSICIAN IN CASE OF SUSPECTED POISONING.

ATROPINE BY INJECTION IS ANTIDOTAL.

IF SWALLOWED: Immediately give several glasses of water and induce vomiting by placing a finger on the back of the victim's tongue. Give fluids until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

FOR SKIN CONTACT: Flush with large amounts of running water for 15 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.

FOR EYE CONTACT: Immediately flush eyes with large amounts of running water for at least 15 minutes. Hold the eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately!

IF INHALED: Remove to fresh air. If not breathing, clear victim's airway, start mouth-to-mouth artificial respiration.

INFORMATION FOR MEDICAL PERSONNEL: Initial measures include removal of secretions, maintenance of patient airway, and if necessary, artificial respiration. When cyanosis is relieved, atropine by injection is antidotal and may be administered in large therapeutic doses, repeated as necessary to the point of tolerance. If symptoms warrant further treatment, 2-PAM (Protopam Chloride) has shown utility as adjunctive therapy. Never use morphine. Continued absorption of the poison may occur, resulting in fatal relapse after initial improvement; very close supervision of the patient is indicated for at least 48 to 72 hours.

DO NOT TRANSPORT OR STORE DYFONATE II 20-G WITH FOOD OR FEED INTENDED FOR HUMAN OR ANIMAL CONSUMPTION.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

3
5

Back Panel

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

D A N G E R 0 P O I S O N
 X

Hazardous to livestock--do not contaminate feed used for livestock.

Poisonous if swallowed, inhaled or absorbed through skin. Do not get in the eyes, on skin, or on clothing. Avoid breathing of dust.

Wear respirator approved by the National Institute for Occupational Safety and Health, (30 CFR Part 11-Subpart M) for protection against pesticide inhalation.

Wear rubber gloves, shoes, protective clothing and goggles when handling or applying.


Wash hands, arms, and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work and wash all clothing with soap and hot water before reusing. In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and water.

- Do not transport or store DYFONATE II 20-G with any food or feed intended for human or animal consumption.
- Not for use or storage in or around the home.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds feeding in treated areas may be killed. Remove or cover granules if spills occur. Runoff from treated areas may be hazardous to fish in neighboring areas. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. For guidance contact your regional office of the EPA. Apply this product only as specified on the label.

HOLD THIS PACKAGE, OTHER CARGO AND VEHICLES INVOLVED. IMMEDIATELY TELEPHONE (24-HOUR SERVICE) FOR EMERGENCY ASSISTANCE (800) 424-9300.



GENERAL PRECAUTIONS

- Read all directions before using.
- Do not apply on any crop, or in any manner not specified on this label.
- Do not rotate with carrots.

4
5

Back Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REENTRY STATEMENT

- Do not enter treated areas for 24 hours after application unless appropriate protective clothing is worn.
- Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.
- Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.
- Do not apply or allow drift to areas occupied by beneficial animals or onto adjoining food, fiber or pasture crops. Do not contaminate food or feed.
- Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

When oral warnings are given, warnings shall be given in a language customarily understood by workers and must indicate the specific period of time and treated areas may not be entered without protective clothing. Oral warnings must also include appropriate first aid instructions in case of accidental exposure. These instructions are given in the STATEMENT OF PRACTICAL TREATMENT at the beginning of this label.

Written warnings must include the following information, "WARNING Area treated with DYFONATE II 20-G Agricultural Insecticide on (date of application). Do not enter treated areas for 24 hours after application unless appropriate protective clothing is worn (or other reentry interval if your state has a more restrictive interval for this product). If accidental exposure occurs, follow the instructions below." (Written warnings must include the STATEMENT OF PRACTICAL TREATMENT given at the beginning of this label.)

NOTE: Preplant broadcast applications should be mixed (incorporated) into the soil to a depth of 2 to 3 inches.

5
5

Back Panel

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: Do not transport or store with any food or feed intended for human or animal consumption. Not for use or storage in or around the home.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified: Country: United States of America.

