

## PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

### CAUTION

May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

### ENVIRONMENTAL HAZARD

Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not enter treated areas without protective clothing until dusts have settled. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated, and appropriate actions to take in case of accidental exposure.) When oral warnings are given, warnings must be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: CAUTION, Area treated with (Name of product) on (Date of application). Do not enter without appropriate protective clothing. If in eyes, flush with plenty of water. Get medical attention if irritation persists. If on skin, wash with plenty of soap and water.

### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open burning is prohibited. Avoid contamination of food or livestock.

**PESTICIDE DISPOSAL:** Residue resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of bags in a sanitary manner or by incineration if allowed by State and local authorities.

### GENERAL INSTRUCTIONS

TWO PLUS TWO controls certain perennial grasses and annual weeds such as barnyardgrass (wheat grass), crabgrass, foxtail, lambsquarters, nutgrass (red top), nightshade, annual pigweed, purslane, ragweed, sandspur (sandspur), smooth perennials, and spurge. Effects on perennial weeds are slow and progress usually progressing over a period of several months.

Moisture is necessary to activate the herbicide. Best results are obtained if treatments are made to moist soil, and moisture is supplied by rainfall or by winter irrigation within two weeks after application. The degree of control and duration of effect will vary with the degree of soil moisture and the amount of rainfall.



# TWO PLUS TWO BROMACIL AND DIURON GRANULAR WEED KILLER

### ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-

-6 methyluracil) 2%

Diuron [3-(3,4-dichlorophenyl)-1-

1-d. methylurea] 2%

**INERT INGREDIENTS** 96%

**Total** 100%

## Keep Out Of Reach of Children CAUTION

Avoid Breathing Dust

In case of contact, wash skin with soap and water,  
for eyes, flush with water for 15 minutes and get  
medical attention

See Additional Precautionary Statements

### Bare ground weed control Ground

Airports  
Buildings  
Drainage Ditch Banks  
Fences  
Fuel Tanks  
Guard Rails  
Highway Medians  
Industrial Sites  
Lumberyards  
Machinery


Military Installations  
Pipelines  
Pumps  
Railroads  
Recreational Areas  
Rights-of way  
Roadways  
Storage Areas  
or similar areas

NET CONTENTS 50 LBS

EPA Reg. No. 10107-106

EPA Est. No. 10107-NB1

Mfg. For  
Cornbelt Chemical Co.  
P.O. Box 410  
McCook, Ne. 68501



### DIRECTIONS (CONT)

#### NON-CROP WEED CONTROL

TWO PLUS TWO is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas such as railroad rights-of-way and industrial areas. 200 to 400 pound applications of TWO PLUS TWO per acre usually result in a non-productive condition of the soil for a period of a year or more. The duration of non-productivity is dependent upon rainfall, soil type and other conditions.

TWO PLUS TWO should be applied as furnished with a seed spreader, a fertilizer spreader, a shaker type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated. Application equipment is available from Cornbelt Chemical Co. For the control of annual and most perennial weeds and grasses, apply TWO PLUS TWO at the rate of 200 to 400 pounds per acre, on smaller plots, 0.5 to 1.0 pounds per 100 square feet. Repeat spot treatment may be required when deep rooted perennial weeds are present. To obtain the best result, TWO PLUS TWO should be applied to the ground where it will be absorbed by the roots. Applications made early in the season have been found to give results superior to applications at a later date. TWO PLUS TWO may, however, be applied at any time of the year except when the ground is frozen. Maximum effectiveness in arid regions is obtained when application is made just prior to the rainy season. Users should consult state agricultural experimental stations or extension service weed specialist for recommendations as to use in their particular area or write to Cornbelt Chemical Co.

**IMPORTANT:** do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (do not use same spreading equipment for other purposes). Dispose of rinsate according to "Pesticide Disposal" instructions found under "Storage and Disposal" heading. Do not use on croplands or any land to be used for subsequent cropping. Keep animals off treated areas.

### NOTICE OF WARRANTY

Cornbelt warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purposes stated on such label, only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Cornbelt. In no case shall Cornbelt be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. CORNBELT MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY.

BEST AVAILABLE COPY

NOT RECOMMENDED  
In Accordance with EPA Label 28-2.  
Based on Label Labeling Data



# Tillam<sup>®</sup> 6-E

Selective Herbicide

ACCEPTED  
DEC 15 1936  
Under the Federal Insecticide  
Fungicide and Rodenticide Act  
as amended for the pesticide  
registered under  
EPA Reg. No. 101-10-01

|                                  |         |
|----------------------------------|---------|
| Active Ingredient                | 77.32%  |
| S-Propyl butylethylthiocarbamate | 22.68%  |
| Inert Ingredients                | 100.00% |

liquid herbicide for weed  
control in tobacco,  
tomatoes and sugar beets

Keep Out  
Of Reach  
Of Children  
**CAUTION**  
Harmful If  
Swallowed



2.5 GAL NET 9.45L

### Statement of Practical Treatment

#### FIRST AID

If swallowed

For skin contact

For eye contact

If inhaled

# Tillam 6-E

Selective Herbicide



# Tillam 6-E

Selective Herbicide

11004

liquid herbicide for  
weed control in  
tobacco, tomatoes and  
sugar beets

### Crops Protected


### Target Weeds

### Important

#### Annual Grasses

#### Annual Broadleaf Weeds

#### Perennial Weeds



### Storage and Disposal

### Notice To Buyer and User

#### Prohibitions

#### Pesticide Disposal

#### Storage

#### Container Disposal

### Precautionary Statements

Hazards to Humans and  
Domestic Animals

**CAUTION**

Harmful if swallowed

Environmental Hazards

Made in U.S.A. by  
ICI AMERICAS INC.  
Agricultural Products  
Wilmington DE 19897

13



... ..  
... ..  
... ..

#### PLANTING

... ..  
... ..  
... ..

#### CULTURAL PRACTICES FOLLOWING APPLICATION

... ..  
... ..  
... ..  
... ..  
... ..

#### RECOMMENDATIONS

**SUGAR BEETS PRE-PLANT**  
... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..  
... ..  
... ..

... ..  
... ..  
... ..

#### TILLAM 6-E DASANIT® SPRAY CONCENTRATE TANK MIX COMBINATION

... ..  
... ..  
... ..  
... ..

#### APPLICATION DIRECTIONS AND RECOMMENDATIONS

... ..  
... ..  
... ..  
... ..

#### SOIL INCORPORATION

... ..  
... ..  
... ..

... ..  
... ..  
... ..

#### INCORPORATION DIRECTIONS

... ..  
... ..  
... ..

#### TILLAM 6-E/PARLAN® EC TANK MIX COMBINATIONS

... ..  
... ..  
... ..  
... ..

#### TANK MIXING DIRECTIONS

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

#### INCORPORATION BEFORE PLANTING

... ..  
... ..  
... ..

#### INCORPORATION AT PLANTING

... ..  
... ..  
... ..

#### PLANTING

... ..  
... ..  
... ..

#### CULTURAL PRACTICES FOLLOWING APPLICATION

... ..  
... ..  
... ..

#### INCORPORATION DIRECTIONS

... ..  
... ..  
... ..

#### INCORPORATION BEFORE PLANTING

... ..  
... ..  
... ..

#### INCORPORATION AT PLANTING

... ..  
... ..  
... ..

#### PLANTING

... ..  
... ..  
... ..

#### CULTURAL PRACTICES FOLLOWING APPLICATION

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

#### TILLAM 6-E MOCAP® EC TANK MIX COMBINATIONS

... ..  
... ..  
... ..  
... ..

#### TANK MIXING DIRECTIONS

... ..  
... ..  
... ..  
... ..

#### APPLICATION DIRECTIONS AND RECOMMENDATIONS

... ..  
... ..  
... ..  
... ..

#### APPLICATION DIRECTIONS AND RECOMMENDATIONS

... ..  
... ..  
... ..  
... ..

#### INCORPORATION DIRECTIONS

... ..  
... ..  
... ..  
... ..

#### TILLAM 6-E DEVRINOL® 50-WP TANK MIX COMBINATION APPLIED PRE-PLANT INCORPORATED

... ..  
... ..  
... ..  
... ..

#### WEEDS CONTROLLED

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

#### TANK MIXING DIRECTIONS

... ..  
... ..  
... ..  
... ..

#### APPLICATION DIRECTIONS AND RECOMMENDATIONS

... ..  
... ..  
... ..  
... ..

... ..  
... ..  
... ..

... ..  
... ..  
... ..

#### RECOMMENDATIONS

... ..  
... ..  
... ..  
... ..

#### TILLAM 6-E DYFONATE® 4 EC DEVRINOL 50-WP TANK MIX COMBINATION

... ..  
... ..  
... ..  
... ..

#### WEEDS CONTROLLED

... ..  
... ..  
... ..