# **ZENECA** Ag Products

MAN 1 1994

To be a Bridge state of the model for the position of the position

registered under EPA Reg. No. 10182-158

SUPPLEMENTAL LABEL FOR USE ON TOMATOES

## TILLAM® 6-E Selective Herbicide

EPA Reg. No. 10182-158

## **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### **TOMATOES**

)

#### SEE DIRECTIONS FOR USE FOR METHODS OF APPLICATION AND INCORPORATION.

- Do not use more than 4 quarts of TILLAM 6-E per acre per season on direct seeded or transplanted tomatoes. Exception: Up to 6% quarts of TILLAM 6-E per acre per season may be applied preplant to plug planted tomatoes in the Western Region only.
- For all band applications, use proportionately less material per acre depending upon row spacing and band width to be treated. When banded at two different times on the same crop (such as at planting and again at layby), make sure that the maximum rate per acre per season is not exceeded for the soil type. When two bands per year are applied to the crop, do not overlap or apply the second band over the top of the first.

**Transplants:** TILLAM 6-E may be applied prior to mechanical transplanting only. DO NOT apply TILLAM 6-E prior to hand transplanting.

DIRECT SEEDED (Western Region Only): Apply TILLAM 6-E just prior to planting.

For light textured soils or soils with less than 10% organic matter, apply 2-2/3 qts. TILLAM 6-E per acre.

For heavy textured soils or soils with more than 10% organic matter, apply 4 qts. TILLAM 6-E per acre.

OR

DIRECT SEEDED, LAYBY (Not preplant): Apply TILLAM 6-E as a directed spray to clean cultivated soil. Do not apply within eight (8) days of harvest.

Refer to back for additional information.



For light textured soils or soils with less than 10% organic matter, apply 2-2/3 qts. TILLAM 6-E per acre.

For heavy textured soils or soils with more than 10% organic matter, apply 4 qts. TILLAM 6-E per acre.

OR

DIRECT SEEDED, SPRINKLER APPLICATION (Western Region only): Apply TILLAM 6-E through solid set sprinklers prior to or immediately after planting, before weeds emerge.

For light textured soils or soils with less than 10% organic matter, apply 2-2/3 qts. TILLAM 6-E per acre.

For heavy textured soils or soils with more than 10% organic matter, apply 4 qts. TILLAM 6-E per acre.

OR

PLUG PLANTED, PREPLANT (Western Region only): Prior to plug planting tomatoes, apply and soil incorporate up to 6-2/3 quarts of TILLAM 6-E per acre. Use higher rate for hairy nightshade.

### TOMATO TRANSPLANTS (DO NOT USE HOTCAPS)

Transplants: TILLAM 6-E may be applied prior to mechanical transplanting only. DO NOT apply TILLAM 6-E prior to hand transplanting.

Before Transplanting: Apply TILLAM 6-E prior to transplanting.

OR

After Transplanting: Apply TILLAM 6-E as a directed spray to clean, cultivated soil. Do not apply within eight (8) days of harvest.

For light textured soils or soils with less than 10% organic matter apply 2-2/3 qts. TILLAM 6-E per acre.

For heavy textured soils or soils with more than 10% organic matter, apply 4 qts. TILLAM 6-E per acre.

## TOMATO TRANSPLANTS (South Carolina Only):

**Transplants:** TILLAM 6-E may be applied prior to mechanical transplanting only. DO NOT apply TILLAM 6-E prior to hand transplanting.

Before Bedding and Transplanting: Apply TILLAM 6-E at a broadcast rate of 2 qts. per acre just prior to bedding and transplanting, reducing the amount per acre proportionately depending upon band width and row spacing. Use bed-over method of application.



OR

After Bedding But Before Transplanting: Apply TILLAM 6-E at a broadcast rate of 2 qts. per acre just prior to transplanting, reducing amount per acre proportionately depending upon band width and row spacing. Apply to the top of the bed and incorporate 4 to 6 inches into the bed top.

OR

Postemergence or After Transplanting: Apply TILLAM S-E at a broadcast rate of 2 qts. per acre, reducing amount per acre proportionately depending upon band width and row spacing. Apply in a directed spray to soil around base of tomato plants using bands on either side of the row. Immediately after treatment, sweep out row centers to effectively cover TILLAM 6-E treatment with a layer of soil two inches deep. Do not apply within eight (8) days of harvest.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

EPTAM® is a trademark of a ZENECA Group Company.

03-0620-018 5/94

)