

**OBSERVE THE FOLLOWING USE PRECAUTIONS:****READ ALL LABEL DIRECTIONS BEFORE USING**

EPTAM 2.3-G should be used only for recommended purposes and at recommended rates (do not over-lose).

EPTAM 2.3-G is recommended for use only on ornamentals.

For all uses, EPTAM 2.3-G must be thoroughly mixed into the soil.

EPTAM 2.3-G may cause injury to ornamentals under certain soil and climatic conditions. Therefore, it is advised that you test the soil first.

Keep container closed when not in use. Do not store near seeds or fertilizers.

**EPTAM 2.3-G CAN BE USED ON THESE ORNAMENTALS****Herbaceous Plants**

|            |               |           |
|------------|---------------|-----------|
| Alissum    | Begonia       | Marrigold |
| Ageratum   | Chrysanthemum | Haslartum |
| Amaranthus | Dahlia        | Pansy     |
| Asclepias  | Daylily       | Pelonia   |
| Balsam     | Dianthus      | Zinnia    |

**Ground Covers**

|           |             |                          |
|-----------|-------------|--------------------------|
| Ajuga     | Ice Plant   | Periwinkle (vinca minor) |
| Gazania   | Ivy         | Sedum                    |
| Hypericum | Pachysandra | Strawberry (ornamental)  |

**Evergreen and Deciduous Trees and Shrubs**

|                      |                               |              |
|----------------------|-------------------------------|--------------|
| Berberis             | Hemlock                       | Oak          |
| Borwood              | Holly (American and Japanese) | Pieris       |
| Camelia              | Juniper                       | Pine         |
| Chamaecyparis        | Leucothoe                     | Podocarpus   |
| Citrus (non-bearing) | Lilac                         | Rhododendron |
| Dogwood              | Linden                        | Rose         |
| Eucalyptus           | Magnolia                      | Spruce       |
| Fir                  | Maple                         | Viburnum     |
|                      |                               | Yew (Texas)  |

NOTE: A flowering bulb, such as a tulip, and ornamental pepper are susceptible to injury from an application of EPTAM 2.3-G.

**WEEDS CONTROLLED**

EPTAM 2.3-G controls over 100 species of weeds in lawns, gardens, and areas where a weed-free area is desired. It is effective against annual grasses, broadleaf weeds, and perennial weeds.

EPTAM 2.3-G will control established weeds.

**ANNUAL GRASSES**

Annual Bluegrass (*Poa annua*)  
Annual Ryegrass (Italian Ryegrass)  
(*Lolium multiflorum*)

Barnyardgrass (Watergrass, Junglerice)  
(*Echinochloa* spp.)

Crabgrass (*Digitaria* spp.)

Giant Foxtail (*Setaria faberii*)

Goosegrass (*Elymus indica*)

Green Foxtail (*Setaria viridis*)

Johnsongrass Seedlings (*Sorghum halepense*)

Lovegrass (Stinkgrass) (*Eragrostis ciliaris*)

Sandbar, Field (*Cenchrus pauciflorus*)

Volunteer Grains (Barley, Oats, Wheat)

Wild Cane (Black Amber Cane, Chicken Cane)

Scatter Cane, Shattercane (*Sorghum bicolor*)

Wild Oats (*Avena fatua*)

Yellow Foxtail (*Setaria glauca*)

**ANNUAL BROADLEAF WEEDS**

Black Nightshade (*Solanum nigrum*)

Common Chickweed (*Stellaria media*)

Corn Spurry (*Spergularia arvensis*)

Deadnettle (Henbit) (*Lamium amplexicaule*)

Florida Purslane (*Richardia scabra*)

Hairy Nightshade (*Solanum villosum*)

Lambquarters, Common (*Chenopodium album*)

Nettleleaf Goosefoot (*Chenopodium murale*)

Purslane, Common (*Portulaca oleracea*)

Prostrate Pigweed (*Amaranthus graecizans*)

Ragweed, Common (Michigan only)

(*Ambrosia artemisiifolia*)

Redroot Pigweed (Common Pigweed)

(*Amaranthus retroflexus*)

Tumble Pigweed (*Amaranthus albus*)

The annual broadleaf weeds listed above will be controlled only if treatment is made when conditions are favorable for weed germination and growth.

**PERENNIAL WEEDS**

Bermudagrass (*Cynodon dactylon*)

Mugwort (Chrysanthemumweed) (*Achillea vulgaris*)

Purple Nutsedge (Nutsedge) (*Cyperus rotundus*)

Quackgrass (Couchgrass, witchgrass)

(*Agropyron repens*)

Yellow Nutsedge (Nutsedge) (*Cyperus esculentus*)

# Eptam 2.3-G

**GRANULES  
A SELECTIVE HERBICIDE**

Contains 2.3 pounds active ingredient per 100 pounds

**ACTIVE INGREDIENT:**

S-ethyl dipropylthiocarbamate

**INERT INGREDIENTS:**

2.3%

97.7%

100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

**STATEMENT OF PRACTICAL TREATMENT****FIRST AID**

If swallowed: Immediately give several glasses of water and induce vomiting by gagging the victim with fingers stuck in the back of the throat. If the victim is unconscious, give artificial respiration. If necessary, consult a physician. If the victim is a child, consult a physician immediately.

If inhaled: Remove the victim to fresh air and give artificial respiration if necessary. If the victim is unconscious, give artificial respiration.

If on skin contact: Flush the skin with plenty of water for several minutes. If the victim is unconscious, give artificial respiration. If necessary, consult a physician.

If inhaled: Remove the victim to fresh air and give artificial respiration if necessary. If the victim is unconscious, give artificial respiration.

**PRECAUTIONARY STATEMENTS**

## HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

**HARMFUL IF SWALLOWED**

Avoid contact with eyes, skin, and clothing. Wash thoroughly after use. Avoid breathing dust. Do not eat, drink, or smoke after use.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water or wet areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

**SEE SIDE PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS**

This product is not for use on crops or ornamentals. No express or implied license is granted to use or sell this product under any patent in any country except as specified. Country: United States of America.

EPA Reg. No. 476-1910

EPA Est. 476-AR-1

WT 10.83

A-1R

50 LB. NET WT. 22.7 kg



Made in U.S.A. by  
**STAUFFER CHEMICAL CO., NY**  
WESTPORT, CT 06881-0850

**DIRECTIONS FOR USE**

It is advised that Federal and State laws be observed in the use of this product.

**SOIL PREPARATION:** This product is most effective when applied to soil that is well prepared. A weed-free area is desired. The soil should be well prepared before application.

**APPLICATION:** The recommended rate of EPTAM 2.3-G is 2.3 pounds per 100 pounds of soil. Apply the product to the soil in a uniform layer. The product should be applied to the soil in a uniform layer. The product should be applied to the soil in a uniform layer.

**GRANULAR HERBICIDE APPLICATORS:** Use a granular herbicide applicator to apply the product to the soil. The applicator should be calibrated to apply the product at the recommended rate.

**HOME LAWN SPREADERS:** The applicator EPTAM 2.3-G is designed for use in home lawns. Apply the product to the lawn in a uniform layer. The product should be applied to the lawn in a uniform layer.

**COMMERCIAL NURSERY:** Pre-plant broadcast over a nursery. Post-plant application. Nursery cultivation. Nursery watering. Nursery fertilization.

**HOME GARDEN:** Pre-plant application. Post-plant application. Nursery cultivation. Nursery watering. Nursery fertilization. Nursery weeding. Nursery pruning. Nursery transplanting. Nursery disposal.

**WHEN TO USE EPTAM 2.3-G**

**HERBACEOUS PLANTS AND GROUND COVERS:** Apply 2 weeks after the start of growth.

**TREES AND SHRUBS:** Apply 2 weeks before the start of growth. Apply 2 weeks after the start of growth. Apply 2 weeks before the start of growth.

**RECOMMENDATIONS**

**FOR ANNUAL WEED CONTROL:** Use EPTAM 2.3-G at the rate of 2.3 pounds per 100 pounds of soil.

**FOR QUACKGRASS, NUTGRASS AND BERMUDAGRASS CONTROL:** Use EPTAM 2.3-G at the rate of 2.3 pounds per 100 pounds of soil. Apply the product to the soil in a uniform layer.

**FOR MUGWORT (CHRYSANTHEMUMWEED) CONTROL:** Use EPTAM 2.3-G at the rate of 2.3 pounds per 100 pounds of soil. Apply the product to the soil in a uniform layer.

**SPECIALTY USE—GOLF COURSE SAND TRAPS:** Apply EPTAM 2.3-G at the rate of 2.3 pounds per 100 pounds of soil. Apply the product to the soil in a uniform layer.

**HOME GARDEN USE—IRISH POTATOES AND GREEN BEANS:** Use EPTAM 2.3-G at the rate of 2.3 pounds per 100 pounds of soil. Apply the product to the soil in a uniform layer.

## STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Do not dump or discharge into any body of water.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty the container into the waste stream. Then dispose of empty bag in a sanitary manner. Do not reuse or burn.

**NOTICE:** Stauffer Chemical Company makes no warranty, express or implied, including the warranty of merchantability, or for any particular purpose, concerning this material except those which are contained on Stauffer's label.

BEST AVAILABLE COPY