

SOUTHERN REGION AND CALIFORNIA ONLY

ORDRAM® 10-G

Granules - Selective Herbicide For Use On Rice Only

ACTIVE INGREDIENT:

S-ethyl hexahydro-1H-azepine-1-carbothioate 10.0%

INERT INGREDIENTS: 90.0%

Total 100.0%

Contains 10 pounds of active ingredient per 100 pounds.


KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 10182-174
EPA Est. No.

50 LB. Net Wt. 22.7 kg

Made in U.S.A.
ICI Agricultural Products
ICI Americas Inc.
Wilmington, DE 19897



STATEMENT PRACTICAL TREATMENT

If a known exposure occurs or is suspected, immediately start the procedures given below. If further treatment is required, contact a Poison Control Center, a physician, or the nearest hospital.

IF SWALLOWED: Immediately give several glasses of water and induce vomiting by gagging the victim with a finger placed on the back of the victim's tongue. Give fluids until vomitus is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. Call a physician immediately.

✓ **IF IN EYES:** Hold eyelids apart and flush eyes with large amounts of running water for at least 10 minutes. Get medical attention.

✓ **IF ON SKIN:** Wash all affected areas with plenty of soap and water. Remove and clean contaminated clothing and shoes before reuse. Seek medical attention if irritation occurs.

IF INHALED: Remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-F-A-S-T-M-E-D (327-8633).

FOR CHEMICAL EMERGENCY: *Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

✓ **HARMFUL IF SWALLOWED.** Avoid contact with skin, eyes and clothing. Avoid inhalation of dust. When loading ORDRAM® 10-G granules, wear a NIOSH or MSHA-approved full-face respirator, protective clothing (disposable suit/coveralls or long-sleeved shirt and pants), gloves and footwear. Wash with soap and water immediately after use or contact. Do not contaminate food and feed.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water used for domestic purposes. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water except as stated on label.

IN CASE OF SPILL EMERGENCY, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE OF ORDRAM 10-G

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL USE PRECAUTIONS

READ ALL LABEL INSTRUCTIONS BEFORE USING. ORDRAM 10-G should be used only for recommended purposes and at recommended rates. ORDRAM 10-G may cause crop injury under extreme soil or climatic conditions or if directions are not followed. Do not mix any other herbicide in the same application with ORDRAM 10-G as injury may occur.

Do not apply more than 4 pounds actual ORDRAM per acre preplant or more than 5 pounds actual ORDRAM per application per acre post-flood, post-emergence. Do not apply more than 9 pounds of actual ORDRAM per acre per season.

Allow 30 days between preplant and post-flood treatments. Allow 30 days between the last application and harvest. Do not feed rice straw if application is made within 40 days of harvest.

Equipment used in the application of ORDRAM 10-G should be carefully calibrated before use and checked frequently during application to be sure it is working properly and delivering a uniform distribution pattern. Avoid overlaps that will increase ORDRAM 10-G dosage above recommended limits because crop injury may occur.

ORDRAM 10-G may be applied by aircraft or ground equipment. Aerial application should be made only when the wind velocity is low, 0-10 mph.

DIRECTIONS AND RECOMMENDATIONS FOR PREPLANT, PREFLOOD USE ON RICE (Water-Seeded Rice Only):

SOUTHERN REGION (Arkansas, Louisiana, Mississippi, Missouri {Boat-Heel Region Only} and Texas).

For control of Barnyardgrass (*Echinochloa* spp.), for suppression of Annual Sedges (*Cyperus* spp.), Broadleaf Signalgrass (*Brachiaria platyphylla*), Crabgrass (*Digitaria* spp.) and Sprangletop (*Leptochloa* spp.), and for reduced competition from Red Rice (*Oryza sativa*).

SOIL PREPARATION: Use only on soils in good till. Prepare the soil for seeding according to good agricultural practices. All weed growth must be thoroughly worked into the soil before treatment.

APPLICATION (Air or Ground Application): When ORDRAM 10-G is applied before flooding and planting, application may be made by either air or ground equipment.

SOIL INCORPORATION: Applications of ORDRAM 10-G must be immediately incorporated thoroughly and uniformly to a depth of 1-2 inches. Incorporation may be delayed up to 6 hours when applied to a dry soil surface. Incorporation should be done by at least one disking (pulverizing disc) and harrowing. Do not set disc too deep than 2 inches.

RATE: To control Barnyardgrass and suppress Crabgrass, apply 30-40 pounds of ORDRAM 10-G per acre. To suppress Annual Sedges, Broadleaf Signalgrass and Sprangletop, and to

~~reduce competition from Red Rice, apply 40 pounds of ORDRAM 10-G per acre. Reduced competition from Red Rice is improved with continuous floodwater management. An increased seeding rate may be desirable under water-seeded cultures.~~

~~FLOOD THE FIELD FOR SEEDING AND HOLD THE WATER FOUR TO SIX DAYS FOLLOWING SEEDING.~~

~~CALIFORNIA ONLY~~

For use on Rice to control Barnyardgrass (watergrass) (*Echinochloa* spp.)

SOIL PREPARATION: Use only on soils in good tilth. Prepare the soil for seeding according to good agricultural practices. All weed growth must be thoroughly worked into the soil before treatment.

APPLICATION: When ORDRAM 10-G is applied before flooding and planting, application may be made by either air or ground equipment. Application equipment should be carefully calibrated before use and checked frequently during use to be sure application is uniform. Avoid overlaps that will increase ORDRAM 10-G dosage above recommended limits because crop injury may occur. Aerial application should be made only when the wind velocity is low, 0 to 10 mph.

SOIL INCORPORATION: Applications of ORDRAM 10-G must be incorporated to a depth of 2 to 3 inches within 6 hours by mechanical incorporation. Incorporation should be done by a least two (2) discings or heavy spike-tooth harrowings. Do not set disc to cut deeper than 4 inches.

RATE: Apply 30 pounds of ORDRAM 10-G per acre.

~~FLOOD THE FIELD FOR SEEDING AND HOLD THE WATER FOUR TO SIX DAYS FOLLOWING SEEDING.~~

~~DIRECTIONS AND RECOMMENDATIONS FOR POSTFLOOD, PREPLANT USE ON RICE (Water-Seeded Rice at Seeding):~~

~~SOUTHERN REGION~~ (Arkansas, Louisiana, Mississippi, Missouri {Boot-Heel Region Only} and Texas).

~~For control of Barnyardgrass (*Echinochloa* spp.) and for reduced competition from Red Rice (*Oryza sativa*).~~

~~SOIL PREPARATION:~~ ~~Use only on soils in good tilth. Prepare the soil for seeding according to good agricultural practices. All weed growth must be thoroughly worked into the soil before treatment. ORDRAM 10-G should be applied to murky (silty) water after working of soil.~~

~~APPLICATION:~~ ~~Apply ORDRAM 10-G into the flood water by air application. Follow with seeding 2-3 days after the ORDRAM 10-G application. Allow the flood water to remain stable from application until germination and rooting have occurred as in normal water-seeding procedures, usually 4-6 days following seeding.~~

RATE: ~~To control Barnyardgrass apply 30-40 pounds of ORDRAM 10-G per acre, and to reduce competition from Red Rice, apply 40 pounds of ORDRAM 10-G per acre. Reduced competition from Red Rice is improved with continuous flood-water management.~~

DIRECTIONS AND RECOMMENDATIONS FOR POSTFLOOD, POSTEMERGENCE USE ON RICE (Water-Seeded or Dry-Seeded Rice):

SOUTHERN REGION ~~(Arkansas, Louisiana, Mississippi, Missouri [Boot-Heel Region only] and Texas)~~

~~For control of Barnyardgrass (*Echinochloa* spp.) and Dayflower (*Gommelina communis*), and for suppression of Annual Sedges (*Cyperus* spp.), Spikerush (*Eleocharis* spp.), Brooks Paspalum (*Paspalum accuminatum*) and Sprangletop (*Leptochloa* spp.).~~

APPLICATION: ~~Apply ORDRAM 10-G into the flood water by air application only.~~

STANDARD TREATMENT: ~~Rice must be established at the time of application. Barnyardgrass, Dayflower, Annual Sedges, Spikerush and Sprangletop must not be more than 6 inches high. Barnyardgrass, Annual Sedges, Spikerush and Sprangletop must be at least 2/3 submerged. Dayflower must be completely submerged. Brooks Paspalum runners should be completely submerged and not longer than 12 inches. Floods should be maintained at these depths until the Barnyardgrass and/or Dayflower are controlled or until the Annual Sedges, Spikerush, Brooks Paspalum and Sprangletop are suppressed.~~

RATE: ~~Apply 30 pounds of ORDRAM 10-G per acre.~~

FOR SUPPRESSION OF LARGE GRASSES (Suppression stopping normal development): ~~Apply 30-40 pounds of ORDRAM 10-G per acre for Barnyardgrass 5 to 12 inches in height. Apply 50 pounds of ORDRAM 10-G per acre for unusually heavy infestations of Barnyardgrass under 12 inches in height and for Barnyardgrass 12 to 24 inches in height. Apply 50 pounds of ORDRAM 10-G per acre for Sprangletop 5 to 12 inches in height. Flood water must be maintained at a 4 to 6 inch depth. Avoid overlaps because crop injury may occur.~~

CALIFORNIA ONLY

For use on Rice to control Barnyardgrass (watergrass) (*Echinochloa* spp.). Rice should be in the seeding stage at the time of application.

FOR AIR APPLICATION ONLY: Barnyardgrass must be a minimum of 2" high but not higher than 5", and it must be at least 2/3 submerged at time of application. This water level (not less than 2") must be maintained until the Barnyardgrass dies.

Equipment should be carefully calibrated before use and checked frequently during use to be sure application is uniform. Avoid overlaps that will increase ORDRAM 10-G dosage above recommended limits because crop injury may occur. Aerial application should be made only when the wind velocity is low, 0 to 10 mph. To avoid uneven distribution of ORDRAM 10-G, the water flow through the field should be at a minimum at the time of application and for at least 2 hours after application.

HOLD FLOOD WATER A MINIMUM OF 4 DAYS AFTER APPLICATION.

RATE: Apply 30 pounds of ORDRAM 10-G per acre.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, feed, fertilizer or seeds by storage or disposal. Open dumping is prohibited. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

CONDITIONS OF SALE AND LIMITED WARRANTY:

The Directions for Use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended or other influencing factors in the use of the product, all of which are beyond the control of the seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label, subject to the inherent risks referred to above, when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY.

When Buyer or User claims losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability or other legal theories), Buyer or User must promptly notify in writing Seller of any claims to be eligible to receive either of the remedies set forth below. The EXCLUSIVE REMEDY OF BUYER OR USER and the LIMIT OF LIABILITY of Seller will be, at the election of Seller, refund of the purchase price paid for product bought, or replacement of amount of product used. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.