



**Agricultural Products**

**SUPPLEMENTAL LABEL**

# **Eptam 7-E**

Selective Herbicide

EPA Reg. No. 10182-220

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Directions for use of EPTAM 7-E are regionalized on the EPA-registered label. The State of Hawaii is included in the Western Region. For recommendations and directions for use of EPTAM 7-E in Hawaii, please refer to the Regional Use Map, the directions for use and the recommendations for the Western Region.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed. This labeling must be in the possession of the user at the time of pesticide application.

**NOTICE TO BUYER AND USER**

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

02-0612-033



## STATEMENT OF PRACTICAL TREATMENT

### FIRST AID

Immediately start the procedures given below. If further treatment is required, contact a Poison Center, a physician, or the nearest hospital.

**If swallowed:** Immediately give several glasses of water but do **not** induce vomiting. If vomiting does occur, give fluids again. Have a physician determine if condition of patient will permit induction of vomiting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person.


**For eye contact:** Immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately.

**For skin contact:** Flush all affected areas with plenty of water for several minutes. Remove and clean contaminated clothing and shoes. Seek medical attention if irritation occurs.

**If inhaled:** Remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult. FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL ICI AMERICAS MEDICAL EMERGENCY INFORMATION CENTER (800) 327-8633 OR CHEMTREC (800) 424-9300. For other product information, contact your local ICI Americas Inc. Distributor or see Material Safety Data Sheet.

### NOTICE TO BUYER AND USER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.





**Agricultural Products**

## **Eptam 7-E** Selective Herbicide

### **SUPPLEMENTAL LABEL FOR CONTROL OF WEEDS IN TOMATOES: Lay-By Application**

EPA Reg. No. 10182-220

For use in the California counties of Butte, Colusa, Contra Costa, Fresno, Glenn, Madera, Merced, Sacramento, San Joaquin, Solano, Stanislaus, Sutter, Yolo, and Yuba.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See product booklet for Use Precautions, Directions For Use, and Weeds Controlled.

For use on tomatoes at least 3-4 inches tall; on clay and clay loam soils only. DO NOT USE ON SANDY SOILS. Apply EPTAM 7-E as a spray to the soil surface at a rate of 3½ pints per acre. Incorporate immediately. For band applications reduce rates proportionately. DO NOT APPLY WITHIN 2 INCHES OF THE CROP ROW. Do not use where grain will be planted within 90 days. Do not irrigate for at least 5 days after application. Do not apply within 21 days of harvest.

#### **GENERAL USE PRECAUTIONS**

Keep container tightly closed when not in use. Do not store near seeds or fertilizers. Store out of reach of children, pets and domestic animals.


Rinse spray equipment and empty container.

#### **PRECAUTIONARY STATEMENTS**

##### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Avoid contact with skin, eyes and clothing. Avoid inhalation of spray mist. Wear rubber gloves and fresh clothing. Wear goggles to avoid contact with eyes. Wash with soap and water immediately after use or contact. Do not contaminate food or feed.

ENVIRONMENTAL HAZARDS - Do not contaminate water to be used on susceptible crops and ornamentals, or to be used for domestic purposes. This product is toxic to shrimp. Keep out of tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.




Wilmington, DE 19897

**EPTAM® 7-E AND RO-NEET® 7-E  
TANK MIX FOR PRE-PLANT USE IN SUGARBEETS  
FOR MICHIGAN, MINNESOTA AND THE RED RIVER VALLEY AREA  
OF NORTH DAKOTA**

**SUPPLEMENTAL LABELING  
FOR USE IN SUGARBEETS**

**EPTAM 7-E EPA Reg. No. 10182-220  
RO-NEET 6-E EPA Reg. No. 10182-178**

**DIRECTIONS FOR USE**



It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

The EPTAM 7-E and RO-NEET 6-E combination is a selective tank mix which must be incorporated into the soil. This combination controls weeds by interfering with normal germination and seedling development. This tank mixture does not control established weeds. the EPTAM/RO-NEET combination will give equal to or greater control of the weeds listed on this label than either product used separately. This tankmixture can be applied only once per growing season. The combination may be used in the fall or in the spring.

**APPLICATION DIRECTIONS**

During filling, pour the recommended rates of both EPTAM 7-E and RO-NEET 6-E into a properly calibrated, low-pressure boom sprayer having good agitation, and mix thoroughly. Apply the material uniformly in 10 to 50 gallons of water per acre. Check calibration frequently during application and observe the nozzles to ensure a uniform spray pattern. Do not use single nozzle boom-jet type sprayers. The soil should be well-worked prior to application and dry enough to permit thorough mixing with incorporation equipment.

**SPRING PRE-PLANT INCORPORATED APPLICATION RATES\*  
(Pints/Acre)**

SOIL TEXTURE	ORGANIC MATTER %	EPTAM 7-E	RO-NEET 6-E
Loam or Coarser	3-4.5	1.25	3.3
	4.5>	1.25	4.0
Loam to Clay Loam	3-4.5	1.25	3.3
	4.5>	1.75	3.3
Clay Loam or Finer	3-4.5	1.75	3.3
	4.5>	2.25	3.3

\*Make only one application per growing season. Do not apply the EPTAM 7-E/RO-NEET 6-E combination in the spring if either this combination or RO-NEET 7-E alone was applied in the fall.

\*\*EPTAM 7-E should not be used on Loam or Coarser soils with less than 3% organic matter. RO-NEET 6-E at 4 to 5 1/3 pints/Acre should be used on these soils.

**FALL PRE-PLANT INCORPORATED APPLICATION RATES\***  
(Pints/Acre)

SOIL TEXTURE	ORGANIC MATTER %	EPTAM 7-E	RO-NEET 6-E
Loam or Coarser	3-4.5	1.25	4.0
	4.5>	1.25	4.0
Loam to Clay Loam	3-4.5	1.25	4.0
	4.5>	1.75	4.0
Clay Loam or Finer	3-4.5	2.25	2.67
	4.5>	2.25	4.0

\*Make only one application per growing season. Do not apply the EPTAM 7-E and RO-NEET 6-E combination in the spring if either this combination or RO-NEET 6-E alone was applied in the fall.

**SOIL INCORPORATION**

The EPTAM 7-E and RO-NEET 6-E tankmixture must be immediately incorporated (mixed) into the top 2 to 3 inches of soil after spraying to prevent loss of the herbicides. Whenever possible, application and incorporation should be done in the same operation. Refer to the EPTAM 7-E and RO-NEET 6-E labels for complete incorporation procedures and the use of equipment which has been proven to incorporate thoroughly to the recommended depth.

**GENERAL USE PRECAUTIONS**

The EPTAM 7-E and RO-NEET 6-E combination may cause crop injury on very light sandy soil and when used under adverse environmental conditions that weaken crop seedlings. Refer also to EPTAM 7-E and RO-NEET 6-E labels for recommendations regarding cultural practices after application.

A tankmixture of EPTAM 7-E and RO-NEET 6-E will give equal to or greater control of the following listed weeds than either product used separately. This combination does not control established weeds.

6066

Green foxtail	( <u>Setaria viridis</u> )
Yellow foxtail	( <u>Setaria glauca</u> )
Wild Oats	( <u>Avena fatua</u> )
Yellow nutsedge	( <u>Cyperus esculentus</u> )
Purple nutsedge	( <u>Cyperus rotundus</u> )
Lambsquarters, common*	( <u>Chenopodium album</u> )
Pigweed, redroot*	( <u>Amaranthus retroflexus</u> )

\*Partial control only (suppression).

Read both the EPTAM 7-E and RO-NEET 6-E labels carefully before using this tank mix. Observe all cautions and limitations on each label. The most restrictive labeling applies in tank mixes.

Do not contaminate water when disposing of equipment washwaters.

All application instructions, restrictions, and precautions on the EPA-registered label must be followed.

This label must be in the possession of the user at the time of pesticide application.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.



## Agricultural Products

# Eptam 7-E

Selective Herbicide

## SUPPLEMENTAL LABEL FOR CONTROL OF WEEDS IN TOMATOES: Lay-By Application

EPA Reg No 10182-220

For use in the California counties of Butte, Colusa, Contra Costa, Fresno, Glenn, Madera, Merced, Sacramento, San Joaquin, Solano, Stanislaus, Sutter, Yolo, and Yuba

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See product booklet for Use Precautions, Directions For Use, and Weeds Controlled.

For use on tomatoes at least 3-4 inches tall; on clay and clay loam soils only. DO NOT USE ON SANDY SOILS. Apply EPTAM 7-E as a spray to the soil surface at a rate of 3 1/2 pints per acre. Incorporate immediately. For band applications reduce rates proportionately. DO NOT APPLY WITHIN 2 INCHES OF THE CROP ROW. Do not use where grain will be planted within 90 days. Do not irrigate for at least 5 days after application. Do not apply within 21 days of harvest.

### GENERAL USE PRECAUTIONS

Keep container tightly closed when not in use. Do not store near seeds or fertilizers. Store out of reach of children, pets and domestic animals.

Rinse spray equipment and empty container.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with skin, eyes and clothing. Avoid inhalation of spray mist. Wear rubber gloves and fresh clothing. Wear goggles to avoid contact with eyes. Wash with soap and water immediately after use or contact. Do not contaminate food or feed.

ENVIRONMENTAL HAZARDS - Do not contaminate water to be used on susceptible crops and ornamentals, or to be used for domestic purposes. This product is toxic to shrimp. Keep out of tidal marshes and estuaries. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACCEPTED

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg No 10182-220

BEST AVAILABLE COPY

Wilmington, DE 19807

## STATEMENT OF PRACTICAL TREATMENT

### FIRST AID

Immediately start the procedures given below. If further treatment is required, contact a Poison Center, a physician, or the nearest hospital.

**If swallowed:** Immediately give several glasses of water but do **not** induce vomiting. If vomiting does occur, give fluids again. Have a physician determine if condition of patient will permit induction of vomiting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person.

**For eye contact:** Immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately.

**For skin contact:** Flush all affected areas with plenty of water for several minutes. Remove and clean contaminated clothing and shoes. Seek medical attention if irritation occurs.

**If inhaled:** Remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult. FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL ICI AMERICAS MEDICAL EMERGENCY INFORMATION CENTER (800) 327-8633 OR CHEMTREC (800) 424-9300. For other product information, contact your local ICI Americas Inc. Distributor or see Material Safety Data Sheet.

### NOTICE TO BUYER AND USER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

8587 FEB 24 1988 071





## Agricultural Products

### SUPPLEMENTAL LABEL

# Eptam® 7-E

Selective Herbicide

EPA Reg. No. 10182-220

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


Directions for use of EPTAM 7-E are regionalized on the EPA-registered label. The State of Hawaii is included in the Western Region. For recommendations and directions for use of EPTAM 7-E in Hawaii, please refer to the Regional Use Map, the directions for use and the recommendations for the Western Region.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed. This labeling must be in the possession of the user at the time of pesticide application.

#### NOTICE TO BUYER AND USER


Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

06-11-63



EPTAM 7-E AND RO-NEET 6-E  
TANK MIX FOR PRE-PLANT USE IN SUGARBEETS  
FOR MICHIGAN, MINNESOTA AND THE RED RIVER VALLEY AREA  
OF NORTH DAKOTA

SUPPLEMENTAL LABELING  
FOR USE IN SUGARBEETS



EPTAM 7-E EPA Reg. No. 10182-220  
RO-NEET 6-E EPA Reg. No. 10182-178

DIRECTIONS FOR USE

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

The EPTAM 7-E and RO-NEET 6-E combination is a selective tank mix which must be incorporated into the soil. This combination controls weeds by interfering with normal germination and seedling development. This tank mixture does not control established weeds. The EPTAM/RO-NEET combination will give equal to or greater control of the weeds listed on this label than either product used separately. This tankmixture can be applied only once per growing season. The combination may be used in the fall or in the spring.

APPLICATION DIRECTIONS

During filling, pour the recommended rates of both EPTAM 7-E and RO-NEET 6-E into a properly calibrated, low-pressure boom sprayer having good agitation, and mix thoroughly. Apply the material uniformly in 10 to 50 gallons of water per acre. Check calibration frequently during application and observe the nozzles to ensure a uniform spray pattern. Do not use single nozzle boom-jet type sprayers. The soil should be well-worked prior to application and dry enough to permit thorough mixing with incorporation equipment.

SPRING PRE-PLANT INCORPORATED APPLICATION RATES\*  
(Pints/Acre)

SOIL TEXTURE	ORGANIC MATTER %	EPTAM 7-E	RO-NEET 6-E
Loam or Coarser	3-4.5	1.25	3.3
	4.5>	1.25	4.0
Loam to Clay Loam	3-4.5	1.25	3.3
	4.5>	1.75	3.3
Clay Loam or Finer	3-4.5	1.75	3.3
	4.5>	2.25	3.3

**BEST AVAILABLE COPY**

\*Make only one application per growing season. Do not apply the EPTAM 7-E/RO-NEET 6-E combination in the spring if either this combination or RO-NEET 7-E alone was applied in the fall.

\*\*EPTAM 7-E should not be used on Loam or Coarser soils with less than 3% organic matter. RO-NEET 6-E at 4 to 5 1/3 pints/Acre should be used on these soils.

**FALL PRE-PLANT INCORPORATED APPLICATION RATES\***  
(Pints/Acre)

SOIL TEXTURE	ORGANIC MATTER %	EPTAM 7-E	RO-NEET 6-E
Loam or Coarser	3-4.5	1.25	4.0
	4.5>	1.25	4.0
Loam to Clay Loam	3-4.5	1.25	4.0
	4.5>	1.75	4.0
Clay Loam or Finer	3-4.5	2.25	2.67
	4.5>	2.25	4.0

\*Make only one application per growing season. Do not apply the EPTAM 7-E and RO-NEET 6-E combination in the spring if either this combination or RO-NEET 6-E alone was applied in the fall.

**SOIL INCORPORATION**

The EPTAM 7-E and RO-NEET 6-E tankmixture must be immediately incorporated (mixed) into the top 2 to 3 inches of soil after spraying to prevent loss of the herbicides. Whenever possible, application and incorporation should be done in the same operation. Refer to the EPTAM 7-E and RO-NEET 6-E labels for complete incorporation procedures and the use of equipment which has been proven to incorporate thoroughly to the recommended depth.

**GENERAL USE PRECAUTIONS**

The EPTAM 7-E and RO-NEET 6-E combination may cause crop injury on very light sandy soil and when used under adverse environmental conditions that weaken crop seedlings. Refer also to EPTAM 7-E and RO-NEET 6-E labels for recommendations regarding cultural practices after application.

A tankmixture of EPTAM 7-E and RO-NEET 6-E will give equal to or greater control of the following listed weeds than either product used separately. This combination does not control established weeds.

RECEIVED  
FEB 19 1971

Green foxtail	( <u>Setaria viridis</u> )
Yellow foxtail	( <u>Setaria glauca</u> )
Wild Oat:	( <u>Avena fatua</u> )
Yellow nutsedge	( <u>Cyperus esculentus</u> )
Purple nutsedge	( <u>Cyperus rotundus</u> )
Lambquarters, common*	( <u>Chenopodium album</u> )
Pigweed, redroot*	( <u>Amaranthus retroflexus</u> )

\*Partial control only (suppression).

Read both the EPTAM 7-E and RO-NEET 6-E labels carefully before using this tank mix. Observe all cautions and limitations on each label. The most restrictive labeling applies in tank mixes.

Do not contaminate water when disposing of equipment washwaters.

All application instructions, restrictions, and precautions on the EPA-registered label must be followed.

This label must be in the possession of the user at the time of pesticide application.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.