


PM 25 10182-220

1 of 3

ZENECA Ag Products



SUPPLEMENTAL LABEL FOR USE ON ALFALFA, IRISH POTATOES, AND SUNFLOWERS

EPTAM[®] 7-E SELECTIVE HERBICIDE

EPA Reg. No. 10182-220

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ALFALFA*

PACIFIC NORTHWEST REGION


Meter 2¼ to 4½ pints EPTAM 7-E per acre into the irrigation water that is applied immediately after planting or during stand establishment. Applications made late summer or early fall use 2¼ - 4½ pints EPTAM 7-E. Applications made in the spring or early summer use 2¼ - 3½ pints EPTAM 7-E. Use the lower rate on very coarse textured soils. Temporary crop stunting and sealing of the first leaves will occur if conditions for germination and growth are not optimum. Do not apply within 14 days of harvesting or grazing alfalfa.

WESTERN REGION

Meter 2¼ to 4½ pints EPTAM 7-E per acre into the irrigation water that is applied immediately after planting or during stand establishment. Use the lower rate on very coarse textured soils. Temporary crop stunting and sealing of the first leaves will occur if conditions for germination and growth are not optimum. Do not apply within 14 days of harvesting or grazing alfalfa.

Do not use EPTAM 7-E preemergence on rill irrigated (corrugated) alfalfa.

*Alfalfa is sensitive to soil residues of Atrazine. Do not use EPTAM 7-E on alfalfa if Atrazine was applied within the previous 12 months.



POTATOES, IRISH (continued)

SPRINKLER APPLICATION: Apply the EPTAM 7-E and Matrix tankmix combination through sprinkler irrigation after planting as a preemergence application or as an early postemergence application at the rates specified below. Refer to the EPTAM 7-E and Matrix labels for specific sprinkler application directions.

APPLICATION RATES PER BROADCAST ACRE		
Regions	EPTAM 7-E	Matrix
Northern, Southeastern, Southwestern, Western	3½ pints	1 - 1½ oz
Pacific Northwest	3½ - 7 pints	1 - 1½ oz

SUNFLOWERS

COLORADO, KANSAS, MINNESOTA, NEBRASKA, NORTH DAKOTA, SOUTH DAKOTA
EPTAM 7-E/Treflan E.C. Tankmix Combination: Apply and incorporate just before planting, using the rates listed below.


APPLICATION RATES PER BROADCAST ACRE				
EPTAM 7-E SOIL TYPE		TREFLAN E.C. RATE		
		ORGANIC MATTER CONTENT	MINNESOTA, EASTERN DAKOTAS	COLORADO, KANSAS, NEBRASKA, WESTERN DAKOTAS
2¼ to 2½ pints	Coarse (sand)	0 to 2%	1 pint	1 pint
	Coarse (sand)	2 to 5%	1-1/2 to 2 pints	1-1/2 to 2 pints
	Medium (loam)	0 to 5%	1-1/2 pints	1-1/4 to 1-1/2 pints
	Fine (clay)	0 to 5%	2 pints	1-1/2 pints
	All soil types	5.1 to 10%	2 pints	2 pints

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

EPTAM® is a trademark of a ZENECA Group Company.
 Matrix® is a trademark of E. I. duPont de Nemours & Co. Inc.
 Treflan® is a trademark of DowElanco.

09-2612-008 10/95



2043

POTATOES, IRISH

PACIFIC NORTHWEST REGION

Drag-Off (Come up, weeding time) incorporation: Apply and incorporate 3½ to 7 pints EPTAM 7-E per acre at drag-off. Use the higher rate for nutsedge control. Use spike-tooth harrows or cultivation equipment for incorporation.

WESTERN REGION

For northern California counties (Lassen, Modoc, Shasta, Siskiyou) only:

Preplant: Apply and incorporate just before planting 3½ to 7 pints of EPTAM 7-E per acre; use 4½ pints per acre for quackgrass control and 7 pints per acre for hairy nightshade control.

ALL REGIONS

EPTAM 7-E/Matrix Herbicide Tankmix: A tankmix combination of EPTAM 7-E and Matrix herbicide can be applied preemergence or postemergence to Irish Potatoes. The tankmix combination can provide broader spectrum weed control than either product used alone. Before using EPTAM 7-E and Matrix as a tankmix, read both the EPTAM 7-E and Matrix labels carefully. Observe all cautions and limitations noted on the labels of both products.

Additional Weeds Controlled by the Tank Mixture of EPTAM 7-E and Matrix

Ladysthumb	<i>Polygonum persicaria</i>
Kochia	<i>Kochia scoparia</i>
Mustard, Wild	<i>Sinapis arvensis</i>
Smartweed, Pennsylvania	<i>Polygonum pennsylvanicum</i>
Sunflower, Common	<i>Helianthus annus</i>

DIRECTIONS FOR USE:

MIXING: Add the recommended rates of EPTAM 7-E and Matrix to the spray tank while the agitator is running. Add the EPTAM 7-E last. Refer to the Matrix label for surfactant recommendations.

DRAG-OFF (PREEMERGENCE) APPLICATION: Apply and incorporate the EPTAM 7-E and Matrix tankmix combination at the rates specified below on the table. The field must be dragged off, then the EPTAM 7-E and Matrix tankmix combination applied and incorporated. Refer to the EPTAM 7-E label for specific regional incorporation directions.

APPLICATION RATES PER BROADCAST ACRE		
Regions	EPTAM 7-E	Matrix
Northern, Pacific Northwest, Southwestern	3½ - 7 pints	1 - 1½ oz
Southeastern, Western	3½ pints	1 - 1½ oz