IMIDAN® 1-E

An Emulsifiable Concentrate
RECOMMENDED FOR AGRICULTURAL/INDUSTRIAL USE ONLY
For control of insects specified in the directions on deciduous shade trees, evergreens, rnamental flowering trees and shrubs and roses.

ACTIVE INGREDIENTS:

Phosmet:	Phosmet: N-(Mercaptomethyl)phthalimide S-(0,0-dimethyl		
	Thosphorodithicate)	11.7%	
INERT ING	REDIENTS:	88.3%	
		100.0%	

CONTAINS 1 POUND IMIDAN PER GALLON

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

Call a Poison Center or a Physician Immedia aly: If a known exposure occurs or is suspected, immediately start the procedures given below. Simultaneously contact a Poison Center, a physician, or the nearest hospital.

Note: Advise the person contacted that the compound is a cholinesterase inhibitor. Describe the type and extent of exposure, the victim's symptoms, and follow the advice given.

If swallowed, immediately give several glasses of water but do not induce vomiting. If vomiting occurs, give fluids again. Have a physician determine if condition of patient will permit induction of vomiting or evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person.

If inhaled, remove to fresh air. If breathing is difficult, oxygen may be given with a physician's advice. If not breathing, clear victim's airway and start mouth-to-mouth artificial respiration. Get medical attention.

If in eyes, immediately flush eyes gently with large amounts of running water for at least 15 minutes. Hold eyelids apart during the flushing to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately.

If on skin, flush affected areas with plenty of water for several minutes. Remove and clean contaminated clothing and shoes. Seek medical attention if irritation occurs.

The Reviewed. Beginned at the text to place a specialized with the Control of the Section of the

Page 2 of 7 Imidan 1-E Prof RS-100589

Note to Medical Personnel: Atropine by injection is antidotal for cholinesterase inhibition. Pralidoxime chloride (Protopam, 2-PAM) is also antidotal when administered early and in conjunction with atropine.

FOR 24-HOUR EMERGENCY MEDIAL ASSISTANCE CALL 1-800-F-A-S-T-M-E-D (327-8633).

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMIREC 1-800-424-9300.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 10182-228

EPA Est. No.

GAL. NET L

This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified:

Country: United States

Made in U.S.A. by ICI Agricultural Products ICI Americas Inc. Wilmington, DE 19897

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING:

- Causes eye irritation.
- May cause skin irritation.
- May be harmful if swallowed or inhaled. Avoid breathing spray mist.
- Do not get i eyes, on skin or on clothing.
- In case of contact, flush eyes with plenty of water for at least 15 minutes. For skin contact, flush with plenty of water. Wash contaminated clothing with soap and hot water before re-use. Wash thoroughly after handling and before eating or smoking.
- Do not contaminate food or feed.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water by disposing of equipment washwater. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops while bees are actively visiting the treatment areas.

PHYSICAL HAZARDS

- Combustible. Do not use, store, pour, or spill near heat or open flame. Keep container closed when not in use.
- 1. Spread a suitable absorbent such as clay, sawdust or kitty litter on the spilled material.
- 2. Place sweepings in an appropriate chemical waste container.
- 3. Generously cover the contaminated areas with a common household detergent. Using a stiff brush and small amounts of water, work the detergent into the spill material forming a slurry. Do not spiatter on one's self or bystanders and completely avoid skin or eye contact with this material. Brush the slurry into cracks and crevices and allow to stand for 2-3 minutes.

- 4. Spread absorbents on the slurried liquid and shovel the absorbed material into the container.
- 5. Repeat if necessary.
- 6. Flush the area with water while observing proper environmental considerations.
- 7. Seal container and dispose of in approved pesticide landfill.

Large spills should be handled according to a predetermined plan. For assistance in developing a plan, contact ICI Agricultural Products, ICI Americas Inc., Wilmington, DE 19897

PRODUCT INFORMATION

- MIX WELL BEFORE USING.
- IMIDAN 1-E is an emulsifiable liquid for use in water for spray applications. Combinations with other insecticides and fungicides have not been fully tested at this time. It is not compatible with alkaline materials such as lime or bordeaux mixtures.
- Read all label directions before using. Apply this product only as specified on this label.
- Keep children and pets away from immediate area while spraying.
- Do not apply during periods of abnormally high humidity.
- Do not overdose.
- Do not apply this product through any type or irrigation equipment.

INSECTS CONTROLLED BY IMIDAN 1-E ARE THE FOLLOWING:

Birch Leafminer
Elm Leaf Beetle
Elm Spanworm
European Red Mite
Fall Cankerworm
Fall Webworm
Forest Tent Caterpillar
Fruit Tree Leaf Roller
Green Apple Aphid
Gypsy Moth
Japanese Beetle

Leaf Tiers
Maple Aphid
Mealy Bug
Mimosa Webworm
Pine Bark Aphid
Rose Aphid
Spring Cankerworm
Two-Spotted Mite
Willow Leaf Beetle
Woolly Apple Aphid
Woolly Beech Aphid

RECOMMENDATIONS:

IMIDAN 1-E may be used on the following plant species:

Shade Trees

Ash Elm Maple
Beech Hickory Oak
Birch Locust Willow

Flowering Trees and Shrubs

Crape Myrtle Jasmine
Dogwood Lilac
Euonymus Magnolia
Forsythia Privet

Hawthorne (DO NOT USE ON WASHINGTON HAWTHORNE)

Evergreens

Arborviate Juniper

Azalea Mountain Laurel

Boxwood Pine
Cotoneaster Pyracatha
Fir Rhododendron
Hemlock Spruce

Hemlock Spruce Holly Yew

Roses

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- MIX WELL BEFORE USING.
- As a general foliar spray on shade trees and ornamentals, use 1 to 3 quarts per 100 gallons of water in a hydraulic sprayer (2 to 6 teaspoonsful per gallon) or 1 to 3 gallons per 50 gallons of water in a mist blower. Apply thoroughly to all plant surfaces when insects appear, repeat as necessary.

NOTE: The dilutions given for mist blowers are based on 8 times the concentration used for hydraulic sprayers. Adjustment should be made in accordance with the manufacturer's directions for the capacity of each mist blower.

- Pour the recommended amount of IMIDAN 1-E into the spray tank during the filling operations.
- Improved wettability can be achieved with the addition of a spreader sticker.
- Do not apply this product through any type of irrigation equipment.

DOSAGE RATES

INSECTS	HYDRAULIC SPRAYER DILUTIONS
Green Apple Aphid Maple Aphid Rose Aphid Woolly Apple Aphid Woolly Beech Aphid	Use 1 to 2 quarts/100 gallons.
Elm Leaf Beetle Elm Spanworm Fall Cankerworm Fall Webworm Forest Tent Caterpillar Gypsy Moth Japanese Beetle Leaf Tiers Spring Cankerworm Willow Leaf Beetle	Use 2 to 3 quarts/100 gallons. Use 2 quarts for early instars.
Birch Leafminer European Red Mite Mealy Bug Pine Bark Aphid	Use 2 quarts/100 gallons.
Fruit Tree Leafroller Mimosa Webworm	Use 3 quarts/100 gallons.

PROTECTIVE CLOTHING

When mixing/loading wear mid forearm to elbow length chemical resistant gloves, long-sleeve shirt, and long pants. During the application wear long-sleeve shirt and long pants. Applicator must also wear a wide-brimmed chemical resistant hat while spraying up toward fruit and nut crops.

Two-Spotted Mite

Any article of clothing worn while applying product must be cleaned before reusing. Clothing should be laundered separately from household articles. Clothing which has been drenched or has otherwise absorbed concentrated pesticide must be disposed of in a sanitary landfill, incinerated, or burned if allowed by State and local authorities.



Mode

STORAGE AND DISPOSAL

• Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container. Protect from temperatures below 25°F. Product crystallizes at lower temperatures. Warm or store at higher temperatures and mix to redissolve crystals and assure uniformity before use. Do not store near sources of heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

SPILL OR LEAK: Small spills can be handled routinely. Use adequate ventilation and wear an air-supplied respirator to prevent inhalation. Wear suitable protective clothing to prevent skin and eye contact. Use the following procedures:

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.