11.23

Page 1 of 4
Captan SP (HO) 1011.--10 RS-012290

CAPTAN MOLY SOYBEAN SEED PROTECTANT

(FUNGICIDE with Graphite) Contains Captan & Molybdenum

Active Ingredients		•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	By Wt.
±Captan		•	•	•	•	٠	•	٠	c			•	•	•	•	•	•	•	•	24.4%
Related Derivatives.		•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	0.6%
Inert Ingredients		•	•	•	•	•	•	•	•	٠	•	•	•	٠	•	•	•	•	•	75.0%
*N-Trichloromethyl thio-4-cyclohexens-1,2-dicarboximide																				

Contains the equivalent of 4.75% Molybdenum from sodium molybdate. Also contains 15% of Non-Oil Lubricant.

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If swallowed contact physician, poison control center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and a copy of the label to the nearest emergency treatment facility. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops. If inhaled, remove person from exposure area.

> FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-F-A-S-T-M-E-D (327-8633).

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

EPA Reg. No. 10182-316

EPA Est. No.

ICI Agricultural Products ICI Americas Inc. Wilmington, DE 19897

BEST AVAILABLE COPY

Net Weight:

NOTE: This product is ... sold by weight and package is full when packed, bur due to fluffy nature this"" material is inclined to settle.

ACCEPTED Lansecticide,
Calculate Act,
Lancede to the Faterni Insecticide. 10182-316

Page 2 of 4 Captan SP (MO) RS-012290

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid inhalation of dust. Remove and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and chemically resistant apron.

A dust mask must be worn when mixing and loading this product.

AFTER WORK: Take off all cloths and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with Captan must be destroyed according to state and local regulations.

Captan Moly Soybean Seed Protectant is a specifically designed formulation. for the treatment of soybean seed. Captan Moly Soybean Seed Protectant protects sound and/or mechanically injured seed against seed and soil-borne diseases such as seedling blights, damping-off and seed decay organisms at planting time. It also provides molybdenum which is essential to the ... nitrogen-fixing nodule bacteria.

BEST AVAILABLE COPY

5,-4

Page 3 of 4 Captan SP (MO) RS-012290

Designed to protect seed at planting time, Captan Moly Soybean Seed Protectant enables the farmer to avoid the additional handling of commercial seed treatment, thus lowering the percent of cracked or split seed planted. At recommended dosage rates, this product assures adequate seed coverage and allows any excess to flow down with the seed into the furrow, thus affording maximum protection. Can be used on previously treated seed.

Soybeans are most likely to benefit from treatment with this product when planted in acidic soils (soils needing liming), heavily leached soils, or soils high in iron content.

DIRECTIONS: MEASURING CUP ENCLOSED

SOYBEANS: Use Captan Moly Soybean Seed Protectant as a planter box treatment at the rate of 4 oz. per bushel or 7 oz. per 100 lbs. seed. When seed is planted at the rate of one bushel per acre, this will provide the needed 1/2 oz. of sodium molybdate per acre.

For improved mixing of product with seed, the following procedure is suggested: Fill planter box only half full of seed, add half the required amount of Captan Moly Soybean Seed Protectant and mix thoroughly with a stick. Then add the remainder of seed in planter box and add the rest of the required amount of Captan Moly Soybean Seed Protectant, mixing thoroughly again. Good results are also obtained by premixing seed with the product in a suitable container, then pouring treated seed into planter box. One level measuring cup holds approximately 4 oz. of product. This will treat one bushel of soybean seed.

Do not feed treated seed to animals. Do not use treated seed for human consumption. Seeds treated with Captan Moly Soybean Seed Protectant soid or shipped as feed or foodstuffs may be considered adulterated under state and Federal laws. Treated seed must be labeled as follows: "TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL".

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container.

Store in cool, dry place.

Protect from excessive heat.

Do not store or transport near feed or food.

For help with any spill, leak, fire or exposure involving this material, call day or night 1-800-424-9300.

PESTICIDE DISPOSAL.

This product is acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Courtol Agency, or the Hazardous Waste representative at the nearest EPA Regions: Office for guidance.

C FAINER DISPOSAL

Triple rinse (or equivalent). Do not reuse container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL PE LIMITED TO THE REFUND OF THE PURCHASE PRICE.