


PM 13

10182-331

1.2.17

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)	EPA REGISTRATION NO. 10182-331	DATE OF ISSUANCE June 17, 1992
	TERM OF ISSUANCE Until November 15, 1992	
	NAME OF PESTICIDE PRODUCT KARATE CSO INSECTICIDE	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) <div style="text-align: center;"> ICI AMERICAS, INC. AGRICULTURE PRODUCTS CONCORD PIKE & NEW MURPHY ROAD WILMINGTON, DELAWARE 19897 </div> <div style="text-align: right; margin-top: 20px;"> <i>168 5419773</i> <i>181</i> </div>		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
<p style="text-align: center;">This product is conditionally registered in accordance with FIFRA section 3(c)(7)(B) since you agreed to:</p>		
1). Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data,		
2). The same terms and conditions for conditional registration as that stipulated in your November 15, 1990 letter regarding Karate Insecticide for use on cotton (EPA Reg No. 10182-96).		
3). Add the phrase, "EPA Registration Number 10182-331" to the label.		
4). Under the precautionary statement add the statement "Causes skin irritation", following the statement causes substantial but temporary eye injury.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL 		DATE June 17, 1992

2 of 17

5). Submit product information (pounds or gallons produced) for this product for the fiscal year in which the use on cotton is conditionally registered, in accordance with FIFRA Section 29. The fiscal year begins October 1, and ends September 30.

This information is to be submitted to:

Environmental Protection Agency
Registration Support Branch
Registration Division (H7505C)
401 M Street SW
Washington, DC 20460

The conditional registration will be subject to an expiration date of November, 15, 1992. Such expiration will occur automatically notwithstanding the fulfillment of any conditions set forth in this letter and expiration will not give rise to hearing rights pursuant to FIFRA Section 6(e). Upon completion of review of the mesocosm study and all other available data the Agency will decide whether this product could be registered under FIFRA Section 3(c)(5) or if other regulatory action is warranted.

YOU SHOULD KNOW THAT IF YOU FAIL TO SATISFY ANY OTHER CONDITIONS IMPOSED ON THIS REGISTRATION, E.G., YOU FAIL TO SUBMIT THE REQUIRED DATA BY THE SPECIFIED DEADLINES, OR THE DATA SUBMITTED WERE NOT GENERATED IN ACCORDANCE WITH THE GOOD LABORATORY PRACTICE STANDARDS (40 CFR PART 160) AND/OR THE EPA APPROVED PROTOCOL, EPA MAY ISSUE A NOTICE TO CANCEL THIS REGISTRATION UNDER FIFRA SECTION 6(E).

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the label has been enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure:

3.17

Front Panel

RESTRICTED USE PESTICIDE
Toxic to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

KARATE® CSO Insecticide

For Use to Control Certain Insects on Cotton

ACTIVE INGREDIENT:

Lambda-cyhalothrin

[1 α (S*),3 α (Z)]-(\pm)-cyano-(3-phenoxyphenyl)methyl-3-

(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-

dimethylcyclopropanecarboxylate 7.8%

INERT INGREDIENTS: 92.2%

Total 100.0%

Contains petroleum distillates.

KARATE CSO contains 0.6 pounds of active ingredient per gallon and is an emulsifiable concentrate containing cottonseed oil.

KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO

PRECAUCION AL USUARIO:

Si usted no puede leer o entender las ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 10182- 331
EPA Est. No. 10182-

Net Contents:

ACCEPTED
with COMMENTS
in EPA Letter Dated

17 JUN 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

10182-331

Made in U.S.A.
ICI Agricultural Products
ICI Americas Inc.
Wilmington, DE 19897

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water. Remove any contact lenses and repeat flushing procedure for several minutes. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Induced vomiting as first aid for this substance may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision. Probable mucosal damage may contraindicate the use of gastric lavage.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-F-A-S-T-M-E-D (327-8633).

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

~~For other product information, contact your local ICI Americas Inc. Distributor or see Material Safety Data Sheet.~~

Side Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. MAY BE FATAL IF SWALLOWED OR INHALED. HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE ALLERGIC SKIN REACTIONS. DO NOT get on skin, in eyes, or on clothing. **DO NOT** breathe vapor or spray mist. **WEAR a mask or pesticide respirator jointly approved by the MSHA and NIOSH. WEAR** goggles or face shield, protective clothing, and rubber gloves when mixing. **WASH** thoroughly with soap and water after handling and before eating, drinking, or using tobacco. **REMOVE** contaminated clothing and wash before reuse.

Skin exposure may also result in a sensation described as a tingling, itching, burning, or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 to 30 hours, without damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

REFER TO THE ATTACHED LABEL BOOKLET FOR DETAILED PROTECTIVE CLOTHING AND HUMAN FLAGGER DIRECTIONS.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. ~~Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes).~~ Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Back Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Refer to attached booklet for use directions.

REENTRY STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in original containers only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal Containers: Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Plastic Containers: Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FOR BULK/MINI-BULK CONTAINERS

CONTAINER DISPOSAL

Plastic Containers: Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling or reconditioning, or clean in accordance with manufacturer's instructions.

FOR EZ HANDLER CONTAINERS

CONTAINER DISPOSAL

Plastic Containers: Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FOR MINI-BULK AND E-Z HANDLER CONTAINERS

CONTAINER PRECAUTIONS

Before refilling, inspect thoroughly for damage such as cracks, punctures, bulges, dents, abrasions, and damaged or worn threads on closure devices.

REFILL ONLY WITH KARATE INSECTICIDE. The contents of this container cannot be completely removed by cleaning. Refilling with materials other than KARATE insecticide will result in contamination and may weaken container.

After filling and before transporting, check for leaks.

Do not refill or transport damaged or leaking container.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

CONDITIONS OF SALE AND LIMITED WARRANTY:

The Directions for Use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended or other influencing factors in the use of the product, all of which are beyond the control of the seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label, subject to the inherent risks referred to above, when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller and Buyer and User assume the risk of any such use. **SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY.**

When Buyer or User claims losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability or other legal theories), Buyer or User must promptly notify in writing Seller of any claims to be eligible to receive either of the remedies set forth below. **The EXCLUSIVE REMEDY OF BUYER OR USER and the LIMIT OF LIABILITY of Seller will be, at the election of Seller, refund of the purchase price paid for product bought, or replacement of amount of product used. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.**

KARATE® is a trademark of an ICI Group Company.

9/17

RESTRICTED USE PESTICIDE
Toxic to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

KARATE® CSO INSECTICIDE

FOR USE TO CONTROL CERTAIN INSECTS ON COTTON

COMPLETE DIRECTIONS FOR USE

ACCEPTED
with COMMENTS
in EPA Letter Dated

17 JUN 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

EPA Reg. No. 10182- 331

10182-331

Made in U.S.A.
ICI Agricultural Products
ICI Americas Inc.
Wilmington, DE 19897

KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO

PRECAUCION AL USUARIO:

Si usted no puede leer o entender lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ACTIVE INGREDIENT:

Lambda-cyhalothrin

[1 α (S*), 3 α (Z)]-(\pm)-cyano-(3-phenoxyphenyl)methyl-

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-

dimethylcyclopropanecarboxylate 7.8%

INERT INGREDIENTS: 92.2%

Total 100.0%

Contains petroleum distillates.

KARATE CSO contains 0.6 pounds of active ingredient per gallon and is an emulsifiable concentrate containing cottonseed oil.

STATEMENT OF PRACTICAL TREATMENT

IF ON SK I: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water. Remove any contact lenses and repeat flushing procedure for several minutes. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Induced vomiting as first aid for this substance may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision. Probable mucosal damage may contraindicate the use of gastric lavage.

**FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-F-A S T M-E-C
(327-8633).**

**FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC
1-800-424-9300.**

**For other product information, contact your local ICI Americas Distributor or see Material
Safety Data Sheet.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. MAY BE FATAL IF SWALLOWED OR INHALED. HARMFUL IF ABSORBED THROUGH SKIN. ~~MAY CAUSE ALLERGIC SKIN REACTIONS.~~ DO NOT get on skin, in eyes, or on clothing. DO NOT breathe vapor or spray mist. WEAR a mask or pesticide respirator jointly approved by the MSHA and NIOSH. WEAR goggles or face shield, protective clothing, and rubber gloves when mixing. WASH thoroughly with soap and water after handling and before eating, drinking, or using tobacco. REMOVE contaminated clothing and wash before reuse.

WEAR THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT WHEN HANDLING THE CONCENTRATE AND DURING APPLICATION, EQUIPMENT REPAIR, CLEANING, DISPOSAL OF THE SPRAY SOLUTION, AND DURING EARLY REENTRY TO TREATED AREAS.

Wear a protective suit of one or two pieces that covers all parts of the body except the head, hands, and feet. Wear chemical-resistant gloves and chemical-resistant boots, shoes, or shoe coverings. Wear goggles or face shield. A helmet with visor is acceptable during application from nonenclosed cockpits. Wear a mask or pesticide respirator jointly approved by the MSHA and NIOSH.

During application only from a tractor with a completely enclosed cab or aerially with an enclosed cockpit, long sleeve shirt and long legged pants may be worn in place of the above protective equipment. Chemical-resistant gloves must be made available in the cab or cockpit and must be worn while exiting. This clothing is inadequate to protect you during equipment repairs, equipment cleaning, spray solution disposal or early reentry.

IMPORTANT! Before removing gloves, wash hands with soap and water. Always wash hands before smoking, eating, drinking, or toileting.

Skin exposure may also result in a sensation described as a tingling, itching, burning, or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 to 30 hours, without damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

Human flaggers in the treated area must either be in totally enclosed vehicles or wear a protective suit, chemical-resistant gloves; a chemical-resistant hat with a wide brim or a hood; chemical-resistant shoes, shoe covers or boots; a respirator, and a face shield.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application.

Do not apply this product through any type of irrigation system.

Resistance: Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. Consult your local or state agricultural authorities for details.

If resistance to this product develops in your area, this product, or other products with a similar mode of action, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and resistance is a reasonable cause, immediately consult your local company representative or agricultural advisor for the best alternative method of control for your area.

REENTRY STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your state Department of Agriculture for further information.

Apply KARATE® CSO insecticide as shown in the following chart:

COTTON SPRAY RECOMMENDATIONS

Target Pest	Rate		Remarks
	lb a/A	fl oz/A	
Thrips Spp. Tobacco Thrips Soybean Thrips	0.01-0.02	2.13-4.27	<ul style="list-style-type: none"> • Apply as required by scouting, usually at intervals of 5-7 days. Timing and be based upon insect populations reaching locally determined economic thresholds. • Apply with ground or air equipment using sufficient water to obtain full coverage. • Under light bollworm/budworm infestation levels, 0.02 lb a/A may be applied for monitoring. • For boll weevil control spray on a 3-5 day schedule. • When applied according to label directions for control of cotton bollworm and CSO Insecticide also provides ovicidal control of unhatched <i>Heliothis</i> spp. eggs. • Do not apply within 21 days of harvest. • Do not graze livestock in treated areas. • Do not apply more than 2.7 pints (0.2 lb ai) per acre per season. • Do not make more than a total of 10 synthetic pyrethroid applications (of all products) to a cotton crop in one growing season. Synthetic pyrethroid products include: insecticide, Ammo® insecticide, Asana® XL insecticide, Baythroid® emulsifiable concentrate, Capture® insecticide/miticide, CYMBUSH® insecticide, KARATE® insecticide, Scout® insecticide. • Do not apply by ground within 25 feet, or by air within 75 feet of lakes, reservoirs, marshes or natural ponds; estuaries and commercial fish farm ponds. • SPRAY DRIFT PRECAUTIONS <ul style="list-style-type: none"> • All aerial and ground application equipment must be properly maintained and use appropriate carriers. • Do not make aerial or ground applications during temperature inversions. • Make aerial or ground applications when the wind velocity favors on-target drift (approximately 3 to 10 mph). Do not apply when wind velocity exceeds 10 mph. • For aerial applications, the spray boom must be mounted on the aircraft by wingtip or rotor vortices. Boom length must not exceed 75% of wing span.
Lygus Bugs Pink Bollworm Cabbage Looper Cotton Leafperforator Cutworm Spp. Saltmarsh Caterpillar Cotton Leafworm Cotton Fleahopper	0.02-0.03	4.27-8.40	
Cotton Bollworm Tobacco Budworm Boll Weevil Fall Armyworm Beet Armyworm** European Corn Borer Brown Stink Bug Green Stink Bug Southern Green Stink Bug Two-spotted Spider Mite* Cotton Aphid* Bandedwing Whitefly* Sweetpotato Whitefly*	0.025-0.04	5.33-8.53	

* Suppression only.
** For control of the first and second instar only.

excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal Containers: Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Plastic Containers: Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FOR BULK/MINI-BULK CONTAINERS

CONTAINER DISPOSAL

Plastic Containers: Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling or reconditioning, or clean in accordance with manufacturer's instructions.

FOR EZ HANDLER CONTAINERS

CONTAINER DISPOSAL

Plastic Containers: Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FOR MINI-BULK AND E-Z HANDLER CONTAINERS

CONTAINER PRECAUTIONS

Before refilling, inspect thoroughly for damage such as cracks, punctures, bulges, dents, abrasions, and damaged or worn threads on closure devices.

REFILL ONLY WITH KARATE INSECTICIDE. The contents of this container cannot be completely removed by cleaning. Refilling with materials other than KARATE insecticide will result in contamination and may weaken container.

After filling and before transporting, check for leaks.

Do not refill or transport damaged or leaking container.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

CONDITIONS OF SALE AND LIMITED WARRANTY:

The Directions for Use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended or other influencing factors in the use of the product, all of which are beyond the control of the seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label, subject to the inherent risks referred to above, when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY.

When Buyer or User claims losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability or other legal theories), Buyer or User must promptly notify in writing Seller of any claims to be eligible to receive either of the remedies set forth below. The EXCLUSIVE REMEDY OF BUYER OR USER and the LIMIT OF LIABILITY of Seller will be, at the election of Seller, refund of the purchase price paid for product bought, or replacement of amount of product used. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

AMBUSH®, CYMBUSH®, and KARATE® are trademarks of ICI Group Companies.
Ammo®, Capture®, and Pounce® are trademarks of FMC Corporation.
Asana® is a trademark of E. I. du Pont de Nemours & Co. (Inc.).
Baythroid® is a trademark of Mobay Corporation.
Scout® is a trademark of Hoechst-Roussel Agri-Vet Company.

17 of 17

RATE CONVERSION CHART

LB AI PER ACRE	FL OZ PER ACRE	PINTS PER ACRE	TREATED ACRES PER GALLON
0.01	2.13	0.13	60
0.02	4.27	0.27	30
0.025	5.33	0.33	24
0.03	6.40	0.40	20
0.04	8.53	0.53	15