US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75 767) WASHINGTON DC 20460

NOTICE OF PESTICIDE: K HE SISTINATION

(Under the Federal Insecticade Fungicide) and Rodenticide Act, as amended)

EPA REGISTRATION NO.

NAME OF PESTICIDE PRODUCT

L

TALON-G Rodenticide Pellets With Bitrex

NAME AND ADDRESS OF REGISTRANT (Include SIP code)

ICI Americas Inc. Agricultural Products Wilmington, DE 19897

L

S399771 161 18

NOTE: Changes in labeling formula differing in aubatance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above c med pesticide is hereby Registered/Reregistered under the Federal Insecticule, Fungicule, and Rodenticule Act.

A copy of the labeling accepted in connection with this Registration Reregistration is returned berewith.

Registration is in no way to be construed as an indersement of approval of this product by this Agency, In order to protect health and the environment, the Administrator, on his motion, may at any time auspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- Make the labeling changes listed below before you release the product for shipment:
 - Add the phrase, "EPA Registration No. 10182-335"
 - The "DIRECTIONS FOR USE" portion of the revised proposed label is nearly acceptable. When you print labels, make the following changes:
 - Change "cna" to "can" in the third sentence of item "2." under "IMPORTANT."
 - Delete the sentence "This product must be placed in . . . wildlife. " from the "USE RESTRICTIONS" Item "2." under "IMPORTANT" takes the place of the "tamper-proof bait boxes" statement.

SIGNATURE OF APPROVING OFFICIAL

c. The following statement applies to all ICI Brodifacoum baits which contain Bitrex:

EPA is not persuaded at this time that including 10 ppm of Bitrex in these baits necessarily makes them safer than similar baits which lack this ingredient. You may make no claims of improved safely in your advertising or on your labels. Such literature may include a factual statement that the product contains Bitrex. However, such a statement must not be unduly emphasized nor may it appear in a context which transforms it into an implied claim of enhanced safety.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7504C)

Enclosures: 1) Stamped label

2) A-79 Enclosure



Page 1 of 4 TAL 451b Plts RS-0408918

TALONO-G Rodenticide Pellets The State of For Effective Control of Commensal Rate & House Mice

Kills Warfarin-Resistant Norway Rate and House Nice Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENT:

Brodifacous

Total 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read Additional Precautionary Statements on Side Panel

EPA Reg. No. 10182-

EPA Est. No.

Net Contents: 45 lbs (20.4 kg)

3/16" Pellets

ICI Professional Products ICI Americas Inc. Wilmington, DE 19897

SEP 19 4091

F

10182 - 336



Page 2 of 4 TAL 451b Plts RS-040891B

PRECAUTIONARY STATEMENTS

MAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS AND PETS. WASH HANDS AFTER-HANDLING BAIT.

IF BAIT IS EATEN BY HUNARS, CALL A PHYSICIAN AT ONCE.

IF BAIT IS EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

For 24-hour emergency assistance, call ICI Americas Medical Emergency Information Network 1-800-327-8633.

NOTE TO PHYSICIAN OR VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of vitamin K_1 are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). For animal cases, vitamin K_1 is antidotal at 2 to 5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL RAZARDS

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mannals. Keep out of any body of water.

Page 3 of 4 TAL 451b Plts RS-040891B

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

- Store product not in use in a location out of reach of children or pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction of dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait one be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccooms, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, Roof rats and House mice in and around homes, industrial, commercial, agricultural and public buildings. HAVOC may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not use in sewers. This product must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surface that comes in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS

Morway and Roof Rats:

Apply 4 to 16 ounces of bait (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or uncil signs of rat activity cease.

BEST AVAILABLE COPY



Page 4 of 4 TAL 451b Plts RS-040891B

House Nice:

Apply % to % ounce of bait per placement. Space placements at intervals of 8 to 12 feet. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

Rate and Mice:

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait according to "Disposal" paragraph. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container except for holding additional HAVOC rodenticide.

Storage: Store in original container only in dry place inaccessable to children and pets.

Pesticide Disposal: Wastes resulting form the use of this product may be disposed of on site or at an appoved waste disposal facility.

Container Disposal: Dispose of bait container in a sanitary landfill or by incineration if allowed by State and local authorities.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions or under conditions not reasonably foreseeable to Seller, and Buyer and User assumes the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Talon is a registered trademark of an ICI Group Company

TAL38C.RSB