| Please raid instructions on reverse before of | · | | | Approval expires 05-31-9 |
|--|--|--|--|---|
| SEPA Environments and the second and | United States ental Protection Age Washington, DC 20460 | YOU WARRANTES TO | Registration Amendment Other | OPP Identifier Number |
| probability instruments to networks and the second of the company/Product Number 10182–336 | त्रकारकाः, स्थापितसम्बद्धसम्बद्धाः । इत्यस्य पुरस्कार | 2. EPA Product Manager W. Jacobs | 3. Pro | |
| 4. Company/Product (Name) Talon-G Rodenticide Bait Pack Mil | PM# None Restricted | | | |
| 5. Name and Address of Applicant (Include Zeneca Inc: Zeneca Ag Products PO Box 15458 Wilmington, DE 19850-5458 Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name | | | |
| | Sec | tion - II | | |
| Amendment - Explain below. Resubmission in response to Agency letter dated Me Too* Application. Notification - Explain below. Cother - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Add package sizes; 1 lb and 5 lb paper bags NOTIFICATION APR 2 4 1997 | | | | |
| 1. Material This Product Will Be Packaged I | | tion - III | ~ 4 1797 | |
| Child-Resistant Packaging Unit Packaging Yes* X No X No If "Yes" | I-Resistant Packaging Unit Packaging War Yes Yes X No X No X If "Yes" No. per Unit Packaging wat container Packaging War | | 2. Type of Container Metal Plastic Glass X Paper Other (Specify) | |
| 3. Location of Net Contents Information 4. Size(s) Retail Cont Label Container 1 1b, 5 1b 6. Manner in Which Label is Affixed to Product Lithograph | | | ocation of Label Directions X On Label On Labeling accompanying product | |
| Paper glued Stenciled | | | | |
| | | tion - IV | | |
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name S.K. Theodorakis Regulatory Product Lead 302- | | | | |
| l certify that the statements I have m I acknowledge that any knowingly fal both under applicable law. | | nments thereto are true, ac ay be punishable by fine or | | 6. Date Application Received (\$tamped) |
| 2. Signature | atory Product Lead | | | |
| 4. Typod Name S.K. Theodorakis | 5. Date | 4/7/97 | | |
| EPA Form 8570-1 (Rev. 8-94) Previous aditi | | | EDA Eila Conv. (ariginal) | |



For Effective Control of Commensal Rats and House Mico

KEEP OUT OF REACH OF CHILDREN

CAUTION

Kills warfarin-resistant norway rats and house mice. Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENT:

Brodifacoum

3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-

INERT INGREDIENTS 99.995%

TOTAL100.000%

EPA Reg. No. 10182-336 EPA Est. No. 61282-WI-1

See back panel for Precautionary Statements.

Net Contents: 1 lb (0.454 kg) 1/6" Pellets

W

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS AND PETS. WASH HANDS AFTER HANDLING BAIT.

IF BATT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE.

IF BAIT IS EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

For 24-hour emergency assistance, call ZENECA Medical Emergency Information Network 1-800-327-8633.

NOTE TO PHYSICIAN OR VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of vitamin K_1 are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). For animal cases, vitamin K_1 is antidotal at 2 to 5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In sovere cases; blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of previand mammals. Keep out of any body of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to redenticides. To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children or pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas props to vandalism.
- 3. Discose of product container, and unused, spailed, and unconsumed bait as specified on this habet.

USF RESTRICTIONS—For control of norway rats, root rats, and house mice in and around homes, industrial, commercial, agricultural and public buildings, and similar manmade structures. This product may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not proadcast bait.

Do not proadcast bait.

SELECTION OF THEATMENT AREAS: Determine areas where rats and/or mice will most likely full and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their sinns have been observed. Remove as much food as cossible.

APPLICATION DIRECTIONS

Norway and Roof Rats:

Apply 4 to 16 ounces of bait (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

louse Mice:

Apply ½ to ½ ounce of bait per placement. Space placements at intervals of 8 to 12 feet, Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats & Mica:

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait according to "Disposal" paragraph. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container except for holding additional TALON rodenticide.

STORAGE: Store in original container only in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Dispose of bait container in a sanitary landfill or by incineration if allowed by State and local authorities. Wrap in newspaper and dispose in trash.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions or under conditions on reasonably foreseable to Seller, and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDRY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

TALON® is a trademark of a ZENECA Group Company. Bitrex® is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland. © 1997 ZENECA Inc.

A.B.U Al Mouth

ZENECA Professional Products

ZENECA Inc. Wilmington, Delaware 19850-5458

069302Z

W Company