

Page 1 of 4  
WEATHERBLOK 20g Box  
WEA330C.RSE - RS-030993E

**WeatherBlok® Bait With Bitrex  
Made With TALON® Rodenticide**

Kills warfarin-resistant Norway Rats and House Mice  
Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

**ACTIVE INGREDIENT:**

Brodifacoum  
3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-  
tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1benzopyran-2-one . . . . . 0.005%

**INERT INGREDIENTS** . . . . . 99.995%

**Total** . . . . . 100.000%


EPA Reg. No. 10182-339  
EPA Est. No.

Net Contents:

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**May be Harmful or Fatal if Swallowed  
Refer to Precautionary Statements**



Made in U.S.A.  
ICI Professional Products  
ICI Americas Inc.  
Wilmington, DE 19897



**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS AND PETS. WASH HANDS AFTER HANDLING BAIT.

IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE.  
IF BAIT IS EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

---

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL (800)-F-A-S-T-M-E-D (327-8633)

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC  
1-800-424-9300.

---

**NOTE TO PHYSICIAN OR VETERINARIAN**

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of vitamin K<sub>1</sub> are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, vitamin K<sub>1</sub> is antidotal at doses of 10 to 20 mg (not mg/kg). For animal cases, vitamin K<sub>1</sub> is antidotal at 2 to 5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.



**DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS** - For control of Norway rats, roof rats, and house mice in and around sewers, homes, industrial, commercial, agricultural and public buildings, and similar manmade structures. WeatherBlok Bait with Bitrex may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

**APPLICATION DIRECTIONS**

**Norway and Roof Rats:**

Apply 8 to 23 WeatherBlocs (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

For use in sewers, securely attach one end of wire to WeatherBlok and the other end to a stationary structure such as the bottom step of a manhole ladder or to a sewer grate, allowing just enough wire for the block to rest on manhole benching. If benching is not present, suspend block a few inches above the high water line or place WeatherBlok on a board supported by opposing steps of the ladder. Securing WeatherBlok in this manner will prevent removal by rats or water.



Place at least 15 WeatherBloks per manhole. Maintain an uninterrupted supply of fresh bait for at least 10 days or until feeding stops.

**House Mice:**

Use one bait block per placement. Space placements at intervals of 8 to 12 feet. Two blocks may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

**Rats and Mice:**

Collect and dispose of all dead animals and (when baiting operations are to be ceased) unconsumed bait according to the "Disposal" paragraph. To prevent reinfestation, eliminate food, water and harborage as much as possible. Where a continuous source of infestation is present, establish bait stations and replenish bait as needed.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container except for holding additional WeatherBlok rodenticide.

**Storage:** Store in original container only in dry place inaccessible to children and pets.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Dispose of bait container in a sanitary landfill or by incineration if allowed by State and local authorities.

**NOTICE TO BUYER AND USER:** Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions or under conditions not reasonably foreseeable to Seller, and Buyer and User assumes the risk of any such use.

**SELLER DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.**

WeatherBlok® and TALON® are registered trademarks of an ICI Group Company

