"U.S. GFC: 1988-612-016/80303

e. Under footnote 2 add:

". . per 2.5 gallons of water and thoroughly cover and soak each mound and treat a 4 foot diameter circle around the mound. Apply mixture gently to avoid disturbing the mound. Disturbing the mound may disturb the ants and cause migration, thus reducing effectiveness of treatment. For best results apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day. Make additional treatments as needed."

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager 13 Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

M112 10 K

1.04 ZUY/

SCIMITAR WP Water Soluble Packs Co rener SCIM-WSB.RSA - RS-0830.22A

SCIMI. AR" WP Insecticide in Water-Sciuble Packs

Only for Saluto, Use, and Storage by Commercial Applicators

For Use to Control Certain Insects in Residential Lawre and Omamentals

ACTIVE INGREDIENT:

Lambda-cyhalothnin

 $[1\alpha(S^*).3\alpha(Z)]$ -(±)-cyano(3-phenoxyphenyl)methyl-3-

(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-

dimethylcyclopropanecarboxylate

ERT INGREDIENTS"

"Concains aromatic petroleum distillates.

EPA Reg. No. 10182-

EPA Est. No.

Net Contents:

KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO
PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

See Side Panel for Statement of Practical Treatment and Precautionary Statements

Made in U.S.A.
ICI Professional Products
ICI Americas Inc.
Wilmington, DE 19897

ACCEPTED
with COMMENTS
in EPA Letter Dates

DEC 10 1992

Under the Federal Insecticide. Fundcide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Wash with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably by mouth-to-mouth.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-F-A-S-T-M-E-D (327-8633).

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

50410

Page 3
SCIMITAR WP Water Soluble Packs Container
SCIM-WSB.RSA - RS-091892A

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN OR INHALED. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. Do not get in eyes, on skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

Wear goggles and rubber gloves when handling or mixing wettable powder.

Skin exposure may also result in a sensation described as a tingling, itching, burning or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 to 30 hours, without damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Notify State and/or Federal authorities and ICI Americas Inc. immediately if you observe any adverse environmental effects due to the use of this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MIXING: Do not allow packs to become wet before adding to the spray tank. Wear dry rubber gloves when handling water-soluble packs. Minimize handling of packs since excessive handling may cause rupture. SCIMITAR WP insecticide is intended for dilution with water for spray application and may be used in all types of spray equipment. Fill sprayer with 1/2 volume of water and add water-soluble pack(s) of SCIMITAR WP and then fill to desired volume. Wait 2 minutes for pack(s) to dissolve. Close and shake before use in order to ensure proper suspension of the wettable powder. Shake or reagitate sprayer before use if spraying is interrupted. Make up only as required.

COMPATIBILITY: SCIMITAR WP has been found to be compatible with all commonly used fungicides, miticides, liquid fertilizers, and other insecticides. Check physical compatibility using the correct proportion of products in a small jar if local experience is unavailable.

APPLICATION: SCIMITAR WP insecticide mixes readily with water and may be used in all types of spray equipment. Mix product with the required amount of water and apply as a dilute spray application to the point of runoff. When spraying hard-to-wet foliage such as holly, pine, or ivy, the addition of a spreader sticker may enhance knockdown and residual activity. If concentrate or mist-type spray equipment is used, an equivalent amount of product should be used on the area sprayed as would be used in a filute application. Phytotoxicity testing has been carried out on a wide range of ornamental plants under various environmental conditions, and no phytotoxicity has been observed. It is advised to prespray a selection of ornamentals if local use experience is unavailable.

IMPORTANT: Time application to flowering plants during periods of time when pollinating insects are not present, such as early morning or late evening.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

DO NOT APPLY THIS PRODUCT TO EDIBLE CROPS.

SCI-MITAR WP Wate Soluble loke Contineer SCIN NSB.RS. RS-093012A

AMOUNT OF PEST" 1.2MARK3 USE SCIMITAR WP 2.4 to 4.8 oz/ ORNAMENTALS ... Ants (including Applications should be started Imported fire ants) prior to establishment of high (Including Trees, 100 gals. Armyworms
Azalea caterpillar pest population and Shrubs, Flowers, Of reapplications made as Evergreens, Follage 1 to 2 soluble necessary to keep populations Aphids packs/100 gals. Plants and Groundo vers) Bacworms under control, using higher Black vine weevil rates as pest pressure increases. (adult) Boxelder bugs **Budworms** Good spray coverage is California oakworm necessary to provide the most. effective level of control. Cankerworms Clover mites Addition of spreader/sticker at Cockroaches. recommended rates may enhance control of insects on Crickets Cutworms certain species of omamentals Eastern tent having hard-to-wet foliage. caterpillar Eim leaf beetles Apply at 21-day Intervals if retreatment is necessary. Fall webworm Flea beetles Do not apply more than 0.36 Forest tent caterpillar Gypsy moth larvae lbs of active ingredient per acre Japanese beetles per year. June beeties Lace bugs Leaf-feeding caterpillars Leafhoppers I saf rollers Leaf skeletonizers Mealybugs Midges Mosquitoes Oleander moth larvae Pilibug Pine sawity

Plant bugs

.

Fage 6
SCIMITAR WP Water Soluble Poned Container
SCIM-WSB.RSA 30 0 00092A

	200 mm / 12 mm	-	
USE	PEST	AMOUNT OF SCIMITAR WP	Reignaks
	Root weevil Spiders Spider mites Spider mites Striped beetles Striped oakworm Thrips Tip moth Tussock moth larvae Wasps Whiteflies		
TUFIFGRASS	Ants (Including Imported fire ants) ² Armywoms Crickets Cutworms Earwigs Grasshopper Japanese beetle (adult) Sod webworms Ticks (including species which transmit Lyme disease) Bluegrass billbug (adult) Chinch bugs Chiggers Hyperodes weevil Mole crickets	4.8 to 9.2 oz/acre or 2 to 4 soluble packs/acre 9.2 oz/acre or 4 soluble packs/acre	Apply when pests first appear Use the 4.8 oz rate for light infestations and/or maintenance. Subsurface feeders such as mole crickets will only be controlled if exposed to the insecticide. Apply at 21-day intervals if retreatment is necessary. Do not make more than 3 applications per acre per year or 0.28 lbs active ingredient per acre per year. Do not mow or water for 24 hours for optimum control. Keep children and pets off treated areas until lawn has dried following the application.

One (1) water-soluble pack contains 2.4 oz SCIMITAR WP.

For spot treatments, use 1 pack per 2-1/2 gallons.

To control ants effectively, the mound must be treated with a drench application. Use 1 pack of SCIMITAR NP per 2.5 gallons of water and thoroughly cover and soak each mound. Make additional treatments as needed.

100410

Page 7
SCIMITAR WP Water Soluble Packs Container
SCIM-WSB.RSA - RS-091892A

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container.

STORAGE: Mix as needed. Do not store diluted material. Do not store near food or feed. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste area. Keep water-soluble packs in original foil package and store in cool dry place. Do not store below 32°F. Handle carefully when stored at temperatures less than 50°F to avoid breakage of packs.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: When all packs are used, dispose of foil package in a sanitary landfill, by incineration, or, if allowed by State and local authorities, by burning. If burned, stay our of smoke.

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

CONDITIONS OF SALE AND LIMITED WARRANTY:

The Directions for Use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended or other influencing factors in the use of the product, all of which are beyond the control of the seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label, subject to the inherent risks referred to above, when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY.

When Buyer or User claims losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability or other legal theories), Buyer or User must promptly notify in writing Seller of any claims to be eligible to receive either of the remedies set forth below. The EXCLUSIVE REMEDY OF BUYER OR USER and the LIMIT OF LIABILITY of Seller will be, at the election of Seller, refund of the purchase price paid for product bought, or replacement of amount of product used. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

SCIMITAR™ is a trademark of an ICI Group Company.