UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

300 500115

FEB 1 3 1996

Mr. Andrew Davidson
Zeneca Ag Products
1800 Concord Pike
PO Box 15458
Wilmington, DE 19850-5455

Dear Mr. Davidson:

Subject: Addition of At Caltivation Application

LFORCE 3G Insectivide

EPA Registration No. 10182-173

FORCE 1.5G Installation

EPA Registration No. 10181 - 0

Your Suimingie Fated Oct of 18, 1995

The labeling referred to prove, shmitted in connection with registration under the rederal in ctloade, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling change pearly; the amenda habeling:

In the application of summ add the following limitation, "Do not apply this property as a base theatment unless you can incorporate the scanules as directed above. This will improve insect surel..."

Submit three acples— your fine painted labeling before you release the product for . Tibment. A champed copy of the labeling is enclosed for your sec. ...

Sincere y your,

George T. LaRocca Product Manager (13)

Insecticide-Rodenticide Branch Registration Division (7505C)

enclosure

BEST COPY AVAILABLE

*i) \$ GPO 1994-522-503/F2085

		- WAYTT	ARTE	
	CONCURRENCES			
SYMBOL				
SURNAME Seller				
DATE	***************************************			
EPA Form 1320-1A (1/90)		OFFICIAL FIL		

RESTRICTED USE PESTICIDE Due to Toxicity to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

FORCE® 3G Insecticide

For Use to Control Insects on Field Corn, Popcorn, and Seedcorn

ACTIVE INGREDIENT:

Tefluthrin
(2,3,5,6-tetrafluoro-4-methylphenyl)methyl- $(1\alpha,3\alpha)$ - $(Z-(\pm)-3-(2-chloro-3,3,3-trifluoro-$
1-propenyl)-2,2-dimethylcyclopropanecarboxylate
INERT INGREDIENTS:
Total

Contains 3 lbs. active ingredient per 100 lbs. of granular insecticide.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Statement of Practical Treatment and Precautionary Statements

EPA Reg. No. 10182-373 EPA Est. No. 10182Net Contents:

Made in U.S.A.
ZENECA Ag Products
ZENECA Inc.
Wilmington, DE 19850-5458

ACCEPTED :
with COMMENTS :
In EFA Letter Duted

13 FEB 1996

Under the Federal Insecticide, Fundcide, and Rodenti de Act as amended, for the posticide registered under EPA Reg. No.

10182.373

Page 2 FORCE 3G Insecticide - Container FOR373C.RSF-092695

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. Do not induce vomiting or give anything to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL 1-800-F-A-S-T-M-E-D (327-8633)

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. CAUSES MODERATE EYE IRRITATION. AVOID contact with skin, eyes or clothing. AVOID breathing dust. WASH thoroughly with soap and water after handling. REMOVE contaminated clothing and wash contaminated clothing before reuse.

Skin exposure may result in a transient sensation described as a tingling, itching, burning or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2-30 hours without apparent skin damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

Personal Protective Equipment

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

 Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is very highly toxic to freshwater and estuarine fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

ENDANGERED SPECIES RESTRICTIONS

This product may pose a hazard to endangered aquatic species. Follow all use directions.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ZENECA or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold ZENECA and Seller harmless for any claims relating to such factors.

ZENECA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to labe! instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ZENECA and Buyer and User assume the risk of any such use. ZENECA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall ZENECA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ZENECA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ZENECA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

ZENECA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty of liability, which may not be modified except by written agreement signed by a duly authorized representative of ZENECA.

6 of 11

FORCE 3G Insecticide - Container FOR373C.RSF-092695

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protection equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything the has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- · Shoes plus socks

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal;

STORAGE: Do not store or use in or around the home. Store in original containers only. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste area.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of or site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. When bag is empty dispose of in a sanitary landfill, by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

GENERAL INSTRUCTIONS

Runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not apply this product within 20 yards of water (ponds, streams or lakes).

Cover or incorporate spills.

Rotational crops may be planted no sooner than 30 days after application.

DIRECTIONS FOR APPLICATION

At Planting Band Treatment

Apply FORCE® 3G insecticide at planting time. Place the granules in a 7-inch wide band over the row behind the planter shoe, and in front of or behind the press wheel.

GRANULES MUST BE INCORPORATED INTO THE TOP ONE INCH OF SOIL USING TINES, CHAINS OR OTHER SUITABLE EQUIPMENT.

DO NOT apply this product as either a band or T-band treatment unless you can incorporate the granules as directed above. This will improve insect control and reduce the potential for adverse effects to aquatic organisms.

For NO-TILL corn where runoff drains into adjacent or neighboring aquatic sites (ponds, streams, lakes), apply FORCE 3G as an in-furrow treatment only. See in-furrow directions below.

At Planting In-Furrow Treatment

Apply FORCE 3G at planting time as an in-furrow treatment for control of corn rootworms, wireworms, and seedcorn maggets. In-furrow applications may be made by (1) directing the granules into the planter shoe with the seed, or (2) placing the applicator tube directly behind the planter shoe so that the granules drop into the seed furrow.

Page 7
FORCE 3G Insecticide Container
FOR373C RSF-092695

Time of Application	Insects Controlled	Rate: (02/1000 ft of row)	Application		
At Planting	Western Corn Rootworm Northern Corn Rootworm Southern Corn Rootworm Mexican Corn Rootworm Cutworms Seedcorn Maggot Seedcorn Beetle Lesser Cornstalk Borer White Grubs	A-5 Banded. T-banded or in-Furrow	BANDED - Place granules in a 7-inch band directly behind planter shoe in front of or behind the press wheel. IN-FURROW - Place granules directly in the seed furrow behind the planter shoe.		
	Chinch Bug³ Blibugs³ Red Imported Fire Ant⁴	4-5 Banded, T-banded			
	Cutworms	3-4 Banded or T-banded Only First year corn only			
At cultivation yathin 30 nays of seeding enresgence	Mesican Com Rociweren Municipal Com Rociweren Sauthern Com Rociweren Westein Com Rociweren	45	Apply by placing the grandes at the base of the characteristic properties of the reason of the row (split boot) at apply FORGE 36 in a 7-inch band over the corn raws. Cover the treated bands with 2-3 inches of sone by making the application shead of curious or entitles of sone by making the application shead of curious or entitles of sone by making the application shead of curious for entitles of sone policy of the application with 30 days of each less that observed the policy of each less than 1995 and 1995 an		

^{*}Use 5 oz/1000 ft. of row for severe infestations

BEST AVAILABLE COPY

²For best wireworm control, apply the granules as an in-furrow treatment

³Suppression only

¹Suppression only for 28 days

Page 8 FORCE 3G Insecticide - Container FOR373C.RSF-092695

CALIBRATION TABLE									
Amount of FORCE 3G/1000 ft of row	Pounds of FORCE 3G Required Per Acre for Various Row Spacings								
	40"	38"	36"	34"	32"	30"	Row Spacing		
	13,068	13,756	14,520	15,374	16,335	17,424	Linear Ft/A		
3 oz	2.5	2.6	2.8	2.9	3.1	3.3			
4 oz	3.3	3.4	3.6	3.8	4.1	4.4			
5 oz	4.1	4.3	4,5	4.8	5.1	5.5			

and the second composition of the complete of the second complete of

Page 9
FORCE 3G Insecticide - Lontainer
FOR373C.RSF-092695

	GAUGE SETTINGS FOR FORCE 3G INSECTICIDE APPLICATION											
Speed MPH	4		5		6		7					
APPLICATION RATE/1000 Row Feet (Oz/1000 Row Feet)	3	4	5	3	4	5	3	4	5	3	4	
Applicator									· · · · · · · · · · · · · · · · · · ·			
Kinze	6	8	10	8	10	12	9	11	13	11	13	
Allis Chalmers (new, with noble metering unit)	,	8	9	*	,	•		10	12			
Buffalo (10-20-30-40)		6	7	,	,			9	11	•	•	
Buffalo (fluted-roll feed-revolutions on hexagonal adjusting nut)		4 1/4	5 ½	UNIFORM FLOW AT ALL SPEEDS							EEDS	
Gandy (snap-on and bolt-on bottom models)	13	15	17	15	17	19	16	19	21	17	20	
International Harvester (one gauge per hopper; Gate/Dial) - Old	1/4	1/8	1/7	1/6	1/7	1/9	1/7	1/8	2/1	1/8	1/9	
International Harvester (two gauges per hopper; Gate/Dial) - New	1/1	1/2	1/3	1/2	1/3	1/5	1/3	1/4	1/6	1/4	1/5	
John Deere 7200/7300	11	13	15	13	15	17	14	17	20	16	19	
Iohn Deere 7000 Max-Emerge (Even) (0-10-20-30-40)	7	9	11	9	11	13	11	12	14	12	14	
John Deere 7000 Max-Emerge (Odd) (5-15-25-35-45)	7	8	9	8	9	11	10	11	13	12	13	
John Deere Max-Emerge (adjustable dial 0-79)	11	13	15	13	15	17	14	17	20	16	19	
John Deere (metal box .vith 3 rango = 7 settings and dial; Range /Nctch)	1/24	1/25	1/28	1/26	1/28	1/31	1/28	1/30	2/3	1/30	2/3	
Noble/White Planter (rectangular opening) - New	•	6	7	,	•			7	9		•	
Noble (round anening) - Old		8	9	,		,	•	11	13	•		
White 5100	€	7	8	7	8	9	8	9	11	9	10	
White 6100	6	8	10	8	10	12	9	12	14	10	13	

NOTE: These settings should be used as starting points only. Continually check the amount of FORCE 3G used against a known length of row or acreage and make a Also, check calibration occasionally to make sure equipment wear, changing conditions, etc., have not caused a change in flow rate.

Page 10 FORCE 3G Insecticide - Container FOR373C.RSF-092695

FORCE® is a trademark of a ZENECA Group Company.

SEGT AVAILABLE LOPY